



OVENS

OVEN KEY FEATURES

Ovens at a glance



Moisture Plus

Increasing the humidity in the oven optimises cooking of a variety of foods: Soft, delicious smelling bread with a shiny, appetising crust; bread rolls and croissants as delicious as those from the local baker; succulent, tender meat with a nicely browned crust; perfect oven bake; delicious soufflé and so much more.



FoodView

How is your bake doing? The camera in the oven compartment will show you what is happening wherever you are, using any compatible mobile device or tablet.



Pyrolytic cleaning

Pyrolytic cleaning is an automatic process in which residue in the oven is incinerated to ash at a very high temperature. This makes arduous scrubbing and abrasive cleaners a thing of the past. The pyrolytic self-cleaning feature turns all food residue to ash, which can be easily wiped clean from the oven surfaces without a trace.



MotionReact

You can control your oven without pressing a button. Approach the appliance and the oven compartment will automatically light up, or the display will switch on, based on your preference.



FlexiClip runners

The fully extending runners allow baking trays, baking and roasting racks and gourmet oven dishes to be completely pulled out of the cooking compartment and held securely in any position. So you can comfortably baste a roast, or turn food over for example, without the risk of burning yourself on the hot oven interior. Versatile use at every level.



TasteControl

Perfectly cooked: After a time-controlled process, the oven compartment is automatically cooled down to stop the food cooking.



PerfectClean finish

Cleaning made easy: Many components in your Miele oven, including the oven interior, baking trays, and baking and roasting racks, have a patented surface finish with unique non-stick properties. Persistent soiling is quickly easily removed using water with a dash of washing-up liquid and a sponge.



Wireless food probe

Customised and precise roasting of meat, fish and poultry by monitoring the core temperature and the countdown indicator. With the wireless food probe, there is no need to supervise the cooking process. It is very easy to use, and it is always at hand, as it is stored in the oven door.

Ovens

60cm Wide | CleanSteel

H2465 B CLST
12144170**Design**

76 litre oven capacity
Retractable controls
EasyControl Plus

Performance

A+ Energy Rating
PerfectClean
Particularly easy to clean
Touch-cool fronts
Protects against burns
CleanSteel
Fewer fingerprints & easy to clean
Miele@home
WiFi appliance

Specifications

8 Oven functions incl.
Automatic Programs

€ R19⁹⁹⁹**H2465 BP CLST**
12144190**Design**

76 litre oven capacity
Retractable controls
EasyControl Plus

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Touch-cool fronts
Protects against burns
CleanSteel
Fewer fingerprints & easy to clean
Miele@home
WiFi appliance

Specifications

8 Oven functions incl.
Automatic Programs

€ R27⁹⁹⁹**H7260 B CLST**
11099610**Design**

76 litre oven capacity
Small clear text display
DirectSensor S

Performance

A+ Energy Rating
PerfectClean
Particularly easy to clean
Touch-cool fronts
Protects against burns
CleanSteel
Fewer fingerprints & easy to clean

Specifications

10 Oven functions incl.
Automatic Programs
1 pair FlexiClip runners

€ R29⁹⁹⁹**H7260 BP CLST**
11099620**Design**

76 litre oven capacity
Small clear text display
DirectSensor S

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Touch-cool fronts
Protects against burns
CleanSteel
Fewer fingerprints & easy to clean

Specifications

10 Oven functions incl.
Automatic Programs
1 pair FlexiClip runners

€ R34⁹⁹⁹**H7264 BP CLST**
11099680**Design**

76 litre oven capacity
Small clear text display
DirectSensor S

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance

Specifications

11+ Oven functions incl.
Automatic Programs
1 pair FlexiClip runners

€ R47⁹⁹⁹**H7464 BP CLST**
11105730**Design**

76 litre oven capacity
Large clear text display
DirectSensor

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance
Wired food probe
Perfect core temperature
TasteControl
Ensures your food won't overcook

Specifications

11+ Oven functions
1 pair FlexiClip runners
20 User programmes

€ R49⁹⁹⁹**H7860 BP CLST**
11106080**Design**

76 litre oven capacity
Large touch display
M touch controls

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance | MotionReact
Wireless food probe
Perfect core temperature
TasteControl
Ensures your food won't overcook
FoodView
View you food at any moment using the mobile app

Specifications

14+ Oven functions
1 pair FlexiClip runners
20 User programmes

€ R79⁹⁹⁹

Ovens

60cm Wide | Graphite Grey

H7264 BP GRGR
11099660



Design

76 litre **VitroLine**
Small clear text display
DirectSensor S

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance

Specifications

11+ Oven functions incl.
Automatic Programs
1 pair FlexiClip runners

€ R47⁹⁹⁹

H7464 BP GRGR
11105720



Design

76 litre **VitroLine**
Large clear text display
DirectSensor

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance
TasteControl
Ensures your food won't overcook
Wired food probe
Perfect core temperature

Specifications

11+ Oven functions
1 pair FlexiClip runners
20 User programmes

€ R57⁹⁹⁹

H7464 BPX GRGR
11105790



Design

76 litre handleless **ArtLine**
Large clear text display
DirectSensor

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance
TasteControl
Ensures your food won't overcook
Wired food probe
Perfect core temperature

Specifications

11+ Oven functions
1 pair FlexiClip runners
20 User programmes

€ R59⁹⁹⁹

H7860 BP GRGR
11106060



Design

76 litre **VitroLine**
Large touch display
M touch controls

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance | MotionReact
TasteControl
Ensures your food won't overcook
Wireless food probe
Perfect core temperature
FoodView
View your food at any moment using the mobile app

Specifications

14+ Oven functions
1 pair FlexiClip runners
20 User programmes

€ R79⁹⁹⁹

H7860 BPX GRGR
11106110



Design

76 litre handleless **ArtLine**
Large touch display
M touch controls

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance | MotionReact
TasteControl
Ensures your food won't overcook
Wireless food probe
Perfect core temperature
FoodView
View your food at any moment using the mobile app

Specifications

14+ Oven functions
1 pair FlexiClip runners
20 User programmes

€ R89⁹⁹⁹

Ovens

60 cm Wide | Obsidian Black

H7264 BP OBSW
11099650**Design**

76 litre **VitroLine**
Small clear text display
DirectSensor S

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance

Specifications

11+ Oven functions incl.
Automatic Programs
1 pair FlexiClip runners

s R47⁹⁹⁹**H7464 BP OBSW**
11105710**Design**

76 litre **VitroLine**
Large clear text display
DirectSensor

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance
TasteControl
Ensures your food won't overcook
Wired food probe
Perfect core temperature

Specifications

11+ Oven functions
1 pair FlexiClip runners
20 User programmes

s R57⁹⁹⁹**H7464 BPX OBSW**
11105780**Design**

76 litre handleless **ArtLine**
Large clear text display
DirectSensor

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance
TasteControl
Ensures your food won't overcook
Wired food probe
Perfect core temperature

Specifications

11+ Oven functions
1 pair FlexiClip runners
20 User programmes

s R59⁹⁹⁹**H7860 BP OBSW**
11106050**Design**

76 litre **VitroLine**
Large touch display
M touch controls

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance | MotionReact
TasteControl
Ensures your food won't overcook
Wireless food probe
Perfect core temperature
FoodView
View your food at any moment using the mobile app

Specifications

14+ Oven functions
1 pair FlexiClip runners
20 User programmes

s R79⁹⁹⁹**H7860 BPX OBSW**
11106100**Design**

76 litre handleless **ArtLine**
Large touch display
M touch controls

Performance

A+ Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance | MotionReact
TasteControl
Ensures your food won't overcook
Wireless food probe
Perfect core temperature
FoodView
View you food at any moment using the mobile app

Specifications

14+ Oven functions
1 pair FlexiClip runners
20 User programmess

s R89⁹⁹⁹

Ovens

90cm Wide | CleanSteel

H2890 B CLST 11099480



Design

90 litre oven capacity
Retractable controls
EasyControl

Performance

A Energy Rating
PerfectClean finish
Particularly easy to clean
TwinPower
Fast heating & even heat distribution
Touch-cool fronts
Protects against burns
CleanSteel
Fewer fingerprints & easy to clean

Specifications

8 Oven functions

€ R79⁹⁹⁹

H7890 BP CLST 11106120



Design

90 litre oven capacity
Large touch display
M touch controls
3D control panel

Performance

A Energy Rating
Pyrolytic cleaning
Minimal cleaning effort
Moisture plus
Nicely browned crusts
Miele@home
WiFi appliance
MotionReact
Oven responds when approached
Wireless food probe
Perfect core temperature
FoodView
View you food at any moment using the mobile app
TwinPower
Fast & even heat distribution

Specifications

14+ Oven functions
1 pair FlexiClip runners
20 User programmes
1 Rotisserie

€ R199⁹⁹⁹



Oven & Hobs

Cooking Accessories

11555900:	Tepan grill plate - for induction hobs	R 6999
10009310:	Griddle plate - for induction hobs	R 4999
11901190:	HBS 70 - Gourmet baking stone	R 2999
10314270:	HUB 5001-M Medium Oven Dish 5kg - Induction	R 4999
5136950:	HBD 60-22 S/Steel lid <i>HUB 61-22, HUB5000/1-M</i>	R 1599
10314310:	HUB 5001-XL Large Oven Dish 8kg - Induction	R 5499
05136960:	HBD 60-35 S/Steel lid <i>HUB 61-35, HUB 5000/1-XL</i>	R 1999
9520650:	HFC70 Flexi Clip for H2265/H7XXX-60cm	R 1499
9520660:	HFC71 Flexi Clip - P/Clean for H2265/H7XXX-60cm	R 1999
9520670:	HFC72 Flexi Clip - Pyrofit for H2265/H7XXX-60cm	R 2499
9520710:	HFC92 Flexi Clip - Pyrofit for H7XXX-90cm	R 2499
9519820:	HBB71 Baking Trays for H2265/H7XXX-60cm	R 999
9520620:	HBBL71 Perforated Baking Tray H2265/H7XXX-60cm	R 1299
9519840:	HUBB71 Roasting Pan for H2265/H7XXX-60cm	R 999
9520680:	HUBB91 Roasting Pan for H7XXX-90cm	R 1499
9524950:	HBBR71 Grill Rack PerfectClean H2265/H7XXX-60cm	R 999
9520640:	HBBR72 Grill Rack Pyrofit for H2265/H7XXX-60cm	R 1799
9520700:	HBBR92 Grill Rack Pyrofit for H7XXX-90cm	R 3999
07032520:	HAL5900 CleanSteel strip for 90cm ovens	R 799
11344390:	HAL5900 Obsidian Black strip for 90cm ovens	R 1999
07114780:	HKL60cls Decor strip for 60cm ovens	R 399
10410570:	HKL60grgr Decor strip for 60cm ovens	R 999
10162640:	Miele oven cleaner spray	R 179
9520630:	HGBB71 - Anti-splash insert for H2265/H7XXX-60cm	R 1299
9520690:	HGBB91 - Anti-splash insert for H7XXX-90cm	R 2799

Decor Handles

CleanSteel Pureline Gen7000 11345890



R1499

Obsidian Black Vitroline Gen7000 11345930



R1999

Graphite Grey Vitroline Gen7000 11345950



R2299



What do the icons mean?

Microwaves at a glance



Popcorn Button

Prepare perfect popcorn at the touch of a button. Times and wattages are tailored to prepare a 100g packet of popcorn. The pre-programmed times can be modified to suit your personal taste.



Food Probe

The food probe allows for the customised and precise roasting of meat, fish and poultry by monitoring the core temperature. It also features a countdown indicator. No more need to supervise the cooking process.



Automatic Programmes

With electronically regulated programmes for over 100 international dishes, you can cook and bake cakes, bread, meat, etc. to perfection. No need to programme the mode, temperature or duration. In addition, the degree of cooking and the browning level can be adjusted.



Energy Efficiency

Miele appliances are exceptionally energy efficient. A large percentage of Miele cookers and ovens are categorised in energy efficiency class A+. This protects the environment - and your household budget.



Capacity

The ovens offer a 43-litre or a 46-litre cabinet, which offers ample space for both cooking and baking.



PerfectClean Finish

Cleaning made easy: Many components in your Miele oven, including the oven interior, baking trays, and baking and roasting racks, have a patented surface finish with unique non-stick properties. Persistent soiling is easily removed using water with a dash of washing-up liquid and a sponge.



CleanSteel

Features a particular high-grade CleanSteel finish. This allows for easy cleaning and fingerprints are barely visible.



Controls

Convenient user-friendly control panels are operated quickly & intuitively by simply touching or swiping the clear text display.

Microwaves

Combination ovens | CleanSteel

H7240 BM CLST
11104060



Design


43 litre oven capacity
Small clear text display
DirectSensor S

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance

Specifications

11 cooking functions

 R39⁹⁹⁹

H7440 BM CLST
11104350



Design

43 litre oven capacity
Large clear text display
DirectSensor

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance

Specifications

13 cooking functions
20 user programmes

 R49⁹⁹⁹

H7840 BM CLST
11105960



Design

43 litre oven capacity
Large touch display
M Touch controls

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance | MotionReact
Wired Food probe
Perfect core temperature

Specifications

17+ cooking functions
20 user programmes
2 Glass trays

 R69⁹⁹⁹



Microwaves

Combination ovens | Graphite Grey

H7240 BM GRGR
11104090



Design


43 litre **VitroLine**
Small clear text display
DirectSensor S

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance

Specifications

11 cooking functions

 **R39**⁹⁹⁹

H7440 BM GRGR
11104340



Design


43 litre **VitroLine**
Large clear text display
DirectSensor

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance

Specifications

13 cooking functions
20 user programmes

 **R49**⁹⁹⁹

H7440 BMX GRGR
11104410



Design

43 litre **ArtLine**
Large clear text display
DirectSensor

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance

Specifications

13 cooking functions
20 user programmes

 **R49**⁹⁹⁹

H7840 BM GRGR
11105950



Design

43 litre **VitroLine**
Large touch display
M Touch controls

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance | MotionReact
Wired Food probe
Perfect core temperature

Specifications

17+ cooking functions
20 user programmes
2 Glass trays

 **R69**⁹⁹⁹

H7840 BMX GRGR
11106030



Design

43 litre **ArtLine**
Large touch display
M Touch controls

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance | MotionReact
Wired Food probe
Perfect core temperature

Specifications

17+ cooking functions
20 user programmes
2 Glass trays

 **R69**⁹⁹⁹

Microwaves

Combination ovens | Obsidian Black

H7240 BM OBSW
11104080



Design

43 litre **VitroLine**
Small clear text display
DirectSensor S

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance

Specifications

11 cooking functions

e R39⁹⁹⁹

H7440 BM OBSW
11104330



Design

43 litre **VitroLine**
Large clear text display
DirectSensor

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance

Specifications

13 cooking functions
20 user programmes

e R49⁹⁹⁹

H7440 BMX OBSW
11104400



Design

43 litre **ArtLine**
Large clear text display
DirectSensor

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance

Specifications

13 cooking functions
20 user programmes

e R49⁹⁹⁹

H7840 BM OBSW
11105940



Design

43 litre **VitroLine**
Large touch display
M Touch controls

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance | MotionReact
Wired Food probe
Perfect core temperature

Specifications

17+ cooking functions
20 user programmes
2 Glass trays

e R69⁹⁹⁹

H7840 BMX OBSW
11106020



Design

43 litre **ArtLine**
Large touch display
M Touch controls

Performance

A Energy Rating
PerfectClean
Easy cleaning - linen structure
Quick & Gentle
Faster & more consistent
1000 watts
Popcorn button
Get what you want in one
easy step
Miele@home
WiFi appliance | MotionReact
Wired Food probe
Perfect core temperature

Specifications

17+ cooking functions
20 user programmes
2 Glass trays

e R69⁹⁹⁹

Microwaves

Microwave ovens

M6012 Free standing 9546480



Design

26 litre oven capacity
Free standing microwave oven
CleanSteel with black top & sides

Performance

Output
900W - Microwave Function
Automatic programmes
Perfect defrosting & cooking
Quick cooking
combined microwave modes
Memory Function
Multi-stage processes
in just one step
Keep Warm function
Dishes remain ready to serve
Integrated 800W quartz grill
Optimum and even browning

Specifications

Microwave with Quartz grill

 R9⁹⁹⁹

M7240 CLST 11103590



Design


46 litre oven capacity
Small clear text display
DirectSensor S

Performance

Output
900W - Microwave Function
Automatic programmes
Perfect defrosting & cooking
Quick cooking
Several microwave modes
Memory Function
Multi-stage processes in just one step
Keep Warm function
Dishes remain ready to serve
Spacious
40cm turntable
Popcorn button
Get what you want in one easy step

Specifications

Microwave with no grill

 R24⁹⁹⁹

M7244 TC CLST 11103670



Design


46 litre oven capacity
Small clear text display
DirectSensor S

Performance

Output
900W - Microwave Function
1500W Quarts grill
Automatic programmes
Perfect defrosting & cooking
Quick cooking
Several microwave modes
Memory Function
Multi-stage processes in just one step
Keep Warm function
Dishes remain ready to serve
Spacious
40cm turntable
Popcorn button
Get what you want in one easy step

Specifications

Microwave with Quartz grill

 R29⁹⁹⁹

M7244 TC OBSW 11103650



Design

46 litre oven capacity
Small clear text display
DirectSensor S

Performance

Output
900W - Microwave Function
1500W Quarts grill
Automatic programmes
Perfect defrosting & cooking
Quick cooking
Several microwave modes
Memory Function
Multi-stage processes in just one step
Keep Warm function
Dishes remain ready to serve
Spacious
40cm turntable
Popcorn button
Get what you want in one easy step

Specifications

Microwave with Quartz grill

 R29⁹⁹⁹



STEAM COMBINATION KEY FEATURES

Combination ovens



Multi Steam

Optimum steam distribution via 8 inlets. The powerful steam generator ensures fast steam, as well as shorter heat up times. The distribution of steam around the cooking containers achieves faster uniform cooking result.



Automatic programmes

For cooking various types of food. Simplify your everyday tasks as the manual selection of temperature & duration is not required. With Automatic menu cooking, the temperature, cooking time and sequence in which dishes are added are automatically controlled. MenuCooking makes life easier by cooking 3 different food types at the same time.



HydroClean

Spotless: HydroClean cleans the oven compartment of your Miele combination steam oven fully automatically.



Capacity

No other steam oven provides as much space. With 3 to 4 cooking levels. Allowing you to cook a complete menu for several people in one process.



Combination cooking

You want food that is succulent on the inside, crispy on the outside? Combination cooking provides results entirely to your taste.



Automatic menu cooking

Cook several components at the same time: Temperature, cooking time & sequence are determined automatically.



Mix & Match

Delicious dishes in the twinkling of an eye: With Mix & Match you can cook different foods on one plate at the same time.



Wireless food probe

Customised and precise roasting of meat, fish and poultry by monitoring the core temperature. The countdown indicator makes it very easy to use. No more need to supervise the cooking process. The special highlight: It is always at hand, as it is stored behind the fascia panel.

Steam Ovens

CleanSteel

DG7240 CLST 11106390



Design


40 Litre oven capacity
Small clear text display with
sensor controls - DirectSensor S

Performance

DualSteam technology
Perfect results
Easy Cleaning
Stainless steel compartment
Keep warm
Ready serve temperatures
Menu cooking
Easy preparation of a complete
meal
Miele@home
Network-enabled WiFi appliance

Specifications

Individual settings

 R39⁹⁹⁹

DG7440 CLST 11106430



Design

40 Litre oven capacity
Large clear text display with
sensor controls - DirectSensor

Performance

DualSteam technology
Perfect results
Easy Cleaning
Stainless steel compartment
Keep warm
Ready serve temperatures
Menu cooking
Easy preparation of a complete
meal
Miele@home
Network-enabled WiFi appliance

Specifications

20 User Programmes

 R47⁹⁹⁹

Combination

Steam ovens | CleanSteel

DGC7440 HC PRO CLST 12099680



Design

48 Litre oven capacity
Large clear text display with
sensor controls - DirectSensor

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam
& oven functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
Network-enabled WiFi appliance

Specifications

15+ Steam and oven functions
20 User Programmes

 R74⁹⁹⁹

DGC7840 HC PRO CLST 12100620



Design

48 Litre oven capacity
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam
& oven functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
WiFi appliance | MotionReact
Wireless food probe
Perfect core temperatures

Specifications

10+ Steam and oven functions
20 User Programmes
Mix & Match cooking
1x pair Flexiclip runners

 R99⁹⁹⁹

DGC7860 XXL HC PRO CLST 12100770



Design


68 Litre oven capacity
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam
& oven functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
WiFi appliance | MotionReact
Wireless food probe
Perfect core temperatures

Specifications

10+ Steam and oven functions
20 User Programmes
Mix & Match cooking
1 x pair Flexiclip runners

 R149⁹⁹⁹

Combination

Steam ovens | Graphite Grey

DGC7440 HC PRO GRGR
12099910



Design

48 Litre **VitroLine**
Large clear text display with
sensor controls - DirectSensor

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam & oven
functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
Network-enabled WiFi appliance

Specifications

15+ Steam and oven functions
20 User Programmes

€ R74⁹⁹⁹

DGC7440 HCX GRGR
12099950



Design

48 Litre **ArtLine**
Large clear text display
DirectSensor

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam & oven
functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
Network-enabled WiFi appliance

Specifications

15+ Steam and oven functions
20 User Programmes

€ R79⁹⁹⁹

DGC7840 HC PRO GRGR
12100610



Design

48 Litre **VitroLine**
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam & oven
functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
WiFi appliance | MotionReact
Wireless food probe
Perfect core temperatures

Specifications

10+ Steam and oven functions
20 User Programmes
Mix & Match cooking
1x pair Flexiclip runners

€ R99⁹⁹⁹

DGC7840 HCX GRGR
12100650



Design

48 Litre **ArtLine**
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam & oven
functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
WiFi appliance | MotionReact
Wireless food probe
Perfect core temperatures

Specifications

10+ Steam and oven functions
20 User Programmes
Mix & Match cooking
1x pair Flexiclip runners

€ R99⁹⁹⁹

DGC7860 XXL HC PRO GRGR
12100760



Design

68 Litre **VitroLine**
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam & oven
functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
WiFi appliance | MotionReact
Wireless food probe
Perfect core temperatures

Specifications

10+ Steam and oven functions
20 User Programmes
Mix & Match cooking
1x pair Flexiclip runners

€ R149⁹⁹⁹

DGC7860 HCX XXL GRGR
12100900



Design

68 Litre **ArtLine**
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam & oven
functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
WiFi appliance | MotionReact
Wireless food probe
Perfect core temperatures

Specifications

10+ Steam and oven functions
20 User Programmes
Mix & Match cooking
1x pair Flexiclip runners

€ R149⁹⁹⁹

Combination

Steam ovens | Obsidian Black

DGC7440 HC PRO OBSW
12099670



Design

48 Litre **VitroLine**
Large clear text display with
sensor controls - DirectSensor

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam
& oven functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
Network-enabled WiFi appliance

Specifications

15+ Steam and oven functions
20 User Programmes

€ R74⁹⁹⁹

DGC7440 HCX OBSW
12099940



Design

48 Litre **ArtLine**
Large clear text display
DirectSensor

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam
& oven functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
Network-enabled WiFi appliance

Specifications

15+ Steam and oven functions
20 User Programmes

€ R79⁹⁹⁹

DGC7840 HC PRO OBSW
12100600



Design

48 Litre **VitroLine**
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam
& oven functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
WiFi appliance | MotionReact
Wireless food probe
Perfect core temperatures

Specifications

10+ Steam and oven functions
20 User Programmes
Mix & Match cooking
1x pair Flexiclip runners

€ R99⁹⁹⁹

DGC7840 HCX OBSW
12100640



Design

48 Litre **ArtLine**
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam
& oven functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
WiFi appliance | MotionReact
Wireless food probe
Perfect core temperatures

Specifications

10+ Steam and oven functions
20 User Programmes
Mix & Match cooking
1x pair Flexiclip runners

€ R99⁹⁹⁹

DGC7860 XXL HC PRO OBSW
12100750



Design

68 Litre **VitroLine**
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam
& oven functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
WiFi appliance | MotionReact
Wireless food probe
Perfect core temperatures

Specifications

10+ Steam and oven functions
20 User Programmes
Mix & Match cooking
1x pair Flexiclip runners

€ R149⁹⁹⁹

DGC7860 HCX XXL OBSW
12100890



Design

68 Litre **ArtLine**
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Combi cooking
Maximum versatility for perfect
results using steam
& oven functions
HydroClean
Super easy cleaning
Automatic programmes
Programmable settings for ideal
cooking results
Automatic menu cooking
Easy preparation of a complete
meal, no transfer of flavours
Miele@home
WiFi appliance | MotionReact
Wireless food probe
Perfect core temperatures

Specifications

10+ Steam and oven functions
20 User Programmes
Mix & Match cooking
1x pair Flexiclip runners

€ R149⁹⁹⁹

Combination

Combi Steam Microwaves

DGM7440 CLST
11106520



Design

40 Litre oven capacity
Large clear text display with
sensor controls - DirectSensor

Performance

DualSteam technology
Perfect results
Quick & Gentle
Consistent, quick
microwave & steam results.
Sous vide cooking
Gentle cooking of vacuum
sealed food
Menu cooking
Easy preparation of a complete
meal
Miele@home
Network-enabled WiFi appliance

Specifications

6 steam & microwave oven
functions
20 User Programmes

 R79⁹⁹⁹

DGM7840 CLST
11106660



Design

40 Litre oven capacity
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Quick & Gentle
Consistent, quick
microwave & steam results.
Sous vide cooking
Gentle cooking of vacuum
sealed food
Automatic programmes
Fully automatic cooking
processes for over 100 dishes
Menu cooking
Easy preparation of a complete
meal
Miele@home
WiFi appliance | MotionReact

Specifications

6 steam & microwave oven
functions
20 User Programmes

 R99⁹⁹⁹

DGM7840 GRGR
11106650



Design

40 Litre **VitroLine**
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Quick & Gentle
Consistent, quick
microwave & steam results.
Sous vide cooking
Gentle cooking of vacuum
sealed food
Automatic programmes
Fully automatic cooking
processes for over 100 dishes
Menu cooking
Easy preparation of a complete
meal
Miele@home
WiFi appliance | MotionReact

Specifications

6 steam & microwave oven
functions
20 User Programmes

 R99⁹⁹⁹

DGM7840 OBSW
11106640



Design

40 Litre **VitroLine**
Large touch display
M Touch controls

Performance

DualSteam technology
Perfect results
Quick & Gentle
Consistent, quick
microwave & steam results.
Sous vide cooking
Gentle cooking of vacuum
sealed food
Automatic programmes
Fully automatic cooking
processes for over 100 dishes
Menu cooking
Easy preparation of a complete
meal
Miele@home
WiFi appliance | MotionReact

Specifications

6 steam & microwave oven
functions
20 User Programmes

 R99⁹⁹⁹

*Not available as handleless - Artline

Steam Oven Accessories

Steam oven containers

DGD/8109071: S/S lid for DGG2 & DGG7

DGG2/5001390: S/S container, 2L capacity

DGG7/8019361: S/S container, 2.8L capacity

Steam oven miscellaneous

11806570: Descaling tablets (6)

10172710: DGC Cleaner (250ml)

12110440: HydroCleaner Set (4 bottles - 125ml ea)

DGM7440 and DGM7840 Accessories

Only for use in DGM

DMGS100-30 / 11695610:

Glass tray (Drip tray) - DGM 7000 series

DGGL 1/2 40L (1.4L Capacity) / 10168190:

Perforated steam oven container. Not to be used in
microwave mode.

DGG 1/2 40L (1.4L Capacity) / 10168200:

Unperforated steam oven container. Not to be used in
microwave mode.

DGG 1/2 80L (3.5L Capacity) / 10168230:

Unperforated steam oven container not to be used in
microwave mode.

R 379

R 549

R 779

R 249

R 359

R1099

R1299

R 499

R 399

R 599

Gourmet drawers

Warmer drawers

ESW7010 GRGR 11103110



Design

14 cm built-in warmer drawer
Handleless design
Glass fronts

Performance

Mobile Control
Wifi enabled
Slow cooking
Soft & tender results
Keep warm
Perfect for crockery & food
Touch control
Convenient and easy
Push2Open
Easiest handling
Fully telescopic runners
Easy loading and unloading

Specification

4 operating modes
Temperature (40 - 85°C)

ESW7020 GRGR 11103140



Design

29 cm built-in warmer drawer
Handleless design
Glass fronts

Performance

Mobile Control
Wifi enabled
Slow cooking
Soft & tender results
Keep warm
Perfect for crockery & food
Touch control
Convenient and easy
Push2Open
Easiest handling
Fully telescopic runners
Easy loading and unloading

Specification

4 operating modes
Temperature (40 - 85°C)
1x stainless steel rack

ESW7010 OBSW 11103100



Design

14 cm built-in warmer drawer
Handleless design
Glass fronts

Performance

Mobile Control
Wifi enabled
Slow cooking
Soft & tender results
Keep warm
Perfect for crockery & food
Touch control
Convenient and easy
Push2Open
Easiest handling
Fully telescopic runners
Easy loading and unloading

Specification

4 operating modes
Temperature (40 - 85°C)

ESW7020 OBSW 11103130



Design

29 cm built-in warmer drawer
Handleless design
Glass fronts

Performance

Mobile Control
Wifi enabled
Slow cooking
Soft & tender results
Keep warm
Perfect for crockery & food
Touch control
Convenient and easy
Push2Open
Easiest handling
Fully telescopic runners
Easy loading and unloading

Specification

4 operating modes
Temperature (40 - 85°C)
1x stainless steel rack



Touch Control

All Miele Gourmet drawers are operated by controls under the flush glass fascia. For convenient use & easy cleaning. You can select 1 of 4 temperatures within the temperature range of the chosen mode. Timers can be set and switches off automatically at the end of the programmed time.



Slow Cooking

Low temperature cooking is a professional method of food preparation, giving high quality, tender & juicy results when cooking meat. The meat can be sliced directly after cooking.



SoftClose

Using this mechanism, the fully telescopic runners glide gently & quickly back into their original position. Crockery & dishes remain in their place, thus spilling is prevented.



Push2Open

Miele built in drawers without handles are perfectly in-line with built-in appliances. The drawer opens wide, making loading & operating easy. The drawers are easy to open by hand or if you do not have a hand free when carrying crockery, use your knee or elbow.

GOURMET DRAWERS KEY FEATURES

Vacuum sealer drawers



Food storage

Vacuum-sealed foodstuffs stay fresh for longer. They are stored in the PerfectFresh zone in the fridge on a temporary basis. However, once vacuum sealed, fish and vegetables stay fresh for longer, without compromising on taste or quality. Vacuum sealing protects food against freezer burn, or contamination via smell or flavour. Not least of all, bread remain fresh for much longer at room temperature once they have been vacuum sealed.



Marinating

Do you like your meat and fish to have a really intense flavour? Marinate your food in your usual manner and then vacuum seal it with the Miele vacuuming drawer. By vacuum-sealing the taste of the marinade is greatly intensified, since flavours do not oxidize. The herbs and spices can work directly and in a very concentrated form on the food.



Re-sealing

After an evening in front of the TV with crisps and popcorn, there are often some opened bags that have not been finished. What should you do with them? The vacuuming drawer offers the perfect solution: It seals the original packaging gently and securely on setting 1. This means that foodstuffs are protected against contamination via taste or smell. So they're just as fresh the next time around.



Easy-care interior

Easy cleaning guaranteed. The vacuuming chamber is equipped with seamless stainless steel sheets. This means that it is particularly easy to clean after use.



CleanSteel

All Miele appliances in stainless steel have a premium CleanSteel finish. This finish allows the surface to be easily cleaned without special detergents. Fingerprints are nearly invisible on CleanSteel.



Vacuum bags suitable for food

Safety is a priority. Supplied with different sized plastic bags. They are food-safe, heat-resistant, boil-proof and tear-resistant and contain no plasticisers. Food is safely stored. Transfer of flavours is prevented. Additional vacuum bags are available to purchase from the Miele shop.



Vacuuuming

Ideal conditions for longer storage life. In the Miele vacuuming drawer the oxygen and air are removed from the vacuum bags. This creates the ideal conditions for the longer storage of foodstuffs and also the perfect preparation for sous-vide cooking in the steam combination oven. A choice of three vacuuming settings is available to suit your needs. Setting 3 is ideal for marinated meat, whereas setting 1 is perfect for delicate foodstuffs such as berries.



Generous usable area

Versatile vacuuming. The Miele vacuum sealing drawer is suitable for different bag sizes and containers. The interior space is big enough for all sorts of food from small portions, up to a maximum size of 250 x 350mm, and a height of up to 80mm.

Gourmet drawers

Vacuum sealer drawers

EVS7010 GRGR
11103200



Design

14cm built-in vacuum drawer
Handleless design
Glass front

Performance

Vacuum packing of food
Storage and portioning of food
Sous-vide
Preparation of food
Touch control
Convenient and easy
Push2Open
Easiest handling

Specification

3x vacuum sealing modes

Included for you
100x vacuum bags included
(50 small & 50 large bags)

EVS7010 OBSW
11103190



Design

14cm built-in vacuum drawer
Handleless design
Glass front

Performance

Vacuum packing of food
Storage and portioning of food
Sous-vide
Preparation of food
Touch control
Convenient and easy
Push2Open
Easiest handling

Specification

3x vacuum sealing modes

Included for you
100x vacuum bags included
(50 small & 50 large bags)

50 x Vacuum Bags
Small 180x280mm
10380620



R449

50 x Vacuum Bags Large
240x350mm
10380630



R599



R49⁹⁹⁹

R49⁹⁹⁹



SMARTLINE



Intelligent pan detection

Intelligent pan detection recognises where the pan is: With flexible cooking zones, the control elements simply move to where they are needed.



SmartSelect

Power levels can be selected directly via the number scale. The controls, highlighted in yellow, are easy to read from any angle. Ultimate convenience, as well as excellent legibility.



Keeping Warm Plus

Perfect for keeping food warm, for heating up cold food due to exact temperature control. Thus resulting in perfectly heated food that doesn't burn.



PowerFlex

Particularly versatile & flexible. Individual cookware such as large Pasta Pans or Oven dishes can all be used effortlessly without any problems, by selecting the ebridge function.



ComfortClean

Fast cleaning: Remove the Pot rest & wash in the dishwasher. This makes cleaning particularly easy, as well as saving time.



Con@ctivity 3.0

Your cooker hood responds automatically, and the extraction power is automatically adjusted to what is happening on the hob below, ensuring a pleasant room climate at all times. The appliances communicate with each other via WiFi. Con@ctivity 3.0 allows you to integrate the cooker hood and hob into Miele@home.



TwinBooster

All zones are fitted with a single or TwinBooster. If activated, the cooking zone will operate on full power, to enable rapid heat up times. The booster can be used on 2 cooking zones at once, ensuring ease of use for different pan sizes.



Stop & Go

Allows for short breaks whilst cooking. The power output of all active cooking zones is reduced to level one & power is reinstated at the touch of a single button.



Gas Stop Restart

This function makes use of electronics which recognises when the gas flame gets extinguished or if a pot boils over. Thus automatically reignites the gas flame. If this does not work, the gas supply is switched off immediately. Simple and safe.



Quick Start

No need to press or hold down the control: All gas Hobs with electronic controls can be switched on easily and conveniently.

Combi-sets

SmartLine

CS7641 Induction Wok 11323040



Design

37.8cm wide
SmartLine induction wok

Performance

Smart Select

Intuitive quick selection via
yellow number sequences

Elegant design

For flush or raised installation

Versatile

Combines perfectly with any
SmartLine element

Eye-catcher

With integrated wok

Powerful

Booster function

Included for you

Free Teflon-coated wok pan

€ R49⁹⁹⁹

CS7612 FL Induction Hob 10684390



Design

37.8cm wide
SmartLine induction hob

Performance

Smart Select

Intuitive quick selection via
yellow number sequences

Elegant design

For flush or raised installation

Versatile

Combines perfectly with any
SmartLine element

Convenient

2 cooking zones

incl. 1 PowerFlex area

TwinBooster function

Shortest heating-up time

€ R29⁹⁹⁹

CS7632 FL Teppanyaki 10684420



Design

37.8cm wide
SmartLine induction Teppanyaki

Performance

Smart Select

Intuitive quick selection via
yellow number sequences

Elegant design

For flush or raised installation

Versatile

Combines perfectly with any
SmartLine element

Convenient

2 separately controlled teppan
areas

Induction cooking

Shortest heating-up time

€ R49⁹⁹⁹

CS7102-1 FL 38cm Gas Hob 11402730



Design

37.8cm wide
SmartLine two burner gas

Performance

Simple controls

Single-handed manual ignition
operation via rotary dial control

Elegant design

For flush or raised installation

Versatile

Combines perfectly with any
SmartLine element

Convenient

1 medium burner and 1 large burner

Easy cleaning

Dishwasher-safe

ComfortClean pot rests

Included for you

FlameGuard

€ R27⁹⁹⁹

CS7101-1 FL 38cm Gas Wok 11402720



Design

37.8cm wide
SmartLine dual gas wok burner

Performance

Simple controls

Single-handed manual ignition
operation via rotary dial control

Elegant design

For flush or raised installation

Versatile

Combines perfectly with any
SmartLine element

Broad performance spectrum

Dual wok with up to 4.5kW of power

Easy cleaning

Dishwasher-safe

ComfortClean pot rests

Included for you

FlameGuard

€ R29⁹⁹⁹

Combi-sets SmartLine

KM7564 FL Induction Hob 11022960




Design

62cm wide
SmartLine induction hob

Performance

Smart Select
Intuitive quick selection via yellow number sequences
Elegant design
For flush or raised installation
Versatile
Combines perfectly with any SmartLine element
Convenient
4 cooking zones incl.
2 PowerFlex area
TwinBooster function
Shortest heating-up time

 R39⁹⁹⁹

CSDA7001 FL Counter top Extractor 11402230



Design


12cm wide
SmartLine counter top extractor

Performance

Smart Select
Intuitive quick selection via yellow number sequences
Elegant design
For flush or raised installation
Versatile
Combines perfectly with any SmartLine element
Efficient filtration
10-ply stainless-steel grease filter
ECO motor
Energy-efficient and quiet
Integrated extractor fan
535m/h output vented or recirculating

Extra

Unit includes standard ducting pipes
Add either a vented or recirculating part to the ducting supplied

 R39⁹⁹⁹

Please add one of the following:

1: DUU1000-2 - Recirculation box including regenerating longlife charcoal filter
11207310 | R 7999


2: DKF-R1000 - Flat ducting 1000mm
10811340 | R 949

A) DMK 150-1 Wall vent kit
11258630 | R 4999


B) DKF-AK90 - Adaptor from rectangular to round
11590720 | R 999

DFK-DB 10 meter - Sealing tape
10820390 | R 79

Recirculation mode:



Vented mode:



Hob & Combi-sets accessories

10173130: Ceramic hob cleaner R 99

10690630: CSZL7000 Connecting strip R 1299

10790580: CSFG7000 Flame guard R 2999

10009310: Gen7000 Griddle plate R 4999

11555900: KMTY Tepanyaki plate R 6999

1065471: Hob scraper R 175

4380630: Razer blades for scraper(10) R 150

Hobs

Gas Hobs

KM2010G
7113300



Design

65cm wide
Stainless steel gas hob

Performance

Simple controls
Single-handed operation via rotary dial control
Versatile
4 burners
Safety
GasStop function & Automatic gas cut off
High Quality
Enamelled cast-iron pot rests

Please note

Manual ignition possible

KM2032G
7132760



Design

75cm wide
Stainless steel gas hob

Performance

Simple controls
Single-handed operation via rotary dial control
Versatile
5 burners including one mono wok
Safety
GasStop function & Automatic gas cut off
High Quality
Enamelled cast-iron pot rests

Please note

Manual ignition possible

KM2052G
7132770



Design

90cm wide
Stainless steel gas hob

Performance

Simple controls
Single-handed operation via rotary dial control
Versatile
5 burners including one mono wok
Safety
GasStop function & Automatic gas cut off
High Quality
Enamelled cast-iron pot rests

Please note

Manual ignition possible

KM3010G
9101190



Design

62.6cm wide
Gas on glass hob

Performance

Simple controls
Single-handed operation via rotary dial control
Versatile
4 burners
Safety
GasStop function & Automatic gas cut off
High Quality
Enamelled cast-iron pot rests

Please note

Manual ignition possible

KM3054-1G
10939040



Design

94.2cm wide
Gas on glass hob

Performance

QuickStart
Single-handed operation via rotary dial control
Versatile
5 burners including one dual wok
Safety
GasStop function & Restart function
ComfortClean
Easy cleaning pot rests

Please note

Manual ignition possible

CSGP1300 Griddle Plate
7094100



Design

Cast iron griddle plate with S/Steel handles

Features

1 Flat side
1 Ribbed side

Suitable for gas hobs

R5⁷⁹⁹

€ R19⁹⁹⁹

€ R24⁹⁹⁹

€ R27⁹⁹⁹

€ R20⁹⁹⁹

€ R39⁹⁹⁹

Hobs

HiLight Ceramic Hobs

KM6520 FR
10889620



Design

57.5cm wide
Stainless steel framed Ceran
glass electric hob

Performance

EasySelect
Touch controls via yellow
display for user convenience
Versatile
4 Cooking zones including
an extended cooking zone
Safety
With child lock, system lock &
residual heat indicators
Convenient
Auto heat-up for each zone

KM6522 FR
10889630



Design

76.4cm wide
Stainless steel framed Ceran
glass electric hob

Performance

EasySelect
Touch controls via yellow
display for user convenience
Versatile
4 Cooking zones including a
dual and extended cooking zone
Safety
With child lock, system lock &
residual heat indicators
Convenient
Auto heat-up for each zone &
timer with minute minder

KM6565 FR
10882070



Design

94.2cm wide
Stainless steel framed Ceran
glass electric hob

Performance

SmartSelect
Touch controls via yellow
display for user convenience
Versatile
5 Cooking zones
including 2 dual cooking zones
Safety
With child lock, system lock &
residual heat indicators
Convenient
Auto heat-up for each zone &
timer with minute minder
Unsurpassed speed
1 ExtraSpeed cooking zone
Communication
Miele@home, WiFiconn@ct &
Con@ctivity 3.0

KMTS5704-2 | 4 piece pot & pan set
11945190



Design & Features

4 Piece pot and pan set manufactured by
Fiskars especially for Miele
New handle design
Suitable for induction hobs

R9⁹⁹⁹

€ R14⁹⁹⁹

€ R19⁹⁹⁹

€ R29⁹⁹⁹

Hobs

Induction hobs

KM7464 FL 11144030



Design

62cm wide
Glass induction hob
Surface or flush-fit installation

Performance

ComfortSelect
Quick selection via yellow numerical keybank
Safety
With child lock & system lock
Convenient
Automatic pan recognition with minute minder
TwinBooster
Shortest heating-up times
Keeping warm / stop & go
Food cooked to perfection

Specification

4x cooking zones incl 1x high power flex cooking area

KM7414 FX 11128640



Design

75.2cm wide
Glass induction hob
Surface or flush-fit installation

Performance

ComfortSelect
Quick selection via yellow numerical keybank
Safety
With child lock & system lock
Convenient
Automatic pan recognition with minute minder
TwinBooster
Shortest heating-up times
Keeping warm / stop & go
Food cooked to perfection
Con@ctivity 3.0
Communication with the hood

Specification

4x cooking zones incl 1x high power flex cooking area

KM7684 FL 11144070



Design

91.6cm wide
Glass induction panoramic hob
Surface or flush-fit installation

Performance

SmartSelect controls
Quick selection via yellow number sequences
Safety
With child lock & system lock
Convenient
Automatic pan recognition with minute minder
TwinBooster
Shortest heating-up times
Keeping warm / stop & go
Food cooked to perfection
Con@ctivity 3.0
Communication with the hood

Specification

4x cooking zones incl 2x high power flex cooking areas

*Combine with DAD4840 extractor

KM7697 FL 11144090



Design

93.6cm wide
Glass induction hob
Surface or flush -fit installation

Performance

SmartSelect controls
Quick selection via yellow number sequences
Safety
With child lock & system lock
Convenient
Automatic pan recognition with minute minder
TwinBooster
Shortest heating-up times
Keeping warm / stop & go
Food cooked to perfection
Con@ctivity 3.0
Communication with the hood

Specification

Full surface induction with intelligent pan recognition
6x pans

KM7897-1 FL Diamond 12158550



Design

93.6cm wide
Glass induction hob
Surface or flush -fit installation

Performance

SmartSelect controls
Quick selection via white number sequences
Safety
With child lock & system lock
Convenient
Automatic pan recognition with minute minder
TwinBooster
Shortest heating-up times
Keeping warm / stop & go
Food cooked to perfection
Con@ctivity 3.0
Communication with the hood

Specification

Full surface induction with intelligent pan recognition
6x pans
DiamondFinish surface
Reduction in the level of scratching



KMDA
TwoInOne

Hobs

KMDA | Two-In-One

KMDA7473 FL-A (Vented)
12246270



Design


80cm wide
Induction hob with integrated extractor fan

Performance

Comfort Select Plus controls
Intuitive quick selection via yellow number sequences
Elegant design
For flush or raised installation
Versatile and fast
4x cooking zones incl. 2x PowerFlex XL areas
Flexible installation
Vented mode only
Efficient filtration
10-ply stainless-steel grease filter
Silence motor
The quietest TwoInOne from Miele
Con@ctivity
Automatic fan power regulation
Integrated extractor fan
610m/h output vented in intense level

Included

Optional extra note: All other ducting to be ordered separately as per the diagram DMK150 -1-11258630 to be ordered separately if required

 R49⁹⁹⁹

KMDA7473 FL-U (Recirculating)
12246280



Design


80cm wide
Induction hob with integrated extractor fan

Performance

Comfort Select Plus controls
Intuitive quick selection via yellow number sequences
Elegant design
For flush or raised installation
Versatile and fast
4x cooking zones incl. 2x PowerFlex XL areas
Flexible installation
Plug&Play or recirculation kit
Efficient filtration
10-ply stainless-steel grease filter
Silence motor
The quietest TwoInOne from Miele
Con@ctivity
Automatic fan power regulation
Integrated extractor fan
465m/h output in max recirculating mode


Included

Active charcoal filter - DKF 35-P - 12041230
Plug&Play adapter - DVS150 - 12167200
Optional Extra note: All other ducting to be ordered separately as per the diagram
DUU600 - 11841340 to be ordered separately if required


 R49⁹⁹⁹

Installation Examples & Accessories required

Recirculation mode :



Vented mode :



Accessories for versatile installations.

1: DFK-V - Connector, flat duct	10811360 R 449
2: DKF BVK-90 - Vertical bend 150mm	10811470 R 849
3: DKF-R1000 - Flat ducting 1000mm (222x89mm) for 10cm & above plinth heights	10811340 R 949
4: DFK-BH90 - 90 degree horizontal bend	10811390 R 899
5: DUU1000-2 - Recirculation box including regenerating longlife charcoal filter	11207310 R 7999
A) DKF A-90 adaptor rectangular	11590720 R 999
B) Flexi hosing 150mm (5m length)	04623230 R 1999
C) DMK150-1 Wall vent kit	11258630 R 4999

DFK-DB 10 meter - Sealing tape

10820390 | R 79



COOKER HOODS

Cooker Hoods

Built-under & SlimLine extractors

DA1260 Stainless steel
10451390



Design

60cm wide
Built-under extractor


Performance

Powerful
545m³/h on the booster setting
Efficient filtration
10 ply stainless-steel grease filter
Miele CleanCover
Safe and easy to clean
Flexible
Venting or recirculation option

Required Accessories

11762600 | DKF18-1
Charcoal filter for recirculating

Recirculating kit included

 R12⁹⁹⁹

DA2698 Stainless steel
10751460



Design

88cm wide
SlimLine fully integrated extractor

Performance

Powerful
640m³/h on the booster setting
Con@ctivity 2.0/3.0
Unique user convenience
ECO motor
Energy-efficient and quiet
Flexible
Venting or recirculation option
Elegant and efficient
Edge extraction panels & 30cm depth Slimline measurement

Required Accessories

11762560 | DKF19
Charcoal filter for recirculating

7294230 | DUU151
Recirculating kit

9812060 | DARC 6
Remote control

 R39⁹⁹⁹

DAS2620 Stainless steel
11862150



Design

60cm wide
S/S visor-type integrated extractor

Performance

Powerful
550m³/h on the booster setting
Efficient filtration
10 ply stainless-steel grease filter
Miele CleanCover
Safe and easy to clean
Flexible
Venting or recirculation option

Required Accessories

11793530 | DKFS31-P
Charcoal filter Starter set for recirculating filters incl. in starter set

11793450 | DKF31-P
Charcoal filters (2) Incl.

7294230 | DUU151
Recirculating kit

 R13⁹⁹⁹

DAS2920 Stainless steel
11862170



Design

90cm wide
S/S visor-type integrated extractor

Performance

Powerful
550m³/h on the booster setting
Efficient filtration
10 ply stainless-steel grease filter
Miele CleanCover
Safe and easy to clean
Flexible
Venting or recirculation option

Required Accessories

11793530 | DKFS31-P
Charcoal filter Starter set for recirculating filters incl. in starter set

11793450 | DKF31-P
Charcoal filters (2) Incl.

7294230 | DUU151
Recirculating kit

 R15⁹⁹⁹

DAS4940 Glass
11862280



Design

90cm wide
Glass visor-type integrated extractor

Performance

Powerful
625m³/h on the booster setting
Efficient filtration
10 ply stainless-steel grease filter
Miele CleanCover
Safe and easy to clean
Flexible
Venting or recirculation option

Required Accessories

11793450 | DKF31-P
Charcoal filters (2) Incl.

7294230 | DUU151
Recirculating kit

No need for starter kit

 R24⁹⁹⁹

Cooker Hoods

Wall-Mounted Extractors

PUR 68W Stainless steel 10565920



Design

60cm wide
Wall extractor


Performance

Powerful
650m³/h on the booster setting
Efficient filtration
10 ply stainless-steel grease filter
Miele CleanCover
Safe and easy to clean
Flexible
Venting or recirculation option

Required Accessories

11762580 | DKF12-1
Charcoal filter for recirculating

6264790 | DUW20
Recirculation kit

 R22⁹⁹⁹

DAW1620 Stainless Steel 12061600



Design

60cm wide
Wall extractor
LED strip for uniform lighting

Performance


Powerful
640m³/h on the booster setting
Efficient filtration
10 ply stainless-steel grease filter
Flexible
Venting or recirculation option

Required Accessories

12061460 | DKFS36-P
Charcoal filter Starter set for
recirculating Filters incl.
in starter set

12041550 | DKF36-P
Charcoal filters (2) Incl.

No recirculation kit needed

 R17⁹⁹⁹

DAW1920 Stainless steel 12061590



Design

90cm wide
Wall extractor
LED strip for uniform lighting

Performance


Powerful
645m³/h on the booster setting
Efficient filtration
10 ply stainless-steel grease filter
Flexible
Venting or recirculation option

Required Accessories

12061460 | DKFS36-P
Charcoal filter Starter set for
recirculating filters incl.
in starter set

12041550 | DKF36-P
Charcoal filters (2) Incl.

No recirculation kit needed

 R19⁹⁹⁹

DA6698 W Stainless steel 10749650



Design

90cm wide
Wall extractor

Performance

Powerful
640m³/h on the booster setting
Con@ctivity 2.0/3.0
Unique user convenience
ECO motor
Energy-efficient and quiet
Flexible
Venting or recirculation option
Miele acoustic package
Pleasantly quiet

Required Accessories

11762580 | DKF12-1
Charcoal filter for recirculating

6264790 | DUW20
Recirculation kit

Special order only

 R47⁹⁹⁹

DA6698 W OBSW 10750330



Design

90cm wide
Wall extractor

Performance

Powerful
640m³/h on the booster setting
Con@ctivity 2.0/3.0
Unique user convenience
ECO motor
Energy-efficient and quiet
Flexible
Venting or recirculation option
Miele acoustic package
Pleasantly quiet

Required Accessories

11762580 | DKF12-1
Charcoal filter for recirculating

6264790 | DUW20
Recirculation kit

Special order only

 R47⁹⁹⁹

Cooker Hoods

Mounted & Downdraft Extractors

DA6798 OBSW 10750370



Design

90cm wide
Wall extractor
Obsidian Black with Stainless Steel

Performance

Powerful
610m³/h on the booster setting
Con@ctivity 2.0/3.0
Unique user convenience
ECO motor
Energy-efficient and quiet
Flexible
Venting or recirculation option
Headroom Space
With safety glass & no chimney
(order extra)

Required Accessories

11762650 | DKF25-1
Charcoal filter for recirculating
No need to order recirculating kit

Optional Accessories

9812060 | DARC 6
Remote control

9947450 | DADC 6000
Décor stainless steel chimney

DAD4841 OBSW 12440700




Design

91.6cm wide
Downdraft extractor
Obsidian Black with Stainless Steel

Performance

Powerful
640m³/h on the booster setting
Practical
15-minute automatic fan run-on
Flexible
Venting or recirculation option
Ideal with KM7684 FL hob
Not compatible with gas hobs
Allow for space in cabinetry for motor
Cut out space between
hob & extractor
(Min:30mm - Max:50mm)


Vented option



Necessary duct parts:

1. DFK-AK 90
Adaptor from rectangular to round
11590720: R 999
2. DFK-V
Connector, flat duct
10811360: R 449
3. DFK-BH 45
45 Degree horizontal bend
10811450: R 929
4. DFK-R 1000
Flat ducting 1000mm
10811340: R 949
5. DFK-A
Adaptor rectangular
10811430: R1240
6. DMK 150-1
Wall vent kit for 125/150mm
11258630: R 4999


Recirculating option



Necessary duct parts:

1. DFK-AK 90
Adaptor from rectangular to round
11590720: R 999
2. DFK-V
Connector, flat duct
10811360: R 449
3. DFK-BH 45
45 Degree horizontal bend
10811450: R 929
4. DFK-R 1000
Flat ducting 1000mm
10811340: R 949
5. DUU 600
Recirculation kit
11841340: R 7999
6. DKF30-P
Charcoal Filter (2 pcs incl.)
11662790: R 1599

Plug and Play - for recirculation



Necessary duct parts:

1. DUP150
Plug and play mode – conversion
kit (incl.2 DKF30-P)
11949040: R 4299

Cooker Hoods

Island Extractors

PUR 98 D Stainless Steel 12050650



Design

90cm wide
Island extractor

Performance

Powerful
650m³/h on the booster setting
Efficient filtration
10 ply stainless-steel grease filter
Miele CleanCover
Safe and easy to clean
Flexible
Venting or recirculation option

Required Accessories

11762580 | DKF12-1
Charcoal filter for recirculating

9561760 | DUI32
Recirculation kit

 R42⁹⁹⁹

DA6708 Decor Stainless Steel 10755650



Design

100cm wide
Island extractor

Performance

Powerful
620m³/h on the booster setting
Con@ctivity 2.0/3.0
Unique user convenience
Efficient
NoSmell active charcoal filter
Suitable
Recirculation option ONLY
Intuitive
Programmable active charcoal filter
saturation indicator

Accessories included

11762630 | DKF21-1
Standard ceiling strings included

Optional Accessories

9812060 | DARC 6
Remote control
8574740 | Ceiling extension kit
(height 500-5000mm)
DKF21-1

 R79⁹⁹⁹

DA6708 Decor OBSW 10755630



Design

100cm wide
Island extractor

Performance

Powerful
620m³/h on the booster setting
Con@ctivity 2.0/3.0
Unique user convenience
Efficient
NoSmell active charcoal filter
Suitable
Recirculation option ONLY
Intuitive
Programmable active charcoal filter
saturation indicator

Accessories included

11762630 | DKF21-1
Standard ceiling strings included

Optional Accessories

9812060 | DARC 6
Remote control
8574740 | Ceiling extension kit
(height 500-5000mm)
DKF21-1

Special order only

 R79⁹⁹⁹



Important Guide Lines When Ordering Extractors:

1. Decide whether you want a VENTED or RECIRCULATING model.
2. Determine counter height.
3. Determine ceiling height.
4. Minimum height for the gas hob to extractor is 65cm (models may vary check your brochure CD for full details).
5. Minimum height for the electric hob to extractor 45cm.
6. Maximum possible height for both gas and electric hobs to extractor 70-75cm.
7. Ceiling height to floor minus counter height minus min / max hob to extractor length equals the min / max height of extractor required.
8. If the required extractor length does not fit in with the min / max guide per extractor below, order a specialised extractor length.
9. Specialised extractors are ordered on acceptance from the customer with full payment received.

Max/Min height of
extractor to ceiling

Hob to
extractor height

Counter top
height



Cooker Hood Accessories

11762580: DKF12-1 - Charcoal filters for DA396 / DA399 / DA6296 / DA6690 / DA6698 / DA424 / DA4248/DA5796W / PUR98 / PUR68	R 499
11762540: DKF13-1 - Charcoal filter for DA3466 / DA3496	R 599
11762550: DKF15-1 - Charcoal filter for DA2450	R 1299
11762600: DKF18-1 - Charcoal filter for DA1060 / DA1260	R 1299
11762560: DKF 19 - Charcoal filter (2 pcs) for DA3690 / DA2690 / DA2698	R 1099
11762630: DKF 21-1 - Charcoal filter (4 pcs) for DA6700 / DA6708	R 1699
9812030: DKF 22-1 - Charcoal filter for DA6890	R 2499
11762650: DKF 25-1 - Charcoal filter for DA6796 / DA6096 / DA6498 /DA6798	R 1099
11662790: DKF30-1 - Charcoal filter for DAD4840 / DAD4841 (2 pcs incl.)	R 1599
11793450: DKF31-P - Charcoal filters (2) Incl. for DAS2620 / DAS2920 / DAS4940	R 999
11793530: DKFS31-P - Charcoal filter Starter set for recirculating filters incl. in starter set for DAS2620 / DAS2920	R 1199
12041230: DKF35_P - Charcoal filter for KMDA7473 FL-U recirculating	R 699
12041550: DKF36-P - Charcoal filter Starter set for recirculating filters incl. in starter set for DAW1620 / DAW1920	R 1099
12061460: DKFS36-P -Charcoal filter Starter set for recirculating filters incl. in starter set for DAW1620 / DAW1920	R 2999
6995690: DUI31 - Recirculation kit for DA424V / DA4248V	R 4999
9561760: DUI32 Recirculation kit for DA6690D / PUR98 D	R 4999
7294230: DUU151 - Recirculation kit for DA2450/ DA6890 / DAS2620 / DAS2920 / DAS 4940 / DA2450 / DA2698	R 4799
11841340: DUU600 Recirculating kit for DAD4840 / DAD4841 / KMDA7473 FL -U	R 7999
12226730: DUU1500 - Recirculating kit for KMDA7473 FL-U recirculating	R 2699
9242390: DUU2900 Recirculation kit for DA2906 / DA2806 / DA6890 (incl. Charcoal filters)	R12999
6264790: DUW20 - Recirculation kit for DA396 / DA399 / DA6296 / PUR68 / DA6990 / DA5966 / DA6698 / DA5996W / DA5796	R 4999
11258630 DMK100 - 150 Wall vent kit 125 / 150 mm	R 4999
04623230: 150mm Flexible ducting (5m length)	R 1999
9812060: DARC 6 - Remote control for DA6708 / DA6796W / DA6798	R 999
9947450: DADC 6000 Decor Chimney s/s (Telescopic - 2 pieces)	R 6999
12167200 : DVS150 - Plug and Play for KMDA7473 FL -U	R 399