


























	HBG7764B1	HBG7563B1	HBG7341B1M
	     	    	   
Product Description	SERIE 8 MULTIFUNCTION OVEN WITH PYROLYTIC CLEANING	SERIE 8 MULTIFUNCTION OVEN	SERIE 8 MULTIFUNCTION OVEN
Heating Methods	14 Heating methods: 4D Hot Air, Top/bottom heat, Hot Air Grilling, Gentle Hot Air, Gentle Top/bottom heat, Full width grill, Half width grill, Pizza setting, Bottom heat, Low temperature cooking, Defrost, Plate warming, Keep Warm, Air Fry	14 Heating methods: 4D Hot Air, Top/bottom heat, Hot Air Grilling, Gentle Hot Air, Gentle Top/bottom heat, Full width grill, Half width grill, Pizza setting, Bottom heat, Low temperature cooking, Defrost, Plate warming, Keep Warm, Air Fry	14 Heating methods: 3D Hot Air, Top/bottom heat, Hot Air Grilling, Gentle Hot Air, Gentle Top/bottom heat, Full width grill, Half width grill, Pizza setting, Bottom heat, Low temperature cooking, Defrost, Plate warming, Keep Warm, Air Fry
Comfort and Safety	Oven Capacity: 71 Litres Temperature range 30°C – 300°C TFT touch display Plus Temperature proposal Actual temperature display Oven door with SoftOpen and SoftClose Dish Assist PerfectRoast plus PerfectBake plus Electronic clock Rapid heating-up LED interior lighting Child lock Quadruple glazed door, CoolTouch door HomeConnect ready on Wi-Fi	Oven Capacity: 71 Litres Temperature range 30°C – 300°C TFT touch display Plus Temperature proposal Actual temperature display Oven door with SoftOpen and SoftClose Dish Assist PerfectRoast plus Electronic clock Rapid heating-up LED interior lighting Child lock Triple glazed door, CoolTouch door HomeConnect ready on Wi-Fi	Oven Capacity: 71 Litres Temperature range 30°C – 300°C TFT touch display Temperature proposal Actual temperature display Oven door with SoftOpen and SoftClose Dish Assist Electronic clock Rapid heating-up Halogen interior lighting Child lock Triple glazed door, CoolTouch door HomeConnect ready on Wi-Fi
Cleaning	Pyrolytic self-cleaning Full glass inner door	EcoClean Direct (back panel, ceiling, side liners) Cleaning Assistance (programme) Full glass inner door	EcoClean Direct (back panel) Cleaning Assistance (programme) Full glass inner door
Design	Digital control ring Cavity inner surface: Enamel Bar handle	Digital control ring Cavity inner surface: Enamel Bar handle	Digital control ring Cavity inner surface: Enamel Bar handle
Accessories*	1 x Combination grid 1 x Enamel baking tray 1 x Universal pan (optional: telescopic rails HEZ638070)	1 x Combination grid 1 x Enamel baking tray 1 x Universal pan 1 x Air Fry grid (optional: telescopic rails HEZ638000)	1 x Combination grid 1 x Enamel baking tray 1 x Universal pan 1 x Air Fry grid (optional: telescopic rails HEZ638000)
Product Specs	Overall: (H x W x D): 59.5 x 59.4 x 54.8cm Aperture: (H x W x D): 58.5-59.5 x 56.0-56.8 x 55.0cm Rating: 3600W	Overall: (H x W x D): 59.5 x 59.4 x 54.8cm Aperture: (H x W x D): 58.5-59.5 x 56.0-56.8 x 55.0cm Rating: 3600W	Overall: (H x W x D): 59.5 x 59.4 x 54.8cm Aperture: (H x W x D): 58.5-59.5 x 56.0-56.8 x 55.0cm Rating: 3600W
Barcode	4242005326679	4242005326464	4242005326365
Price Excl. VAT*	R 23 912.17	R 17 825.22	R 15 912.17
Price Incl. VAT**	R 27 499.00	R 20 499.00	R 18 299.00





	HSG7361B1	CMG7241B1
	    	  
Product Description	SERIE 8 MULTIFUNCTION OVEN WITH STEAM FUNCTION	SERIE 8 BUILT-IN MICROWAVE OVEN
Heating Methods	21 Heating methods: 4D Hot Air, HotAir Eco, Top/bottom heat, Top/bottom heat Eco, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, Low temperature cooking, Preheating, Keep Warm, Air Fry, Steam, Defrost with steam, Regeneration with steam, Dough Proving with steam, Hot Air Grilling & Steam, Warming & Steam, 4D Hot Air & Steam, Top/bottom heat & Steam	2D Hot Air, Top/bottom heat, Hot Air grilling, Gentle Hot Air, Gentle Top/bottom heat, Full width grill, Half width grill, Bottom heat, Plate warming, Air Fry, Circulating Air 5 Microwave power settings: 90W / 180W / 360W / 600W / Boost Microwave / Oven Combi: Top/bottom heat + MW, Grill + MW, Half width grill + MW, Hot Air grilling + MW
Comfort and Safety	Oven Capacity: 71 Litres Temperature range 30°C – 250°C TFT touch display Plus Temperature proposal Actual temperature display Oven door with SoftOpen and SoftClose Dish Assist Steam Boost - add for 3min intensive steam with a touch of a button Different steam intensities selectable: steam level high, steam level middle, steam level low Electronic clock Rapid heating-up LED interior lighting Child lock Triple glazed door, CoolTouch door HomeConnect ready on Wi-Fi	Oven Capacity: 45 Litres Temperature range 30°C – 230°C TFT touch display Temperature proposal Actual temperature display Oven door with SoftOpen and SoftClose Dish Assist Electronic clock Rapid heating-up LED interior lighting Child lock Triple glazed door, CoolTouch door HomeConnect ready on Wi-Fi
Cleaning	EcoClean Direct (back panel) Cleaning Assistance (programme) Full glass inner door	Cleaning Assistance (programme)
Design	Digital control ring Cavity inner surface: Enamel Bar handle (telescopic rails available as accessory)	Digital control ring Cavity inner surface: Enamel Bar handle
Accessories*	1 x Enamel baking tray, 1 x Steam container, punched, size M, 1 x Steam container, punched, size XL, 1 x Steam container, unpunched, size M, 1 x Grid, 1 x Universal pan	1 x Combination grid 1 x Universal pan
Product Specs	Overall (H x W x D): 59.5 x 59.5 x 54.8cm Aperture (H x W x D): 58.5-59.5 x 56.0-56.8 x 55.0cm Rating: 3600W	Overall (H x W x D): 45.5 x 59.4 x 54.8cm Aperture (H x W x D): 45.0 – 45.5 x 56.0 – 56.8 x 55.0cm Rating: 3600W
Barcode	4242005327188	4242005325924
Price Excl. VAT*	R 28 260.00	R 21 129.57
Price Incl. VAT**	R 32 499.00	R 24 299.00











CTL7181B0	
	
Product Description	SERIE 8 BUILT-IN FULLY AUTOMATIC COFFEE MACHINE, BLACK, HOME CONNECT
Comfort and Safety	<p>Flavour Up to 32 different coffee specialties (within appliance and Home Connect app) Warm milk, milk froth and hot water function AromaSelect – 3 different aroma profiles (mild, balanced, distinctive) Adjustable milk ratio for classic milk-mix beverages Intelligent strength adjustment – adaptive coffee management based on strength and size AromaDouble Shot - less bitterness in large beverages due to two brewing processes</p> <p>Home Connect: Smart connectivity to make everyday life easier coffeeWorld: additional international coffee specialties are available in the app coffeePlaylist: Simply enter several drinks you would like into the app in one go. Cleaning program: The Home connect app reminds you when an action on the device is required during a cleaning program.</p> <p>Convenience TFT-Touchdisplay Pro - 6.8" TFT- colour display with touch and slide functionality for easy operation oneTouch Function: All coffee and milk beverages are prepared at the touch of a button superSilent: The most silent fully-automatic espresso makers Favourites: Save up to 30 individual coffee preferences Coffee outlet and milk frother height-adjustable: Up to 15cm high oneTouch DoubleCup: Prepare two cups simultaneously for all coffee or milk specialties at the touch of one button Water tank removable for easy refilling (2.4l volume)</p> <p>Performance ceramDrive: Quiet premium grinder made of wear-resistant ceramic In addition to beverages also available separately: milk foam, hot water Reduced heat-up time: Fast first cup Water pump with 19 bar pressure</p> <p>Hygiene Removable brewing unit - for easy and hygienic cleaning autoMilk Clean: Automatic steam cleaning after every drink Milk frother removable and dishwasher-proof Automatic rinsing program when switching off, switching on calc'nClean: Automatic cleaning and descaling programme - combined for less effort. Reminds in time of water filter change, descaling, cleaning Dishwasher-proof: beverage outlet, drip tray and drip pans</p> <p>Miscellaneous Integrated milk container: easy to remove, fits into the fridge door, (0,7 ml) Illuminated coffee outlet and stage Bean container with aroma protection lid (500g volume) Grinding fineness adjustable (multi-level) Display language selectable Child safety lock</p>
Accessories*	1 x milk container, 1 x test strip, 1 x connection hose for milk frother, 1 x milk pipe, 1 x welcome-Box, 1 x assembly screws
Product Specs	Overall (H x W x D): 45.5 x 59.4 x 38.5 cm Aperture (H x W x D): 44.5 x 55.8 x 37.6 cm Rating: 1500W
Barcode	4242005310340
Price Excl. VAT*	R 37 651.30
Price Incl. VAT**	R 43 299.00


















	BID7101B1	BIC7101B1
		
Product Description	SERIE 8 WARMER DRAWER (29cm)	SERIE 8 WARMER DRAWER (14cm)
Heating Methods	Heating plate made of toughened glass Low temperature cooking, Keep warm, Plate warming, Cup warming	Heating plate made of toughened glass Low temperature cooking, Keep warm, Plate warming, Cup warming
Comfort and Safety	Cavity volume: 54 l Loading up to 25 kg Max. loading espresso cups: 192 PC Max. loading plates: 40 PC Touch control illuminated Temperature control in 6 steps: ca. 30°C – 80°C (glass surface temperature) Opening without handle (push/pull) Favourite button (via Home Connect app)	Cavity volume: 20 l Loading up to 25 kg Max. load espresso cups: 64 PC Max. load plates: 12 PC Touch control illuminated Temperature control in 6 steps: ca. 30°C – 80°C (glass surface temperature) Opening without handle (push/pull) Favourite button (via Home Connect app)
Product Specs	Overall: (H x W x D): 29.0 x 59.4 x 51.8cm Aperture: (H x W x D): 29.0 x 56.0 – 56.8 x 55.0 cm Rating: 810W	Overall: (H x W x D): 14.0 x 59.4 x 51.8cm Aperture: (H x W x D): 14.0 x 56.0 – 56.8 x 55.0 cm Rating: 810W
Barcode	4242005323029	4242005311804
Price Excl. VAT*	R 13 912.17	R 12 694.78
Price Incl. VAT**	R 15 999.00	R 14 599.00







	HBJ559EB6Z (WHILE STOCKS LAST)	HBJ354ES3Z (WHILE STOCKS LAST)
	    	   
Product Description	SERIE 6 60CM MULTIFUNCTION OVEN	SERIE 6 60CM MULTIFUNCTION OVEN
Heating Methods	3D Hot air, Top / bottom heat, Hot air grilling, Pizza setting, Bottom heat, Defrost, Hot air gentle, Full width variable grill, Half width variable grill, Intensive heat, Preheating, Keep warm	3D Hot air, Top / bottom heat, Hot air grilling, Pizza setting, Bottom heat, Defrost, Hot air gentle, Full width variable grill
Comfort and Safety	Oven capacity: 66 Litres Electronic clock Electronic control with Jog dial Digital display with heating mode symbols Temperature range 50 °C - 275 °C Temperature Proposal AutoPilot 40 Automatic rapid heating up Halogen interior light Flap door with Soft Close Child lock Triple glazed door, CoolTouch door HomeConnect ready on Wi-Fi	Oven capacity: 66 Litres Electronic clock LCD display control Temperature range 50 °C - 275 °C Quick heat function Oven window temperature max 45°C Halogen interior light Soft close oven door Child lock
Cleaning	EcoClean Direct: Rear panel, side liners, ceiling EcoClean program Full glass inner door	EcoClean Direct: Rear panel, side liners, ceiling EcoClean program Full glass inner door
Design	Touch control, Jog Dial	Pop-out controls Telescopic rails
Accessories*	1 x Air fry and Grill tray 2 x Universal pan (slim size) 1 x Universal pan 1 x Level telescopic shelf, standard extension	1 x Air fry and Grill tray 1 x Combination grid 1 x Enamel tray 1 x Universal pan
Product Specs	Overall (H x W x D): 59.5 cm x 59.4 cm x 54.8 cm Aperture (H x W x D): 57.5-59.7 cm x 56.0-56.8 cm x 55.0 cm Rating: 3100W	Overall (H x W x D): 59.5 cm x 59.4 cm x 54.8 cm Aperture (H x W x D): 57.5-59.7 cm x 56.0-56.8 cm x 55.0 cm Rating: 3100W
Barcode	4242005389421	4242005452170
	Available Q4 HJG852EG0Z 42420054495085	Available Q4 HJG852ES0Z 42420054495078
Price Excl. VAT*	R 12 173.04	R 10 433.91
Price Incl. VAT**	R 13 999.00	R 11 999.00









	HBJ534ES0Z (WHILE STOCKS LAST)	HBF113BS0Z
	       	      
Product Description	SERIE 4 60CM MULTIFUNCTION OVEN	SERIE 2 60CM MULTIFUNCTION OVEN
Heating Methods	3D Hot air, Top / Bottom heat, Hot air grilling, Pizza setting, Bottom heat, Defrost, Hot air gentle, Full width variable grill	3D hot air, Top / Bottom heat, Hot air grilling, Defrost, Hot air gentle, Full width variable grill
Comfort and Safety	Oven capacity: 66 Litres Electronic clock Temperature range 50 °C - 275 °C Quick heat function Oven window temperature max. 50°C Soft close oven door Child lock	Oven capacity: 66 Litres Electronic clock LED display control (red) Temperature range 50 °C - 275 °C Quick heat function Oven window temperature max. 50°C Halogen interior light Child lock
Cleaning	EcoClean Direct: Rear panel GranitEnamel oven interior Full glass inner door	Full glass inner door
Design	Pop-out controls Telescopic rails	Pop-out controls
Accessories*	1 x Enamel baking tray 1 x Combination grid 1 x Universal pan	1 x Combination grid 1 x Universal pan
Product Specs	Overall (H x W x D): 59.5 cm x 59.4 cm x 54.8 cm Aperture (H x W x D): 57.5-59.7 cm x 56.0-56.8 cm x 55.0 cm Rating: 3300W	Overall (H x W x D): 59.5 cm x 59.4 cm x 54.8 cm Aperture (H x W x D): 57.5-59.7 cm x 56.0-56.8 cm x 55.0 cm Rating: 3300W
Barcode	4242005048045	4242005047185
	Available Q4 HUA736ER0Z 4242005495283	
	Available Q4 HUA736EG0Z 4242005495290	
Price Excl. VAT*	R 9 216.52	R 8 694.78
Price Incl. VAT**	R 10 599.00	R 9 999.00





	HBF011BA1Z (AVAILABLE Q3)	HBF011BR2Z (AVAILABLE Q3)
	 	 
Product Description	SERIE 2 60CM MULTIFUNCTION OVEN	SERIE 2 60CM MULTIFUNCTION OVEN
Heating Methods	Top / Bottom heat, Half width grill, Bottom heat, Full width variable grill	Top / Bottom heat, Half width grill, Bottom heat, Full width variable grill
Comfort and Safety	Oven capacity: 71 Litres Temperature range 50 °C - 275 °C Mechanical timer Halogen interior light Integral cooling fan	Oven capacity: 71 Litres Temperature range 50 °C - 275 °C Mechanical timer Halogen interior light Integral cooling fan
Cleaning	Cleaning Assistance (program)	Cleaning Assistance (program)
Design	Enamelled cavity: anthracite	Enamelled cavity: anthracite
Accessories*	1 x Combination grid 1 x Universal pan	1 x Combination grid 1 x Universal pan
Product Specs	Overall (H x W x D): 59.5 cm x 59.4 cm x 54.8 cm Aperture (H x W x D): 57.5-59.7 cm x 56.0 – 56.8 cm x 55.0 cm	Overall (H x W x D): 59.5 cm x 59.4 cm x 54.8 cm Aperture (H x W x D): 57.5-59.7 cm x 56.0 – 56.8 cm x 55.0 cm
Barcode	4242005485338	4242005485321
	While stocks last HBF010BA0Z 4242005317554	While stocks last HBF011BR1Z 4242005317561
Price Excl. VAT*	R 7 738.26	R 7 738.26
Price Incl. VAT**	R 8 899.00	R 8 899.00







	HBF010BR1Z (WHILE STOCKS LAST)	HGL10E150
	    	
Product Description	SERIE 2 60CM MULTIFUNCTION OVEN	SERIE 4 60CM GAS BUILT-IN OVEN
Heating Methods	3D Hot air, Top / Bottom heat, Hot air grilling, Defrost, Full width variable grill	Full-surface grill/broiler, Max Rotisserie, Gas bottom heating
Comfort and Safety	Oven capacity: 66 Litres Temperature range 50°C-270°C Quick heat function Halogen interior light Integral cooling fan	Oven capacity: 60 Litres Grill heating element: Electric 1.8 KW Oven burner with Knob ignition Thermoelectric ignition Oven light
Cleaning	Removable oven door for easy-cleaning	Catalytic side liners
Design	Enamelled cavity: brown Cavity with removable rack supports	Full glass inner door - triple glazed door
Accessories*	1 x Combination grid 1 x Enamel baking tray 1 x Universal pan	1 x Grid 1 x Enamel baking tray 1 x Nozzle set for natural gas
Product Specs	Overall (H x W x D): 59.5 cm x 59.4 cm x 54.8 cm Aperture (H x W x D): 57.5-59.7 cm x 56.0 – 56.8 cm x 55.0 cm Rating 3300W	Overall (H x W x D): 59.2 x 59.7 x 57.0cm Aperture: (H x W x D): 58.3 x 56.0 x 56.0cm Rating: 1900W
Barcode	4242005317974	4242002753256
Price Excl. VAT*	R 7 738.26	R 12 173.04
Price Incl. VAT**	R 8 899.00	R 13 999.00







VBC514CR0		VBD554FS0	
			
Product Description	SERIE 4 90CM BUILT-IN OVEN	SERIE 4 90CM BUILT-IN OVEN	
Heating Methods	Bottom heat, Circulating air, Top/bottom heat, Top/bottom heat gentle, Full width grill, Hot air grilling, Rotisserie	Bottom heat, Circulating air, Top/bottom heat, Top/bottom heat gentle, Full width grill, Hot air grilling, Rotisserie	
Comfort and Safety	Oven capacity: 85 Litres Temperature range 30°C-250°C Electronic clock Oven interior light – 2 elongated halogen lights Integral cooling fan Child lock Automatic switch off	Oven capacity: 112 Litres Temperature range 30°C-250°C Electronic clock Oven interior light – 2 elongated halogen lights Integral cooling fan Child lock Automatic switch off	
Cleaning	Catalytic side liners and back panel Full glass inner door	Catalytic side liners and back panel Full glass inner door	
Design	Rotary Knobs, Touch control	Pop-out controls, touch controls Oven cavity with removable rack supports 1-fold telescopic rail	
Accessories*	1 x Grid 1 x Universal Pan	1 x enamel baking tray 1 x combination grid 1 x universal pan	
Product Specs	Overall: (H x W x D): 47.5 x 89.6 x 57.2 cm Aperture (H x W x D): 47.7-48.0 x 86.0-86.4 x 56.0cm Rating: 3100W	Overall (H x W x D): 59.4 x 89.6 x 57.0cm Aperture (H x W x D): 60.0-60.4 x 86.0-86 x 56.0cm Rating: 3300 W	
Barcode	4242005034673	4242005034727	
Price Excl. VAT*	R 23 477.39	R 25 390.43	
Price Incl. VAT**	R 26 999.00	R 29 199.00	





	BEL554MS0 (WHILE STOCKS LAST)	BEL653MS3
		
Product Description	SERIE 6 BUILT-IN MICROWAVE WITH GRILL	SERIE 2 BUILT-IN MICROWAVE WITH GRILL
Heating Methods	900 W Microwave, Quartz grill 5 power levels: 900 W / 600 W / 360 W / 180 W / 90 W 1200 W quartz grill	800 W Microwave, Quartz grill 5 Power levels: 800W / 600W / 360W / 180W / 90W Grill 1kW Grill and microwave power levels combinable
Comfort and Safety	AutoPilot - 8 automatic programmes 4 defrost programs 3 cooking programs in microwave function 1 combi program Memory-Function (1 setting) Large digital display for displaying cooking times and time of day User-friendly electronics: extremely easy and comfortable operation Timer up to 60 minutes Automatic safety switch-off Side opening door with viewing window 31.5cm glass turntable Stainless steel interior, 25 litres	AutoPilot - 8 automatic programmes 4 defrost programs 3 cooking programs in microwave function 1 combi program Favourite button Quick start 30 seconds LED display for displaying cooking times and time of day User-friendly electronics: extremely easy and comfortable operation Automatic safety switch-off 29cm glass turntable Stainless steel interior, 25 litres
Cleaning		Cleaning Assistance (program)
Design	User-friendly electronics with push-buttons and pop-out control Glass oven door Side-hinge opening door, left hinged	Rotary Control Grey painted cavity Glass oven door Side-hinge opening door, left hinged
Accessories*	1 x Grid 1 x Glass Turntable	1 x Glass Turntable 1 x Grid
Product Specs	Overall (H x W x D): 38.2 x 59.4 x 38.8cm Aperture (H x W x D): 38.0 x 56.0-56.8 x 55.0cm Rating: 1450W	Overall (H x W x D): 38.2 x 59.5 x 37.5cm Aperture (H x W x D): 38.0 – 38.2 x 56.0-56.8 x 55.0 cm Rating: 1270W
Barcode	4242005038992	4242005290741
	Available Q4 BEL554MH2Z 4242005513109	
Price Excl. VAT*	R 12 955.65	R 7 825.22
Price Incl. VAT**	R 14 899.00	R 8 999.00






	PIV975DC1E	PUG61KAA5E
		
Product Description	SERIE 8 90CM CERAMIC INDUCTION HOB, PERFECTFRY	SERIE 2 60CM CERAMIC INDUCTION HOB, BLACK
Comfort and Safety	5 Induction cooking zones, including 1 triple ring DirectSelect Premium touch control PerfectFry sensor, automatic temperature control, with 5 temperature settings 17 power levels PowerBoost function PanBoost Digital display Switch off timer for every cooking zone Count-up timer Automatic pan recognition sensor PowerManagement Function Wipe protection function QuickStart Function Energy consumption display Wipe protection function Digital 2-step Residual heat indicator for each zone Childproof lock Safety switch-off	4 Induction cooking zones TouchSelect 9 power levels PowerBoost function, rear left zone Digital display QuickStart function QuickStop function Childproof lock Safety switch-off
Design	Comfort Profile Minimum worktop thickness 30mm	Frameless Min. worktop thickness: 16mm
Optional accessories		
Product Specs	Overall: (H x W x D): 5.1 x 91.6 x 52.7cm Aperture: (H x W x D): 5.1 x 88.0 x 49.0-50.0cm Rating: 11100W	Overall (H x W x D): 5.1 x 59.2 x 52.2 cm Aperture (H x W x D): 5.1 x 56.0 x 49.0-50.0 cm Rating: 4600W
Barcode	4242002838854	4242005293957
Price Excl. VAT*	R 21 651.30	R 5 999.13
Price Incl. VAT**	R 24 899.00	R 6 899.00








PKM975DK1D		PKE611BA2E	
			
Product Description	SERIE 8 90CM CERAMIC HOB, PERFECTFRY	SERIE 4 60CM CERAMIC HOB	
Comfort and Safety	5 HighSpeed cooking zones, incl. triple zone, 1 dual zone, 1 combiZone DirectSelect Premium touch control PerfectFry sensor, automatic temperature control, with 5 temperature settings 17 power levels PowerBoost function Digital display Switch off timer for every cooking zone Count-up timer Keep warm function for all cooking zones Wipe protection function restartFunction Wipe protection function Individual tunable energy consumption display Digital 2-step Residual heat indicator for each zone Childproof lock Safety switch-off	4 HighSpeed cooking zones Touch Control 17 power levels Electronic display Digital 2 stage residual heat indicator Childproof lock Safety switch-off ReStart Function	
Design	Comfort Profile Minimum worktop thickness: 16mm	Frameless Minimum worktop thickness: 20mm	
Optional Accessories*	Connecting strip HEZ394301		
Product Specs	Overall: (H x W x D): 4.4 x 91.6 x 52.7cm Aperture: (H x W x D): 4.4 x 88.0 x 50.0cm Rating: 10700W	Overall: (H x W x D): 5.1 x 59.2 x 52.2cm Aperture: (x W x D): 5.1 x 56.0 x 49.0 - 50.0cm Rating: 6600W	
Barcode	4242002929040	4242005280261	
Price Excl. VAT*	R 16 607.83	R 7 216.52	
Price Incl. VAT**	R 19 099.00	R 8 299.00	



	PCR9A5I90Z (AVAILABLE Q3)	PCQ7A5I90Z (AVAILABLE Q3)
	 	 
Product Description	SERIE 8 90CM GAS HOB	SERIE 6 90CM GAS HOB WITH WOK BURNER
Comfort and Safety	5 Gas burners 1 Dual Wok burner, 5.0 kW 1 Rapid burner, 3.0 kW 2 Standard burner 1.75 kW 1 Economy burner 1 kW FlameSelect Flame failure safety device Electronic ignition via front control	5 Gas burners 1 Dual wok burner 4.0KW 1 High Speed 3.0 KW 2 Standard burner 1.75 KW 1 Economy burner 1.0 KW FlameSelect Electronic Ignition via front controls Flame failure device
Design	Stainless steel surface, brushed steel Continuous cast iron pan supports (dishwasher safe) Sword knobs	Stainless steel surface, brushed steel, Cast iron pan supports
Product Specs	Overall (H x W x D): 5.1 x 91.5 x 52.0cm Aperture (H x W x D): 4.5 x 85.0 x 49.0 – 50.0cm	Overall (H x W x D): 45 x 75.0 x 52.0cm Aperture (H x W x D): 4.5 x 56.0 x 56.2 x 48.0 -49.2cm
Barcode	4242005496112	4242005496051
	While stocks last PCA9A5B90Z 4242002914534	While stocks last PCQ7A5B90Z 4242002914466
Price Excl. VAT*	R 12 260.00	R 9 825.22
Price Incl. VAT**	R 14 099.00	R 11 299.00


***Only natural gas or LPG bottled gas (butane & propane) may be used







	PCP6A5I90Z (AVAILABLE Q3)	PGP6B5K60Z
	 	
Product Description	SERIE 6 60CM GAS HOB	SERIE 2 60CM GAS HOB WITH INTEGRATED CONTROLS
Comfort and Safety	4 Gas burners 1 High Speed, 3.0 kW 2 Standard burner 1.75 KW 1 Economy burner 1.0 KW FlameSelect Electronic Ignition via front controls Flame failure device	4 Gas burners 1 Rapid burner, 3.0 kW 2 Standard burner 1.75 KW 1 Economy burner 1 KW Flame failure safety device Electronic ignition via front control
Design	Stainless steel surface, brushed steel, Cast iron pan supports	Stainless steel surface, brushed steel Continuous cast iron finish pan supports Sword knobs
Product Specs	Overall (H x W x D): 5.3 x 58.2 x 52.0cm Aperture (H x W x D): 5.3 x 56.0-56.2 x 48.0 – 49.2cm	Overall (H x W x D): 5.4 x 58.0 x 51.0cm Aperture (H x W x D): 4.3 x 56.0 x 48.0 – 49.0cm
Barcode	4242005496037	4242005474493
	While stocks last PCP6A5B90Z 4242002914350	
Price Excl. VAT*	R 6 433.91	R 3 999.13
Price Incl. VAT**	R 7 399.00	R 4 599.00










***Only natural gas or LPG bottled gas (butane & propane) may be used

*Recommended Retail Price excluding VAT. **Recommended Retail Price including VAT.
Prices include VAT and are subject to change without prior notice. Warranty terms and conditions please visit:
<https://www.bosch-home.com/za/customer-service/bosch-za-warranty>. This price list supersedes all other price lists. No responsibility is accepted for printing errors. E&OE.




	PBP6C5K60M
	
Product Description	SERIE 2 60CM GAS HOB WITH RIGHT SIDE CONTROLS
Comfort and Safety	4 Gas burners 1 Rapid burner, 3.0 kW 2 Standard burner 1.75 KW 1 Economy burner 1 KW Flame failure safety device Electronic ignition
Design	Stainless steel surface, brushed steel Continuous cast iron finish pan supports
Product Specs	Overall (H x W x D): 5.4 x 58.0 x 51.0cm Aperture (H x W x D): 4.3 x 56.0 x 48.0 – 49.0cm
Barcode	4242005463763
Price Excl. VAT*	R 3 722.08
Price Incl. VAT**	R 4 299.00





	PRS9A6H40Z (AVAILABLE Q3)	PPQ9B6I40M (AVAILABLE Q3)	PPP6A6I40Z (AVAILABLE Q3)
	   	 	  
Product Description	SERIE 8 90CM GAS HOB BLACK	SERIES 6 90CM GAS HOB BLACK	SERIE 6 60CM GAS HOB BLACK
Comfort and Safety	5 Gas burners 1 Dual Wok burner, 4.6 kW 1 Rapid burner, 3.0 kW 2 Standard burner 1.75 kW 1 Economy burner 1 kW FlameSelect Flame failure safety device Electronic ignition via front control Smart Hood Automatic Home Connect	5 Gas burners 1 Dual Wok burner, 4.6 kW 1 Rapid burner, 3.0 kW 2 Standard burner 1.75 kW 1 Economy burner 1 kW Flame failure safety device Electronic ignition via front control	4 Gas burners 1 High Speed, 3.0 kW 2 Standard burner 1.75 KW 1 Economy burner 1.0 KW FlameSelect Electronic Ignition via front controls Flame failure device
Design	Tempered glass surface Semi continuous cast iron pan supports (dishwasher safe) Sword knobs, illuminated Digital display, with residual heat indicator	Tempered glass surface Semi continuous cast iron pan supports (dishwasher safe) Sword knobs	Cast iron pan supports Tempered glass, black for a flush or slightly raised installation
Product Specs	Overall (H x W x D): 5.4 x 91.5 x 52.0cm Aperture (H x W x D): 4.5 x 85.0 x 49.0 – 50.0cm	Overall (H x W x D): 5.4 x 91.5 x 52.0cm Aperture (H x W x D): 4.5 x 85.0 x 49.0 – 50.0cm	Overall (H x W x D): 45 x 59.0 x 52.0cm Aperture (H x W x D): 4.5 x 56.0 x 56.2 x 48.0 -49.2cm
Barcode	4242005496495	4242005496464	4242005496358
	While stocks last PRS9A6B70Z 4242005367856	While stocks last PPQ9B6O90M 4242005171637	While stocks last PPP6A6B20Z 4242005305568
Price Excl. VAT*	R 17 825.22	R 14 260.00	R 8 955.65
Price Incl. VAT**	R 20 499.00	R 16 399.00	R 10 299.00






***Only natural gas or LPG bottled gas (butane & propane) may be used

*Recommended Retail Price excluding VAT. **Recommended Retail Price including VAT.
 Prices include VAT and are subject to change without prior notice. Warranty terms and conditions please visit:
<https://www.bosch-home.com/za/customer-service/bosch-za-warranty>. This price list supersedes all other price lists. No responsibility is accepted for printing errors. E&OE.



	POP6C6P30M	
		
Product Description	SERIE 4 60CM GAS HOB BLACK	
Comfort and Safety	4 Gas burners 1 High Speed 3.0kW 2 Standard 1.75kW 1 Eco burner 1.0kW Flame failure safety device Electronic ignition via front control	
Design	Tempered glass hob, black Steel single pan supports Removable knob, cylindrical knobs	
Product Specs	Overall (H x W x D): 4.5 x 59.0 x 52.0cm Aperture (H x W x D): 4.5 x 56.0-56.2 x 48.0-49.0cm	
Barcode	4242005463732	
Price Excl. VAT*	R 4 346.96	
Price Incl. VAT**	R 4 999.00	



	PRY6A6B70 (WHILE STOCK LAST)	PKF375CA2E
	  	 
Product Description	SERIE 8 60CM CERAMIC GAS HOB	SERIE 2 30CM CERAMIC HOB
Comfort and Safety	3 Gas burner 1 High Speed 2.8kW 1 Standard 1.8kW 1 Eco burner 1.1kW 1 Electric dual circuit zone FlameSelect Digital display to indicate selected power level Electronic ignition via front controls 4-fold residual heat indicator Flame failure device	2 High speed cooking zones, incl. 1 dual zone 9 Power levels 2 Residual heat indicator
Design	Cast iron pan supports (dishwasher safe)	Ceramic Glass Comfort profile High speed
Accessory to Match Vario*		HEZ394301 Joining strip
Product Specs	Overall: (H x W x D): 4.5 x 60.6 x 52.7cm Aperture: (H x W x D): 4.5 x 56.0-56.2 x 49.0-50.2cm Rating: 1800W	Overall (H x W x D): 4.8 x 30.6 x 52.7cm Aperture (H x W x D): 4.8 x 27.0 x 49.0-50.0cm Rating: 3200 W
Barcode	4242005073504	4242005283262
Price Excl. VAT*	R 13 564.35	R 10 868.70
Price Incl. VAT**	R 15 599.00	R 12 499.00



***Only natural gas or LPG bottled gas (butane & propane) may be used

*Recommended Retail Price excluding VAT. **Recommended Retail Price including VAT.
 Prices include VAT and are subject to change without prior notice. Warranty terms and conditions please visit:
<https://www.bosch-home.com/za/customer-service/bosch-za-warranty>. This price list supersedes all other price lists. No responsibility is accepted for printing errors. E&OE.







DIB971M50	
	
Product Description	SERIE 4 90CM ISLAND EXTRACTOR, EXHAUST OR RECIRCULATION OPERATION
Comfort and Safety	Electronic control via touchControl 3 Speed settings plus intensive setting Metal grease filter, dishwasher safe
Design	Stainless Steel 4 x 1,5W LED
Minimum Clearance Above Cooking Point	Gas Appliances: 65.0cm Electrical Appliances: 55.0cm
Special Accessories*	DIZ2CB1I4 Recirculation Kit (Chimney extensions available on request)
Product Specs	Refer to page 34 for installation guidelines Rating: 256 W Normal Extraction: 430 ³ /h Max. Extraction: 720m ³ /h Noise Level, normal use 57 dB
Barcode	4242005086269
Price Excl. VAT*	R 10 781.74
Price Incl. VAT**	R 12 399.00









DWK97PJ60T		DWK63PJ60Z	
			
Product Description	SERIE 6 90CM WALL MOUNTED EXTRACTOR, BLACK WITH GLASS CANOPY EXHAUST OR RECIRCULATION OPERATION		SERIE 2 60CM WALL MOUNTED EXTRACTOR, BLACK WITH GLASS CANOPY EXHAUST OR RECIRCULATION OPERATION
Comfort and Safety	Touch Select Basic Controls 2 speeds plus intensive setting Powerboost position Gesture control with integrated infrared sensor Saturation indicator for grease filter Metal grease filter, dishwasher safe		Push buttons for extractor speeds 3 Speed settings Metal grease filter, dishwasher safe
Design	Inclined black glass design 2 X 3 W LED lights		Inclined black glass design 2 X 5 W LED lights
Minimum Clearance Above Cooking Point	Gas Appliances: 65.0cm Electrical Appliances: 55.0cm		Gas Appliances: 65.0cm Electrical Appliances: 45.0cm
Special Accessories*	DWZ6HK1H4 Carbon filter		DWZ6BK5E2 Carbon Filter
Product Specs	Refer to page 35 for installation guidelines Rating: 234 W Maximum extraction: 700 m³/h Noise level, normal use: 59 dB		Refer to page 35 for installation guidelines Rating: 77 W Maximum extraction: 360 m³/h Noise level, normal use: 64 dB
Barcode	4242005463206		4242005445585
Price Excl. VAT*	R 8 694.78		R 5 216.52
Price Incl. VAT**	R 9 999.00		R 5 999.00



DWB96IM51Z (WHILE STOCK LAST)		DWP94CC50M	
			
Product Description	SERIE 4 90CM WALL MOUNTED EXTRACTOR EXHAUST OR RECIRCULATION OPERATION	SERIE 2 90CM WALL MOUNTED EXTRACTOR, EXHAUST OR RECIRCULATION OPERATION	
Comfort and Safety	TouchControl with Electronic display 3 Speed settings plus intensive setting Automatic revert setting, 6 minutes Metal grease filter, dishwasher safe Energy efficient capacitor motor	Push buttons for extractor speed and lights 3 speed settings Metal grease filter, dishwasher safe	
Design	Stainless Steel 2 x LED	Stainless Steel 2 x 5W LED	
Minimum Clearance Above Cooking Point	Gas Appliances: 65.0cm Electrical Appliances: 55.0cm (from upper edge of pan support)	Electrical Appliances: 50.0cm Gas Appliances: 65.0cm (from upper edge of pan support)	
Special Accessories*	DWZ1DX1I4 Recirculation Kit	DWZ6HP1U2 recirculation Kit	
Product Specs	Refer to page 34 for installation guidelines Power rating: 220 W Normal Extraction: 365 m³/h Intensive extraction: 601 m³/h Noise Level, normal use: 61 dB	Refer to page 34 for installation guidelines Rating: 135 W Maximum Extraction: 380m³/h Noise Level, normal use: 64dBm³/h	
Barcode	4242005059225	4242005033300	
Price Excl. VAT*	R 10 346.96	R 5 999.13	
Price Incl. VAT**	R 11 899.00	R 6 899.00	



	DWP64CC50Z	DFT63CA50Q	DFR097A52	DFL064W53 (WHILE STOCK LAST)
			  	
Product Description	SERIE 2 60CM WALL MOUNTED EXTRACTOR, EXHAUST OR RECIRCULATION OPERATION	SERIE 2 60CM TELESCOPIC EXTRACTOR EXHAUST OR RECIRCULATION OPERATION	SERIE 4 90CM VISOR EXTRACTOR EXHAUST OR RECIRCULATION OPERATION	SERIE 2 60CM TELESCOPIC EXTRACTOR EXHAUST OR RECIRCULATION OPERATION
Comfort and Safety	Push buttons for extractor speed and lights 3 speed settings Metal grease filter, dishwasher safe	Slide switch for extractor speeds Pull-out vapour with glass 3 Speed settings Metal grease filter, dishwasher safe	Electronic control via Push button controls with digital display 3 speeds plus 2 intensive setting Automatic 10 minute run on facility Efficient BLDC- technology Soft light and dimmer function Saturation indicator for metal and charcoal filter Metal grease filter, dishwasher safe	Rocker switches for extractor speeds and light Automatic On/Off operation when telescopic canopy is pulled out and pushed back 3 Speed settings Metal grease filter, dishwasher safe
Design	Stainless Steel 2 x 5W LED	2 X 4 W LED lights	2 x 3W LED lights	Slimline hood 3 LED lights
Minimum Clearance Above Cooking Point	Electrical Appliances: 50.0cm Gas Appliances: 65.0cm (from upper edge of pan support)	Gas Appliances: 65.0cm Electrical Appliances: 50.0cm	Gas Appliances: 65.0cm Electrical Appliances: 55.0cm (from upper edge of pan support)	Gas Appliances: 65.0cm Electrical Appliances: 43.0cm (from upper edge of pan support)
Special Accessories*	DWZ6HP1U2 recirculation Kit	DHZ2900 Carbon Filter	DSZ4565 / DWZ2IT1I4 Recirculation Kit DSZ4985 Handle Strip DSZ4961 Lowering Frame DSZ4920 Installation Kit for 90cm wide wall unit	DSZ4545 / DWZ1IT1I4 Recirculation Kit DSZ4685 Handle Strip
Product Specs	Refer to page 35 for installation guidelines Rating: 135 W Maximum Extraction: 380m ³ /h Noise Level, normal use: 64dB	Refer to page 35 for installation guidelines Rating: 181 W Maximum extraction: 300 m ³ /h Noise level, normal use: 62 dB	Refer to page 34 for installation guidelines Rating: 146 W Max. extraction: 397 m ³ /h Noise Level, normal use: 53dB	Refer to page 35 for installation guidelines Rating: 108 W Maximum extraction: 388 m ³ /h Noise Level, normal use: 60dB
Barcode	4242002985336	4242002985244	4242005232031	4242005231928
Price Excl. VAT*	R 4 694.78	R 2 477.39	R 8 607.83	R 5 825.22
Price Incl. VAT**	R 5 399.00	R 3 999.00	R 9 899.00	R 6 699.00




DLN53AA50		DLN87AC50
Product Description	SERIE 2 53CM CANOPY HOOD EXHAUST OR RECIRCULATION OPERATION	SERIE 6 86CM CANOPY HOOD, EXHAUST OR RECIRCULATION OPERATION
Comfort and Safety	Slide switch for extractor speeds and light 3 Speed settings Metal grease filter, dishwasher safe	Push Button Controls 3 speeds plus intensive setting Automatic reset from intensive to normal setting Metal grease filter, dishwasher safe
Design	For installation in a cupboard, above a hob 2 x 4W LED lights	2 x 1 W LED lights
Minimum Clearance Above Cooking Point	Gas Appliances: 65.0cm Electrical Appliances: 55.0cm	Gas Appliances: 65.0cm Electrical Appliances: 50.0cm
Special Accessories*	DWZ0IN0T0 Recirculation Kit	DHZ5605 Standard recirculation kit
Product Specs	Refer to page 35 for installation guidelines Power rating: 121 W Normal Extraction: 302 m ³ /h Noise Level, normal use: 62 dB	Refer to page 36 for installation guidelines Rating: 277 W Maximum extraction: 600 m ³ /h Noise level, normal use: 61 dB
Barcode	4242005124893	4242005475667
Price Excl. VAT*	R 3 912.17	R 7 390.43
Price Incl. VAT**	R 4 499.00	R 8 499.00













DHU635HZA		DHU636HQ
		
Product Description	SERIE 2 60CM EXTRACTOR EXHAUST OR RECIRCULATION OPERATION	SERIE 2 60CM EXTRACTOR EXHAUST OR RECIRCULATION OPERATION
Comfort and Safety	3 speed settings Metal grease filter, dishwasher safe Adjustable Glass Visor	Slide switch for extractor speeds 3 Speed settings Metal grease filter, dishwasher safe
Design	LED lightning	2 x halogen lights
Minimum Clearance Above Cooking Point	Gas Appliances: 65.0cm Electrical Appliances: 65.0cm	Gas Appliances: 65.0cm Electrical Appliances: 65.0cm
Special Accessories*		
Product Specs	Refer to page 35 for installation guidelines Rating: 166 W Max. extraction: 330 m ³ /h Noise Level, normal use: 52 dB	Refer to page 36 for installation guidelines Rating: 252 W Maximum extraction: 220 m ³ /h Noise level, normal use: 67 dB
Barcode	4242005135387	4242005130641
Price Excl. VAT*	R 1 999.13	R 1 999.13
Price Incl. VAT**	R 2 299.00	R 2 299.00

Accessories for cooking appliances

ACCESSORIES FOR OVENS				
Part Number	Description	For model...	Price Excl. VAT*	Price Incl. VAT**
Optional Accessories				
HEZ629070	Air Fry Grid	CMG7241B1..., HBG7764B1	R 442.61	R 509.00
HEZ634000	Wire Rack	HBG634..., HBG655..., HBG656	R 486.09	R 559.00
HZ327000	Pizza Stone	HBG634..., HBG655..., HBG656..., CMG633	R 2 181.74	R 2 509.00
HEZ638000	1 fold Telescopic Rail	HBG7341..., HBG7563	R 1 312.17	R 1 509.00
HEZ638D00	Full Extension Rails, Steam	HSG7361B1	R 1 616.52	R 1 859.00
HEZ638070	Full Extension Rails, Pyro	HBG7764B1	R 1 616.52	R 1 859.00
ACCESSORIES FOR VARIO HOBS				
HEZ394301	Joining Strip		R 1 138.26	R 1 309.00
INSTALLATION ACCESSORIES FOR ALL EXTRACTORS				
DIZ2CB1I4	CleanAir Recirculation Kit	DIB97IM50	R 1 746.96	R 2 009.00
DWZ2IT1I4	CleanAir Recirculation Kit	DFR097A52	R 1 746.96	R 2 009.00
DSZ4920	Installation Kit for 90cm wide wall unit	DFR097A52	R 590.43	R 679.00
DSZ4985	Handle Strip	DFR097A52	R 590.43	R 679.00
DWZ1IT1I4	CleanAir Recirculation Kit	DFL064W53	R 1 746.96	R 2 009.00
DSZ4685	Handle Strip	DFL064W53	R 590.43	R 679.00
DHZ5605	Recirculation Kit	DHL855C / DLN87AC50	R 973.04	R 1 119.00
DWZ6HP1U2	Recirculation Kit	DWP64CC50Z	R 955.65	R 1 099.00
DWA0LK6A	Carbon Filter	DWK065G60	R 720.87	R 829.00
DWZ1DX1I4	CleanAir Recirculation Kit	DWB96IM51Z / DWB66BC51Z	R 1 738.26	R 2 099.00
DWZ0IN0T0	Recirculation Kit	DLN53	R 955.65	R 1 099.00
DWZ6HP1U2	Recirculation Kit	DWP94CC50M	R 955.65	R 1 099.00
DWA0LK6A	Carbon Filter	DWK095G60	R 720.87	R 829.00
DWZ6BK5E2	Carbon filter	DWK63PJ60Z	R 720.87	R 829.00
DWZ6HK1H4	Active carbon filter	DWK97PJ60T	R 790.43	R 909.00






	KIR81AF30U	GIN81AEF0U
	     	   
Product Description	SERIE 6 319 LITRE BUILT-IN FULL FRIDGE	SERIE 6 211 LITRE BUILT-IN FULL FREEZER
Product features	100% CFC/HFC free Auto Defrost Dynamic Cooling airFresh Filter 7 Segment electronic control Acoustic open door warning system SUPER cool function LED interior light Door right hinged, reversible	* *** Freezer 100% CFC/HFC free noFrost VariolInverter 7 Segment electronic control Acoustic warning system, by temperature increase SUPER freeze function Freezing capacity: 20kg/24hrs Door left hinged, reversible
Interior features	7 Safety glass shelves of which 6 height adjustable 6 Door bins, there of 1 dairy compartment Freshness System: 1 x VitaFresh Plus drawer with adjustable humidity 1 x Vegetable Drawer on telescopic rails **bottle rack optional accessory	5 transparent freezer drawers includes 2 big boxes Vario Zone - removable safety glass shelves for extra space
Product Specs	Rating: 90W Fridge Capacity: 319 litres net Energy Consumption: 116 kWh/yr Unit dimensions (H x W x D): 177.2 x 55.8 x 54.5cm Aperture (H x W x D): 177.5 x 56.0 x 55.0cm	Rating: 120W Freezer Capacity: 211 litres net Energy Consumption: 243 kWh/yr Unit dimensions (H x W x D): 177.2 x 55.8 x 54.5cm Aperture (H x W x D): 177.5 x 56.0 x 55.0cm
Barcode	4242005315321	4242005314515
Price Excl. VAT*	R 26 868.70	R 26 868.70
Price Incl. VAT**	R 30 899.00	R 30 899.00



KIS87AF30U	
	   
Product Description	SERIE 6 270 LITRE BUILT-IN FRIDGE FREEZER COMBINATION
Product features	100% CFC/HFC free Automatic defrosting in refrigerator section Low frost freezer section VariolInverter Two cooling systems Electronic temperature regulation SUPER cool function SUPER freeze function with automatic switch off Holiday mode Acoustic and visual alarm warning system with memory function Freezing capacity: 7kg/24hrs Door right hinged, reversible
Interior features of refrigerator section	5 Safety glass shelves, 4 height adjustable, 1 Vario shelf divisible 5 Door bins, 1 dairy compartment 1 VitaFresh drawer with humidity control
Interior features of freezer section	2 Transparent freezer drawers including 1 bigBox with freezing calendar VarioZone – removable safety glass shelves for extra space
Product Specs	Rating: 90W Capacity top fridge: 209 litres net Capacity bottom freezer: 61 litres net Energy consumption: 225kWh/yr Unit dimensions (H x W x D): 177.2 x 55.8 x 54.5cm Aperture (H x W x D): 177.5 x 56.0 x 55.0cm
Barcode	4242005314492
Price Excl. VAT*	R 25 303.48
Price Incl. VAT**	R 29 099.00








KUW21AHG0	
	  
Product Description	SERIE 6 120 LITRE WINE COOLER WITH GLASS DOOR
Product features	Dual Temperature Zones: two separate adjustable zones to perfectly store your red and white wines within a range from +5°C to +20°C. Oak shelves and telescopic rail are designed to absorb vibrations to keep wine safe and easy accessible. LED light with presentation mode: a perfectly illuminated wine cabinet showcases your wine in the most attractive way. Changeable hinge: Install the door of your wine cabinet on the side, that fits best for you.
Design	Built In fridge Glass door Glass door: 3 glass panels
Comfort and Safety	Illumination on/off Presenter Lighting Optical and acoustic warning system Child lock Interior Fan
Technical information	Complete ventilation through plinth Door aperture angle 115° Variable plinth adaption to go from 10,2 to 18,1cm Door right hinged, reversible
Wine section	Number of Temparture Zones: 2 Temperature range: 5-20 °C No.wooden grills in fridge: 3 PC
Product Specs	Rating: 60W Total unit gross capacity: 120 litres Energy consumption: 130 kWh/a Unit dimensions (H x W x D): 81.8 x 59.8 x 58.1cm
Barcode	4242005196135
Price Excl. VAT*	R 22 607.83
Price Incl. VAT**	R 25 999.00















	SMV41D10EU	SMV4HMX01Z
	    	    
Product Description	SERIE 4 60CM FULLY INTEGRATED DISHWASHER 5 TEMPERATURES	SERIE 4 60CM INTEGRATED DISHWASHER 5 TEMPERATURES
Programmes	4 Programmes: Normal 65°C, Economy 50°C, Quick Wash 45°C, Pre-rinse Special function: SpeedPerfect	5 Programmes: Intensive 70 °C, Eco 50 °C, Auto45°C-65°C, Express 65°C, Delicate 40°C, Favourite Special functions: HygienePlus, Pre-Treatment, SpeedPerfect Plus, Machine Care, Home Connect (remote start)
Comfort and Safety	Number of standard place settings: 12 ActiveWater hydraulic system BLDC Motor dosageAssist AquaSensor, LoadSensor, EcoSilence drive Detergent Automation Heat Exchanger – for hygienic drying, prevents thermal shock Self-cleaning filter system with 3-fold corrugated filter LED programme status indicator Acoustic end of cycle indicator LED salt rinse aid refill indicator Cutlery basket in bottom basket AquaStop with guarantee against flooding Glass care system 5 Spray levels with curved spray arms Dishwasher cavity: Stainless Steel / Polinox	Number of standard Place setting: 13 DosageAssist EcoSilence Motor Detergent Automation Heat Exchanger – for hygienic drying, prevents thermal shock Glass Care protection technology Electronic delay timer: 1-24 hours Self-cleaning filter system with 3-fold corrugated filter LED salt, rinse aid and programme indicator Vario Drawer VarioFlex Basket system Rackmatic height-adjustable top basket (3 stage) Rack Stopper to prevent derailing of bottom basket Acoustic end of cycle indicator AquaStop with guarantee against flooding Dishwasher cavity: Stainless Steel
Product Specs	Silence: 48 dB Consumption rate: Eco 50°C / 10 liters / 0.9kWh/195min Aperture (H x W x D): 81.5-87.5 x 60.0 x 55.0cm Unit dimensions (H x W x D): 81.5 x 59.8 x 55.0cm Rating: 2400 W	Silence: 46dB Consumption rate: Eco 50°C / 9.5 litres / 0.92kWh / 295min Aperture: (H x W x D): 81.5-87.5 x 60.0 x 55.0 cm Unit dimensions: (H x W x D): 81.5 x 59.8 x 55.0 cm Rating: 2400W
Barcode	4242002810577	4242005357178
Price Excl. VAT*	R 8 694.78	R 9 738.26
Price Incl. VAT**	R 9 999.00	R 11 199.00





	SPV4HMX55Q
	    
Product Description	SERIE 4 45CM INTEGRATED DISHWASHER 4 TEMPERATURES
Programmes	5 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Quick Wash 65 °C, Silence 50 °C 5 special options: Remote Start, Extra Dry, HygienePlus, Extra Rinse, Machine Care
Comfort and Safety	Number of standard place settings: 10 ActiveWater hydraulic system dosageAssist AquaSensor, LoadSensor, EcoSilence drive Detergent Automation Heat Exchanger – for hygienic drying, prevents thermal shock Self-cleaning filter system with 3-fold corrugated filter Self-cleaning filter system with 3-fold corrugated filter LED programme status indicator Acoustic end of cycle indicator LED salt rinse aid refill indicator VarioFlex basket system Rackmatic height-adjustable top basket (3 stage) Rack Stopper to prevent derailing of bottom basket DuoPower spray arms in top basket AquaStop with guarantee against flooding Glass care system Dishwasher cavity: Stainless Steel
Product Specs	Silence: 46dB Consumption rate: Eco 50°C / 9.5 liters / 0.83kWh/220min Aperture (H x W x D): 81.5-87.5 x 45.0 x 55.0cm Unit dimensions (H x W x D): 81.5 x 44.8 x 55.0 cm Rating: 2400 W
Barcode	4242005431397
Price Excl. VAT*	R 9 564.35
Price Incl. VAT**	R 10 999.00

Installation Diagrams






Ovens

 <p>min. 600⁺⁴ min. 550 min. 20 19.5 max. 45 Space for appliance hook-up 320 x 115 measurements in mm</p> <p>HBG7764B1/ HBG7563B1/ HBG7341B1M</p>	 <p>Space for appliance hook-up 320 x 115 min. 550 35 19.5 405 595 max. 45 577 595 548 535 560⁺⁸ Venting through base min. 50 cm² measurements in mm</p> <p>HSG7361B1</p>	 <p>min. 550 560⁺⁸ 405 115 595 max. 50 570 594 548 590 (min. 575 max. 597) Space for oven connection socket 320x115 * 20 mm for metal fascias measurements in mm</p> <p>HBJ559EB6Z</p>	 <p>min. 550 560⁺⁸ 405 115 595 max. 50 570 594 548 590 (min. 575 max. 597) Space for oven connection socket 320x115 * 20 mm for metal fascias measurements in mm</p> <p>HBJ543ES0Z/ HBJ354ES3Z</p>
 <p>min. 550 560⁺⁸ 405 115 595 max. 50 570 594 548 590 (min. 575 max. 597) Space for oven connection socket 320x115 * 20 mm for metal fascias measurements in mm</p> <p>HBF113BS0Z</p>	 <p>min. 550 max. 20 560⁺⁸ 405 115 595 max. 50 570 594 548 590 (min. 575 max. 597) Space for oven connection socket 320x115 * 20 mm for metal fascias measurements in mm</p> <p>HBF010BA0Z</p>	 <p>min. 550 max. 20 560⁺⁸ 405 115 595 max. 50 570 594 548 590 (min. 575 max. 597) Space for oven connection socket 320x115 * 20 mm for metal fascias measurements in mm</p> <p>HBF011BR1Z</p>	 <p>Space for oven connection socket min. 560 min. 35 590 30 30 300 850 860-864 594 577 549 23 measurements in mm</p> <p>VBD554FS0</p>
 <p>min. 560 860-864 30 30 100 475 896 554 23 466 477-480 Space for oven outlet or socket measurements in mm</p> <p>VBC514CR0</p>	 <p>min. 560 554-564 30 300 22 550 30 490-500 593-595 max. 52 580 592 597 550 measurements in mm</p> <p>HGL10E150</p>	 <p>min. 550 max. 20 560⁺⁸ 405 115 595 max. 50 570 594 548 590 (min. 575 max. 597) Space for oven connection socket 320x115 * 20 mm for metal fascias measurements in mm</p> <p>HBF010BR1Z/ HBF011BR2Z/ HBF011BA1Z</p>	 <p>min. 600⁺⁴ min. 550 180 min. 20 19.5 405 595 max. 50 570 594 548 535 Space for appliance connection 320 x 115 measurements in mm</p> <p>HJG852EG0Z/ HJG852ES0Z/ HUA736ER0Z/ HUA736EG0Z</p>



Microwave ovens

 <p>Ventilation opening min. 250 cm² min. 550 600 560⁺⁸ 35 369 554 382 360 594 19 * 20 mm for metal fascia measurements in mm</p> <p>BEL554MS0</p>	 <p>Measurements in mm ≥ 550 600 35 380⁺² 495 355 382 363 595 20 35 (A) 35 measurements in mm</p> <p>BEL653MS3</p>		
---	--	--	--



Compact appliances / warmer drawers

<p>Measurements in mm</p>  <p>A: 7.5 mm</p> <p>Compact ovens with appliance height of 455 mm can be installed above the warming drawer without an intermediate floor</p> <p>BIC7101B1</p>	<p>Measurements in mm</p>  <p>A: 287.5 mm</p> <p>Ovens with appliance height of 595 mm can be installed above the warming drawer without an intermediate floor</p> <p>BID7101B1B</p>	<p>Measurements in mm</p>  <p>CMG7241B1</p>	<p>Measurements in mm</p>  <p>CTL7181B0</p>
 <p>BEL554MH2Z</p>			





Induction hobs

 <p>PIV975DC1E</p>	<p>measurements in mm</p>  <p>PUG61KAA5E</p>		
---	---	--	--


Electric hobs

 <p>PKE611BA2E</p>	 <p>PKM975DK1D</p>		
---	---	--	--


Gas hobs

 <p>PGP6B5B62Z</p>	 <p>PRY6A6B70</p>	<p>Measurements in mm</p>  <p>PBP6C5K60M</p>	 <p>PGP6B5K60Z</p>
---	--	--	---


Gas hobs




PPQ9B6I40M




PPP6A6I40Z




POP6C6P30M




PRY6A6B70




PCR9A5I90Z



PCQ7A5I90Z




PCP6A5I90Z




PRS9A6H40Z

Vario hobs




PKF375CA2E


Extractors




DLN87AC50




DIB97IM50




DWK97PJ60T



DWP94CC50M




DWB96IM51Z




DFR097A52


Extractors




DFL064W53




DLN53AA50




DHU635HZA




DHU636HQ



DWP64CC50Z




DFT63CA50Q




DWK63PJ60Z


Refrigerators




KIR81AF30U / GIN81AEF0U




KIS87AF30U




KUW21AHG0




Dishwashers



SMV4HMX01Z



SMV41D10EU



SPV4HMX55Q

Notes