





| | HSB737357Z | HJY5G7V60Z | |
|--|--|---|--|
| | | Total Safety Fall Safety TXI. Cavity | |
| Product Description | SERIE 6 90CM FREESTANDING GAS / ELECTRIC COOKER DOUBLE FAN | SERIE 8 90CM FREESTANDING GAS / GAS COOKER, BLACK HYBRID FUNCTION | |
| Product Features: Multifunction Electric Oven | Heating methods (8): Hot air & bottom heat, Top/bottom heat Eco, Circulating Air, Top/Bottom heat, Hot air grilling, Hot air, Full width grill, Defrost Extra large oven capacity: 112 litres Catalytic oven cavity (rear and side walls) Shelf support rails Oven interior light Electronic clock Storage compartment Adjustable feet | Heating methods: Gas grill, Gas bottom heat, Gas bottom & hot air & Ring element, Circulated gas bottom heat, Rotisserie, Defrost setting Extra large oven capacity: 125 litres Mechanical timer Shelf support rails Halogen interior lighting Storage compartment Adjustable feet (45mm) | |
| Product Features: Gas Hob** | 5 Burners: 1 Rapid, 2 Standard, 1 Economy, 1 Wok burner Front left: Rapid burner 2.9kW Rear left: Standard burner 1.8kW Center: Wok burner 4.0kW Rear right: Standard burner 1.8kW Front right: Economy burner 1.0kW Ignition via front controls Flame failure safety device Cast iron pan supports Splash guard | 5 Burners: 1 Rapid, 2 Standard, 1 Economy, 1 Wok burner Front left: Rapid burner 3kW Rear left: Standard burner 1.75kW Center: Wok burner 3.60kW Rear right: Standard burner 1.75W Front right: Economy burner 1kW Ignition via front controls Flame failure safety device Cast iron pan supports | |
| Cleaning | | Full Catalytic | |
| Accessories | 1 x Nozzle set for natural gas 1 x WOK attachment ring 1 x Enamel baking tray 1 x Grill shelf 1 x Cross support for espresso | 1 x Nozzle set for natural gas 1 x Universal pan 2 x Grid 1 x Cross support for espresso 1 x Rotisserie | |
| Product Specs | Overall: (H x W x D): 84.6 x 89.8 x 60.0 cm Rating: 3200W | Overall: (H x W x D): 89.2 x 89.4 x 60.0 cm Rating: 47W | |
| Barcode | 4242002933115 | 4242005294749 | |
| Price Excl. VAT* | R 21 912.17 | R 24 086.09 | |
| Price Incl. VAT** | R 25 199.00 | R 27 699.00 | |

^{***}Only natural gas or LPG bottled gas (butane & propane) may be used





| | HGW3FSY50Z |
|-----------------------------------|---|
| | |
| Product Description | SERIE 6 90CM FREESTANDING GAS / GAS COOKER |
| Product Features: Cooker | Heating methods: Gas grill, Gas bottom heat, Defrost, Rotisserie, Fan function Extra large oven capacity: 125 litres Max Oven Temperature: 280° C Mechanical timer Shelf support rails Oven interior light Storage compartment Adjustable feet (50mm) |
| Product Features: Gas Hob** | 5 Burners: 1 Rapid, 2 Standard, 1 Economy, 1 Wok burner Front left: Rapid burner 2.9kW Rear left: Standard burner 1.65kW Center: Wok burner 3.60kW Rear right: Standard burner 1.65W Front right: Economy burner 0.90kW Ignition via front controls Flame failure safety device Cast iron pan supports Glass cover lid Child lock |
| Accessories | 1 x Nozzle set for natural gas 1 x Universal pan 1 x Grid 1 x Cross support for espresso 1 x Rotisserie |
| Product Specs | Overall: (H x W x D): 85.3 x 89.4 x 60.4 cm |
| Barcode | 4242005282203 |
| Price Excl. VAT* | R 17 303.00 |
| Price Incl. VAT** | R 19 899.00 |







| | HXQ38AE50M | HGA120E50Z |
|--|--|--|
| | Energy A Solution Solution A Solution So | |
| Product Description | SERIE 4 60CM FREESTANDING GAS / ELECTRIC COOKER STAINLESS STEEL | SERIE 2 60CM FREESTANDING GAS / GAS COOKER STAINLESS STEEL |
| Product Features: Multifunction Electric Oven | Heating methods: 3D Hot Air, Top/ Bottom heat, Hot air grilling, Hot air gentle, Defrost Temperature range between 50° C-275° C Full glass inner door Maximum window temperature 40° C Shelf support rails Oven interior light Electronic clock EcoClean panel: rear wall Storage compartment Adjustable feet | Heating methods: Gas grill, Gas bottom heat Extra large oven capacity: 71 litres Brown enamel oven Oven interior light Storage compartment Adjustable feet |
| Product Features: Gas Hob** | 4 Burners: 1 Rapid, 2 Standard, 1 Economy Front left: Rapid burner 3.0kW Rear left: Standard burner 1.75kW Rear right: Standard burner 1.75kW Front right: Economy burner 1.0kW Ignition via front controls Flame failure safety device Cast iron pan supports Glass cover lid | 4 Burners: 1 Rapid, 2 Standard, 1 Economy Front left: Rapid burner 3.0kW Rear left: Standard burner 1.75kW Rear right: Standard burner 1.75kW Front right: Economy burner 1.0kW One hand ignition Flame failure safety device Cast Iron pan supports Glass cover lid |
| Accessories | 1 x Enamel baking tray 1 x Grid 1 x Universal pan | 1 x Enamel baking tray 1 x Grid 1 x Universal pan |
| Product Specs | Overall: (H x W x D): 85.0 x 60.0 x 60.0 cm Rating: 3300W | Overall: (H x W x D): 85.0 x 60.0 x 60.0 cm |
| Barcode | 4242005043927 | 4242005049561 |
| Price Excl. VAT* | R 15 738.26 | R 13 129.57 |
| Price Incl. VAT** | R 18 099.00 | R 15 099.00 |





| | FEL053MS1 |
|------------------------|---|
| | |
| Product Description | SERIE 2 FREESTANDING MICROWAVE WITH GRILL |
| Heating Methods | 5 Microwave power settings: 90W, 180W, 360 W, 600W, 800W Grill and microwave power levels 90W, 180W, 360W combinable Grill: 1 KW |
| Comfort and Safety | AutoPilot 8 4 Defrosting programmes 3 Microwave cooking programmes 1 Combination programme LED display control Electronic clock Rotary Control Favourite button for individual settings (1 setting) Quick Start: one tap to maximum microwave power for 30 seconds LED light Child lock |
| Design | 29 cm glass turntable Side opening door, left-hinged Grey painted cavity, 25 litre |
| Product Specs | Overall: (H x W x D): 29.0 x 49.5 x 37.0 cm |
| Barcode | 4242005296736 |
| Price Excl. VAT* | R 3 390.43 |
| Price Incl. VAT** | R 3 899.00 |







| | KA193VI304 | KAN93VL30N | |
|--|--|--|--|
| | Energy LD Light Location Egy Windows | Energy Light Links Light | |
| Product Description | SERIE 4 533 LITRE NO-FROST SIDE BY SIDE FRIDGE/FREEZER WITH INTEGRATED WATER AND ICE DISPENSER DOOR PANELS INOX EASYCLEAN | SERIE 4 560 LITRE NO-FROST SIDE BY SIDE FRIDGE/FREEZER DOOR PANELS INOX LOOK | |
| Features | 100% CFC/HFC free Multi Airflow System No-frost freezer Electronic touch control Exterior digital display Visual and acoustic door open warning system SUPER cool function SUPER freeze function Child lock display Holiday mode Water / ice or crushed ice dispenser Storage time in event of power failure: 8hrs Freezing capacity: 13kg/24hrs Not Plumbed, Water Tank Inside Fridge | 100% CFC/HFC free Multi Airflow System No-frost freezer Electronic touch control Exterior digital display Visual and acoustic door open warning system SUPER cool function SUPER freeze function Child lock display Holiday mode Storage time in event of power failure: 8hrs Freezing capacity: 12kg/24hrs | |
| Interior Features Refrigerator Section | 2 Multi Box drawers on rails with a corrugated bottom 5 safety glass shelves 5 door bins LED interior light | 2 Multi Box drawers on rails with a corrugated bottom 5 safety glass shelves 5 door bins LED interior light | |
| Interior Features Freezer Section | 2 Transparent Freezer drawers VarioZone 5 safety glass shelves 3 door bins LED illumination | 2 Transparent Freezer drawers VarioZone 5 safety glass shelves 5 door bins Ice Twister LED illumination | |
| Product Specs | Rating: 240W Fridge capacity: 368 litres net Freezer capacity: 165 litres net Energy consumption: 343 kWk/yr Unit dimensions: (H x W x D): 178.7 x 90.8 x 70.7 cm | Rating: 240W Fridge capacity: 371 litres net Freezer capacity: 189 litres net Energy consumption: 363 kWk/yr Unit dimensions: (H x W x D): 178.7 x 90.8 x 70.7 cm | |
| Barcode | 4242005191659 | 4242005185337 | |
| Price Excl. VAT* | R 30 433.91 | R 24 173.04 | |
| Price Incl. VAT** R 34 999.00 | | R 27 799 .00 | |











| | KDD86AI304 | KGN86CI30Z |
|--|--|--|
| | Energy The Company of | Energy A** Color Color Color Color |
| Product Description | SERIE 6 641 LITRE NO FROST TOP FREEZER COMBINATION WITH WATER DISPENSER DOORS INOX EASY CLEAN, SIDE PANELS PEARL GREY | SERIE 6 619 LITRE NO-FROST BOTTOM FREEZER COMBINATION DOORS INOX EASY CLEAN |
| Features | No frost freezer Multi Airflow System No-frost freezer Multi Airflow System No-frost freezer Premium touch control electronic Separate temperature control for cooling and freezing section Acoustic open door warning system Visual and acoustic temperature alarm Eco / Holiday setting SUPER cool function SUPER freeze function Storage time in event of power failure: 22 hrs Freezing capacity: 16kg/24hrs Door right hinged, reversible | 100% CFC/HFC free Multi Airflow System No-frost freezer AirFresh Filter FreshSense Premium Touchcontrol electronic Visual and acoustic door open warning system Two seperate cooling circuits SUPER cool function SUPER freeze function with automatic switch off Economy setting Holiday mode Fresh mode Child lock Storage time in event of power failure: 30hrs Freezing capacity: 20kg/24hrs Door right hinged, reversible |
| Interior Features Refrigerator Section | LED with soft start 3 Safety glass shelves of which 3 are height adjustable VarioShelf 4 Door bins Water tank Freshness system 2 VitaFresh drawer with humidity control 2 VitaFresh plus <0°C> drawers with temperature control | Freshness system: VitaFresh XXL drawer – adjustable humidity control VitaFresh <0°C> drawer with adjustable temperature control LED interior light 3 Safety glass shelves of which 2 x are height adjustable 4 Door bins 2 Dairy compartments |
| Interior Features Freezer Section | LED lights 2 Door trays in the freezing compartment Easy twist ice box | 2 Transparent Freezer drawers (incl 1x bigBox) VarioZone |
| Product Specs | Rating: 100W Fridge Capacity: 493 litres net Freezer Capacity: 148 litres net Energy Consumption: 381 kWh/yr Unit dimensions: (H x W x D): 180.6 cm x 86.0 cm x 80.0 cm | Rating: 100W Fridge capacity: 479 litres net Freezer capacity: 140 litres net Energy consumption: 378 kWk/yr Unit dimensions: (H x W x D): 186.0 x 86.0 x 81.0 cm |
| Barcode | 4242005228720 | 4242005330201 |
| Price Excl. VAT* | R 17 390.43 | R19 129.57 |
| Price Incl. VAT** | R 19 999.00 | R 21 999.00 |







| | KGN76CI30U |
|--|--|
| | Energy Art Carterdan Cart |
| Product Description | SERIE 6 521 LITRE NO FROST BOTTOM FREEZER COMBINATION DOORS INOX EASY CLEAN |
| Features | Treezer 100% CFC/HFC free Multi Airflow system No-frost freezer AirFresh Filter FreshSense Two separate cooling systems Premium Touchcontrol electronic Visual and acoustic door open warning system SUPER cool function SUPER freeze function Economy setting Holiday mode Fresh mode Child lock Storage time in event of power failure: 27hrs Freezing capacity: 10kg / 24hrs Door right hinged, reversible |
| Interior Features Refrigerator Section | Freshness system: VitaFresh Plus: VitaFresh drawer – adjustable humidity control VitaFresh <0°C> drawer with adjustable temperature control 3 Safety glass shelves of which 2 are height adjustable 4 Door bins 2 Dairy compartments |
| Interior Features Freezer Section | 2 Transparent Freezer drawers (incl 1x bigBox) VarioZone |
| Product Specs | Rating: 100W Fridge Capacity: 406 litres net Freezer Capacity: 115 litres net Energy Consumption: 335 kWh/yr Unit dimensions: (H x W x D): 186.0 x 75.0 x 80.0 cm |
| Barcode | 4242005329595 |
| Price Excl. VAT* | R 16 173.04 |
| Price Incl. VAT** | R 18 599.00 |











| | KGN56LW31U (AVAILABLE 4TH QUARTER 2023) | KGN56LB31U (AVAILABLE 4TH QUARTER 2023) |
|---|--|--|
| | Emergy A** Service S | Energy A** A** |
| Product Description | SERIE 6 505 LITRE NO-FROST BOTTOM FREEZER COMBINATION GLASS DOORS WHITE SIDE PANELS STEEL LOOK | SERIE 6 505 LITRE NO-FROST BOTTOM FREEZER COMBINATION GLASS DOORS BLACK SIDE PANELS STEEL LOOK |
| Features | Treezer 100% CFC/HFC free Multi Airflow system No-frost freezer AirFresh Filter Two cooling systems Premium Touchcontrol electronic Visual and acoustic door open warning system SUPER cool function SUPER freezing with automatic switch off Storage time in event of power failure: 24hrs Freezing capacity: 18kg in 24hrs Door right hinged, reversible | ***** Freezer 100% CFC/HFC free Multi Airflow system No-frost freezer AirFresh Filter Two cooling systems Premium Touchcontrol electronic Visual and acoustic door open warning system SUPER cool function SUPER freezing with automatic switch off Storage time in event of power failure: 24hrs Freezing capacity: 18kg in 24hrs Door right hinged, reversible |
| Interior Features Refrigerator Section | Freshness system: VitaFresh Plus drawer – adjustable humidity control VitaFresh <0°C> drawer 4 safety glass shelves of which 3 x EasyAccess Shelf, extendable 4 door bins, there of 1x dairy compartment Pull-out tray with Breakfast box | Freshness system: VitaFresh Plus drawer – adjustable humidity control VitaFresh <0°C> drawer 4 safety glass shelves of which 3 x EasyAccess Shelf, extendable 4 door bins, there of 1x dairy compartment Pull-out tray with Breakfast box |
| Interior Features Freezer Section | 2 Transparent Freezer drawers (incl. 1 bigBox) VarioZone | 2 Transparent Freezer drawers (incl. 1 bigBox) VarioZone |
| Product Specs | Rating: 100W Fridge Capacity: 400 litres net Freezer Capacity: 105 litres net Energy consumption: 325 kWh/yr Unit dimensions: (H x W x D):193.0 x 70.0 x 80.0 cm | Rating: 100W Fridge Capacity: 400 litres net Freezer Capacity: 105 litres net Energy consumption: 325 kWh/yr Unit dimensions: (H x W x D):193.0 x 70.0 x 80.0 cm |
| Barcode | 4242005329960 | 242005329953 |
| Price Excl. VAT* | R 15 738.26 | R 15 738.26 |
| Price Incl. VAT** | R 18 099.00 | R 18 099.00 |











| | KGN56XI30Z | KGN55VI20Z |
|---|--|--|
| | Energy A** Land Time Time Land Tim | Energy A Constitution Light State of Consti |
| Product Description | SERIE 4 505 LITRE NO-FROST BOTTOM FREEZER COMBINATION, DOORS INOX EASY CLEAN, SIDE PANELS INOX COLOURED | SERIE 4 480 LITRE NO-FROST BOTTOM FREEZER COMBINATION DOORS INOX EASY CLEAN |
| Features | 100% CFC/HFC free Multi Airflow system No-frost freezer AirFresh Filter Two cooling systems Premium Touchcontrol electronic LCD indoor electronics for temperature display Separate electronic temperature control Visual and acoustic door open warning system SUPER cool function SUPER freezing with automatic switch off Storage time in event of power failure: 24hrs Freezing capacity: 18kg in 24hrs Door right hinged, reversible | 100% CFC/HFC free Multi Airflow System No-frost freezer Two cooling systems AirFresh Filter Visual and acoustic door open warning system SUPER cool function SUPER freeze function with automatic switch off Economy setting Storage time in event of power failure: 22hrs Door right hinged, reversible |
| Interior Features Refrigerator Section | Freshness system: VitaFresh drawer – adjustable humidity control 2 VitaFresh <0°C> drawers 4 safety glass shelves of which 3 x EasyAccess Shelf, extendable 4 door bins, there of 1x dairy compartment | Freshness system: 1 VitaFresh drawer – adjustable humidity control 2 VitaFresh <0° C> drawers LED interior light 4 safety glass shelves of which 3 are height adjustable 3 door bins |
| Interior Features Freezer Section | 2 Transparent Freezer drawers (incl 1 bigBox) | 2 Transparent Freezer drawers (incl 1 x BigBox) VarioZone |
| Product Specs | Rating: 100W Fridge Capacity: 400 litres net Freezer Capacity: 105 litres net Energy consumption: 325 kWh/yr Unit dimensions: (H x W x D): 193.0 x 70.0 x 80.0 cm | Rating: 100W Fridge capacity: 375 litres net Freezer capacity: 105 litres net Energy consumption: 405kWh/yr Unit dimensions: (H x W x D): 186.0 x 70.0 x 80.0 cm |
| Barcode | 4242005330188 | 4242005332762 |
| Price Excl. VAT* | R 14 694.78 | R 12 433.91 |
| Price Incl. VAT** | R 16 899.00 | R 14 299.00 |











| | KGN36XI33Z (WHILE STOCKS LAST) | KGN36NL30Z |
|---|--|--|
| | Energy A** ** ** ** ** ** ** ** ** | Energy A** (Extraction: Sates(date) (Extraction: Library Li |
| Product Description | SERIE 4 324 LITRE NO FROST BOTTOM FREEZER COMBINATION DOORS INOX EASY CLEAN | SERIE 2 302 LITRE NO FROST BOTTOM FREEZER COMBINATION DOORS INOX LOOK |
| Features | Treezer 100% CFC/HFC free Multi Airflow system No-frost freezer AirFresh Filter Premium Touchcontrol electronic Visual and acoustic door open warning system Two cooling systems: SUPER cool function SUPER freeze function Storage time in event of power failure: 16hrs Freezing capacity: 14kg 24hrs Door right hinged, reversible | 100% CFC/HFC Free No Frost Freezer Multi Airflow System LED electronic control SUPER freeze function with automatic switch off Freezing capacity: 11kg 24 hrs Storage time in event of power failure: 19 hrs Door right hinged, reversible |
| Interior Features Refrigerator Section | Freshness System: Vitafresh drawer with humidity control Vitafresh <0°C> drawer with humidity control 4 Safety glass shelves of which 2 are height adjustable 3 Door bins Pull-out tray with Breakfast box LED interior light | Freshness System: MultiBox: transparent drawer with wave bottom, ideal for the storage of fruits and vegetables 4 Safety glass shelves of which 3 are height adjustable 4 Door bins LED interior light |
| Interior Features Freezer Section | 3 Transparent Freezer drawers | 3 Transparent freezer drawers Calendar frozen food |
| Product Specs | Rating: 100W Fridge Capacity: 237 litres net Freezer Capacity: 87 litres net Energy Consumption: 260 kWh/yr Unit dimensions: (H x W x D): 186.0 x 60.0 x 66.0 cm | Rating: 100 W Fridge Capacity: 215 litres net Freezer Capacity: 87 litres net Energy Consumption: 235kWh/yr Unit dimensions (H x W x D): 186.0 cm x 60.0 cm x 66.0 cm |
| Barcode | 4242005160532 | 4242002897301 |
| Price Excl. VAT* | R 11 651.30 | R 9 999.13 |
| Price Incl. VAT** | e Incl. VAT** R 13 399.00 R 11 499.00 | |









| | KGW36NL2AZ | KGW33NL1AZ | KGV33NL1AZ |
|---|--|--|---|
| | Energy A* | Energy A Linkington | Energy Control of Light |
| Product Description | SERIE 4 304 LITRE BOTTOM FREEZER COMBINATION WITH INDOOR WATER DISPENSER INOX LOOK | SERIE 2 263 LITRE BOTTOM FREEZER COMBINATION WITH INDOOR WATER DISPENSER INOX LOOK | SERIE 2 264 LITRE BOTTOM FREEZER COMBINATION INOX LOOK |
| Features | Static cooling system Low Frost Freezer Electromechanical control Storage time in event of power failure: 25hrs Freezing capacity: 4kg / 24hrs Door right hinged, reversible | Static cooling system Low Frost Freezer Electromechanical control Storage time in event of power failure: 15hrs Freezing capacity: 3kg / 24hrs Door right hinged, reversible | Static cooling system Low Frost Freezer Mechanical control Storage time in event of power failure: 15hrs Freezing capacity: 3kg / 24hrs Door right hinged, reversible |
| Interior Features Refrigerator Section | In door water tank 1 MultiBox - Transparent drawer with corrugated bottom, ideal for storing fruits and vegetables. 4 Safety glass shelves of which 3 are height adjustable 3 Door bins LED interior light | In door water tank 1 MultiBox - Transparent drawer with corrugated bottom, ideal for storing fruits and vegetables. 4 Safety glass shelves of which 3 are height adjustable 3 Door bins LED interior light | 1 MultiBox - Transparent drawer with corrugated bottom, ideal for storing fruits and vegetables. 4 Safety glass shelves of which 3 are height adjustable 4 Door bins LED interior light |
| Interior Features Freezer Section | 3 Transparent Freezer drawers | 3 Transparent Freezer drawers | 3 Transparent Freezer drawers |
| Product Specs | Fridge Capacity: 210 litres net Freezer Capacity: 94 litres net Energy Consumption: 275 kWh/yr Unit dimensions: (H x W x D): 185.9 x 59.5 x 57.5 cm | Fridge Capacity: 200 litres net Freezer Capacity: 63 litres net Energy Consumption: 324 kWh/yr Unit dimensions: (H x W x D): 180.5 x 55.0 x 56.6 cm | Fridge Capacity: 201 litres net Freezer Capacity: 63 litres net Energy Consumption: 324 kWh/yr Unit dimensions: (H x W x D): 180.5 x 55.0 x 56.6 cm |
| Barcode | 4242005275250 | 4242005275267 | 4242005275472 |
| Price Excl. VAT* | R 7 999.13 | R 6 694.78 | R 5 912.17 |
| Price Incl. VAT** | R 9 199.00 | R 7 699.00 | R 6 799.00 |

The above models are eligible for a 2 year warranty period. KGV33NL1AZ | KGW33NL1AZ | KGW36NL2AZ






| | KSW36VI31Z | GSN36VI31Z |
|------------------------|---|---|
| | Energy Safetycline Franciscon Superiority Safetycline | A** |
| Product Description | SERIE 4 346 LITRE SINGLE DOOR FULL FRIDGE WATER DISPENSER DOORS INOX EASY CLEAN | SERIE 4 242 LITRE NO FROST SINGLE DOOR FULL FREEZER DOORS INOX EASY CLEAN |
| Features | 100% CFC/HFC free Dynamic cooling via integrated fan Auto Defrost LED Electronic temperature control FreshSense - constant temperature by intelligent sensor technology Water tank capacity: 2.5litres SUPER cool function Door left hinged, reversible (Wall-side door opening: No side clearance needed at all. Fully access to all drawers) | 100% CFC/HFC free No frost freezer Multi Airflow System FreshSense - constant temperature by intelligent sensor technology LED electronic control SUPER freeze function Acoustic / Visual alarm Easy door opening with Air Channel System Storage time in event of power failure: 25hrs Freezing capacity: 20kg/24hrs Door right hinged, reversible (Wall-side door opening: No side clearance needed at all. Fully access to all drawers) |
| Interior Features | VitaFresh drawer – adjustable humidity control 7 safety glass shelves of which 6 are height adjustable, 6 x EasyAccess Shelf, extendable 5 door bins LED interior light | 5 transparent freezer drawers, incl.2 x big box Vario Zone - removable safety glass shelves for extra space 2 compartment with glass shelf and transparent hinge |
| Optional Accessory | KSZ36AL00 Connection Set Inox | KSZ36AL00 Connection Set Inox |
| Product Specs | Energy Efficiency Class: A++ Rating: 90W Fridge capacity: 346 litres net Energy consumption: 112 kWk/yr Unit dimensions: (H x W x D): 186.0 x 60.0 x 65.0 cm | Energy Efficiency Class: A++ Rating: 75 W Freezer capacity: 242 litres net Energy consumption: 237 kWk/yr Unit dimensions: (H x W x D): 186.0 x 60.0 x 65.0 cm |
| Barcode | 4242005059126 | 4242005065875 |
| Price Excl. VAT* | R 18 433.91 | R 18 433.91 |
| Price Incl. VAT** | R 21 199.00 | R 21 199.00 |





| | KSV33NI31Z | GSN33VI31Z |
|------------------------|--|--|
| | Energy SafetyClass LID Light Transfer from Treathcase Treathcase | Energy A* Frequencies Signature Si |
| Product Description | SERIE 2 324 LITRE SINGLE DOOR FULL FRIDGE INOX EASY CLEAN | SERIE 4 225 LITRE NO FROST SINGLE DOOR FULL FREEZER INOX EASY CLEAN |
| Features | 100% CFC/HFC free Dynamic cooling via integrated fan Auto Defrost LED Electronic temperature control FreshSense - constant temperature by intelligent sensor technology SUPER cool function Door left hinged, reversible (Wall-side door opening: No side clearance needed at all. Fully access to all drawers) | 100% CFC/HFC free No frost freezer Multi Airflow System FreshSense - constant temperature by intelligent sensor technology LED electronic control SUPER freeze function Acoustic / Visual alarm Easy door opening with Air Channel System Storage time in event of power failure: 25hrs Freezing capacity: 20kg/24hrs Door right hinged, reversible (Wall-side door opening: No side clearance needed at all. Fully access to all drawers) |
| Interior Features | 1 VitaFresh Box 6 safety glass shelves of which 5 are height adjustable, 5 x EasyAccess Shelf, extendable 5 door bins LED interior light | 5 transparent freezer drawers, incl.1 x big box Vario Zone - removable safety glass shelves for extra space 2 compartment with glass shelf and transparent hinge |
| Optional Accessory | KSZ36AL00 Connection Set Inox | KSZ36AL00 Connection Set Inox |
| Product Specs | Energy Efficiency Class: A++ Rating: 90W Fridge capacity: 324 litres net Energy consumption: 110 kWk/yr Unit dimensions: (H x W x D): 176.0 x 60.0 x 65.0 cm | Energy Efficiency Class: A+ Rating: 90W Freezer capacity: 255 litres net Energy consumption: 245 kWk/yr Unit dimensions: (H x W x D): 176.0 x 60.0 x 65.0 cm |
| Barcode | 4242005040049 | 4242005063864 |
| Price Excl. VAT* | R 11 825.22 | R 11 825.22 |
| Price Incl. VAT** | R 13 599.00 | R 13 599.00 |





| | KSV33NW31Z | GSN33VW31Z |
|------------------------|--|---|
| | Energy A** Lacrotta Lacrotta Lacrotta Lacrotta | Energy SigBox Frost free Linear Management |
| Product Description | SERIE 2 324 LITRE SINGLE DOOR FULL FRIDGE WHITE | SERIE 4 225 LITRE NO FROST SINGLE DOOR FULL FREEZER WHITE |
| Features | 100% CFC/HFC free Dynamic cooling via integrated fan Auto Defrost LED Electronic temperature control FreshSense - constant temperature by intelligent sensor technology SUPER cool function Door left hinged, reversible (Wall-side door opening: No side clearance needed at all. Fully access to all drawers) | 100% CFC/HFC free No frost freezer Multi Airflow System FreshSense - constant temperature by intelligent sensor technology LED electronic control SUPER freeze function Acoustic / Visual alarm Easy door opening with Air Channel System Storage time in event of power failure: 25hrs Freezing capacity: 20kg/24hrs Door right hinged, reversible (Wall-side door opening: No side clearance needed at all. Fully access to all drawers) |
| Interior Features | 1 MultiBox 6 safety glass shelves of which 5 are height adjustable, 5 x EasyAccess Shelf, extendable 5 door bins LED interior light | 5 transparent freezer drawers, incl.1 x big box Vario Zone - removable safety glass shelves for extra space 2 compartment with glass shelf and transparent hinge |
| Optional Accessory | KSZ36AW00 Connection Set White | KSZ36AW00 Connection Set White |
| Product Specs | Energy Efficiency Class: A++ Rating: 90W Fridge capacity: 324 litres net Energy consumption: 110 kWk/yr Unit dimensions: (H x W x D): 176.0 x 60.0 x 65.0 cm | Energy Efficiency Class: A+ Rating: 90W Freezer capacity: 225 litres net Energy consumption: 245 kWk/yr Unit dimensions: (H x W x D): 176.0 x 60.0 x 65.0 cm |
| Barcode | 4242005040056 | 4242005064076 |
| Price Excl. VAT* | R 11 216.52 | R 11 216.52 |
| Price Incl. VAT** | R 12 899.00 | R 12 899.00 |





| | KSV29NW31Z | GSN29VW31Z |
|------------------------|---|---|
| | Energy Salesychia Salesychia Salesychia | Energy A** |
| Product Description | SERIE 2 290 LITRE SINGLE DOOR FULL FRIDGE WHITE | SERIE 4 200 LITRE NO FROST SINGLE DOOR FULL FREEZER WHITE |
| Features | 100% CFC/HFC free Dynamic cooling via integrated fan Auto Defrost LED Electronic temperature control FreshSense - constant temperature by intelligent sensor technology SUPER cool function Door left hinged, reversible (Wall-side door opening: No side clearance needed at all. Fully access to all drawers) | Treezer 100% CFC/HFC free No frost freezer Multi Airflow System FreshSense - constant temperature by intelligent sensor technology LED electronic control SUPER freeze function Acoustic / Visual alarm Easy door opening with Air Channel System Storage time in event of power failure: 25hrs Freezing capacity: 20kg/24hrs Door right hinged, reversible (Wall-side door opening: No side clearance needed at all. Fully access to all drawers) |
| Interior Features | 1 MultiBox 5 safety glass shelves of which 4 are height adjustable, 5 x EasyAccess Shelf, extendable 4 door bins LED interior light | 5 transparent freezer drawers, incl.1 x big box Vario Zone - removable safety glass shelves for extra space 1 compartment with glass shelf and transparent hinge |
| Optional Accessory | KSZ36AW00 Connection Set White | KSZ36AW00 Connection Set White |
| Product Specs | Energy Efficiency Class: A++ Rating: 90W Fridge capacity: 290 litres net Energy consumption: 107 kWk/yr Unit dimensions: (H x W x D): 161.0 x 60.0 x 65.0 cm | Energy Efficiency Class: A++ Rating: 90W Freezer capacity: 200 litres net Energy consumption: 214 kWk/yr Unit dimensions: (H x W x D): 161.0 x 60.0 x 65.0 cm |
| Barcode | 4242005040032 | 4242005063857 |
| Price Excl. VAT* | R 10 781.74 | R 10 781.74 |
| Price Incl. VAT** | R 12 399.00 | R 12 399.00 |







| | SMS8ECI02Z | SMS6EMI10Z |
|------------------------|--|---|
| | Energy Licitor rectMatts Light Lig | Energy A*** Repeates Preferences Conference |
| Product Description | SERIE 8 DISHWASHER SILVER INOX | SERIE 6 DISHWASHER SILVER INOX |
| Programmes | 8 Programmes: Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Express 45°C, Glass 40°C, Silence 50°C, Favourite Program Special Options: Remote control, SpeedPerfect Plus, HygienePlus, Intensive Zone, EfficientDry, Half load | 6 Programmes: Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Express 45°C, Favourite Program Special Options: SpeedPerfect Plus, HygienePlus, Pretreatment, Extra Rinse, Machine Care, Remote Start |
| Comfort and Safety | Number of standard place settings: 14 DosageAssist EcoSilence Drive AquaSensor Detergent Automation Heat Exchanger and EfficientDry Glass protection technology Electronic delay timer: 1-24 hours, and time remaining display LED salt and rinse aid refill indicator VarioDrawer Flexcomfort Baskets Extra clean zone Height adjustable basket with 3 stage RackMatic Rack Stopper to prevent derailing of bottom basket Stainless steel 3-fold corrugated filter Dishwasher cavity: Stainless Steel AquaStop with guarantee against flooding | Number of standard place settings: 13 DosageAssist EcoSilence Drive AquaSensor, Load-Sensor Detergent Automation Heat Exchanger and Efficient Dry Glass protection technology Electronic delay timer: 1-24 hours, and time remaining display LED salt and rinse aid refill indicator VarioDrawer Height adjustable basket with 3 stage RackMatic Rack Stopper to prevent derailing of bottom basket Self-cleaning filter system with 3-fold corrugated filter Dishwasher cavity: Stainless Steel AquaStop with guarantee against flooding |
| Product Specs | Noise level: 44 dB Consumption rate: Eco50°C / 9.2l / 0.73kWh / 275min Rating: 2400 W Unit dimensions (H x W x D): 84.5 x 60.0 x 60.0 cm **Removable worktop | Noise level: 44 dB Consumption rate: Eco50°C / 6.7l / 0.92kWh / 275min Rating: 2400 W Unit dimensions (H x W x D): 84.5 x 60.0 x 60.0 cm **Removable worktop |
| Barcode | 4242005338375 | 4242005331215 |
| Price Excl. VAT* | R 14 781.74 | R 11 912.17 |
| Price Incl. VAT** | R 16 999.00 | R 13 699.00 |







| | SMS6HMI04Z | SMS6HCI01Z (WHILE STOCKS LAST) |
|------------------------|--|--|
| | Energy Signature Signature | Energy A** Continue Continu |
| Product Description | SERIE 6 DISHWASHER SILVER INOX | SERIE 6 DISHWASHER STAINLESS STEEL, LACQUERED |
| Programmes | 6 Programmes: Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Express 45°C, Favourite Program Special Options: Remote control, Extra dry, Intensive Zone, HygienePlus, Pre-treatment, Machine Care | 6 Programmes: Auto 45-65°C, Eco 50°C, Intensive 70°C, Quick wash 65°C, Glass 45°C, Favourite Program Special Options: Extra dry, Extra Rinse, HygienePlus, Intensive Zone, Machine Care, Remote Start |
| Comfort and Safety | Number of standard place settings: 13 DosageAssist EcoSilence Drive AquaSensor Detergent Automation Heat Exchanger Glass protection technology Electronic delay timer: 1-24 hours, and time remaining display LED salt and rinse aid refill indicator VarioDrawer Flexcomfort Baskets Height adjustable basket with 3 stage RackMatic Rack Stopper to prevent derailing of bottom basket Self-cleaning filter system with 3-fold corrugated filter (Low maintenance filter) Dishwasher cavity: Stainless Steel AquaStop with guarantee against flooding | Number of standard place settings: 13 DosageAssist EcoSilence Drive AquaSensor, Load-Sensor Detergent Automation Heat Exchanger – for hygienic drying, prevents thermal shock Glass protection technology Electronic delay timer: 1-24 hours, and time remaining display LED salt and rinse aid refill indicator VarioDrawer Flexcomfort Baskets Extra clean zone Height adjustable basket with 3 stage RackMatic Rack Stopper to prevent derailing of bottom basket Stainless steel 3-fold corrugated filter Dishwasher cavity: Stainless Steel AquaStop with guarantee against flooding |
| Product Specs | Noise level: 46 dB Consumption rate: Eco50°C / 9.7l / 0.92kWh / 295min Rating: 2400 W Unit dimensions (H x W x D): 84.5 x 60.0 x 60.0 cm **Removable worktop | Noise level: 44 dB Consumption rate: Eco50°C / 6.7L / 0.92kWh / 245min Rating: 2400 W Unit dimensions (H x W x D): 84.5 x 60.0 x 60.0 cm **Removable worktop |
| Barcode | 4242005356867 | 4242005272624 |
| Price Excl. VAT* | R 9 216.52 | R 11 912.17 |
| Price Incl. VAT** | R 10 599.00 | R 13 699.00 |







| | SMS46NI00Z | SMS45NI00Z |
|------------------------|--|--|
| | Energy Common Control of the last control of t | Energy Common Co |
| Product Description | SERIE 4 DISHWASHER STAINLESS STEEL, LACQUERED | SERIE 4 DISHWASHER STAINLESS STEEL, LACQUERED |
| Programmes | 6 Programmes: Eco 50°C, Auto 45-65°C, Intensive 70°C, Quick wash 65°C, Quick wash 45°C, Pre-Rinse Special Options: SpeedPerfect Plus, HygienePlus, Half load, Intensive Zone | 5 Programmes: Intensive 70°C, Eco 50°C, Glass 40°C, Quick wash 65°C, Quick wash 45°C Special Options: Half Load, HygienePlus, Extra Rinse |
| Comfort and Safety | Number of standard place settings: 13 DosageAssist EcoSilence Drive AquaSensor, Load-Sensor Detergent Automation Heat Exchanger Glass protection technology Electronic delay timer: 1-24 hours, and time remaining display LED salt and rinse aid refill indicator VarioDrawer Height adjustable basket with 3 stage RackMatic Self-cleaning filter system with 3-fold corrugated filter Dishwasher cavity: Stainless Steel AquaStop with guarantee against flooding | Number of standard place settings: 13 DosageAssist EcoSilence Drive Load-Sensor Detergent Automation Glass protection technology Electronic delay timer: 1-24 hours, and time remaining display LED salt and rinse aid refill indicator VarioDrawer VarioFlex basket system Height adjustable basket with 3 stage RackMatic Rack Stopper to prevent derailing of bottom basket Stainless steel 3-fold corrugated filter Dishwasher cavity: Stainless Steel Multiple water protection |
| Product Specs | Noise level: 48 dB Consumption rate: Eco50°C / 9.51 / 0.92kWh / 210min Rating: 2400 W Unit dimensions (H x W x D): 84.5 x 60.0 x 60.0 cm **Removable worktop | Noise level: 50 dB Consumption rate: Eco50°C / 9.5l / 1.03kWh / 210min Rating: 2400 W Unit dimensions (H x W x D): 84.5 x 60.0 x 60.0 cm **Removable worktop |
| Barcode | 4242005104758 | 4242005378005 |
| Price Excl. VAT* | R 9 216.52 | R 7 129.57 |
| Price Incl. VAT** | R 10 599.00 | R 8 199.00 |







| | SMS2ITI06Z (WHILE STOCKS LAST) | SMS24AI01Z |
|------------------------|--|---|
| | Energy Sign Sign Sign Sign Sign Sign Sign Sign | Entrry A* Londinon Londinon Londinon Londinon Londinon 12 |
| Product Description | SERIE 2 DISHWASHER STAINLESS STEEL, LACQUERED | SERIE 2 ACTIVEWATER DISHWASHER, STAINLESS STEEL, LACQUERED |
| Programmes | 5 Programmes: Auto 45-65°C, Eco 50°C, Intensive 70°C, Quick wash 65°C, Favourite Special Options: Remote Start, Extra Dry, SpeedPerfect, Machine Care | 4 programmes: Normal 65 °C, Economy 50 °C, Quick Wash 45 °C, Pre Rinse Special function: VarioSpeed |
| Comfort and Safety | Number of standard place settings: 12 DosageAssist EcoSilence Drive AquaSensor Detergent Automation Glass protection technology Electronic delay timer: 1-24 hours, and time remaining display LED salt and rinse aid refill indicator Vario basket system Height adjustable basket with RackMatic Rack Stopper to prevent derailing of bottom basket Stainless steel 3-fold corrugated filter Dishwasher cavity: Stainless Steel / Polinox AquaStop with guarantee against flooding | Number of standard place settings: 12 ActiveWater hydraulic system DosageAssist EcoSilence Drive Load-Sensor Glass care system Detergent Automation Stainless steel 3-fold corrugated filter LED programme status indicator LED salt / rinse aid refill indicator Time remaining display Programme selector with integrated start button AntiFingerprint coating Multiple water protection Interior tub material: Stainless Steel / Polinox |
| Product Specs | Noise level: 48 dB Consumption rate: Eco50°C / 10.5l / 1.02kWh / 270min Rating: 2400 W Unit dimensions (H x W x D): 84.5 x 60.0 x 60.0 cm **Removable worktop | Noise level: 48dB Consumption rate: Eco 50°C / 10.5l/ 1.02kW / 210min Rating: 2400W Product dimensions (H x W x D): 84.5 x 60.0 x 60.0cm **Removable worktop Colour: Silver Inox |
| Barcode | 4242005265114 | 4242005265091 |
| Price Excl. VAT* | R 6 868.70 | R 6 086.09 |
| Price Incl. VAT** | R 7 899.00 | R 6 999.00 |







| | SMS24AW01Z | SPS4HMI3FZ |
|------------------------|---|--|
| | Energy Load torsion College Load to State College Load Load to State College Load Load Load Load Load Load Load Load | Energy Cardinar Cardi |
| Product Description | SERIE 2 ACTIVEWATER DISHWASHER, WHITE | SERIE 4 DISHWASHER, 45CM SILVER INOX |
| Programmes | 4 programmes: Normal 65 °C, Economy 50 °C, Quick Wash 45 °C, Pre Rinse Special function: VarioSpeed | 6 Programmes: Eco 50°C, Auto 45-65°C, Intensive 70°C, Quick wash 65°C, Silence 50°C, Favourite Special Options: Remote control, Extra dry, HygienePlus, Extra Rinse, Machine Care |
| Comfort and Safety | Number of standard place settings: 12 ActiveWater hydraulic system DosageAssist EcoSilence Drive Load-Sensor Glass care system Detergent Automation Stainless steel 3-fold corrugated filter LED programme status indicator LED salt / rinse aid refill indicator Time remaining display Programme selector with integrated start button AntiFingerprint coating Multiple water protection Interior tub material: Stainless Steel / Polinox | Number of standard place settings: 10 DosageAssist EcoSilence Drive AquaSensor Detergent Automation Heat Exchanger Glass protection technology Electronic delay timer: 1-24 hours, and time remaining display LED salt and rinse aid refill indicator VarioDrawer DuoPower spray arms in top basket Height adjustable basket with RackMatic Rack Stopper to prevent derailing of bottom basket Self-cleaning filter system with 3-fold corrugated filter Dishwasher cavity: Stainless Steel AquaStop with guarantee against flooding |
| Product Specs | Noise level: 48dB Consumption rate: Eco 50°C / 10.5l/ 1.02kW / 210min Rating: 2400W Product dimensions (H x W x D): 84.5 x 60.0 x 60.0cm **Removable worktop Colour: White | Noise level: 46 dB Consumption rate: Eco50°C / 9.1l / 0.742kWh / 217min Rating: 2400 W Unit dimensions (H x W x D): 84.5 x 45.0 x 60.0 cm **Removable worktop Colour: Silver Inox |
| Barcode | 4242005265107 | 4242005345991 |
| Price Excl. VAT* | R 5 390.43 | R 11 042.61 |
| Price Incl. VAT** | R 6 199.00 | R 12 699.00 |











| | WAL28PHSZA | WGA2540XZA |
|------------------------|--|--|
| | Energy 100 Contains Contains Contains | Energy Line type Long length of the length |
| Product Description | SERIE 6 10KG WASHING MACHINE I-DOS INOX EASYCLEAN | SERIE 4 10KG WASHING MACHINE STAIN EXPERT WITH ANTISTAIN AND PRETREATMENT SILVER INOX |
| Programmes | Automatic, Allergy Plus, Quick 15'/30', Duvet, Drum Clean (with reminder), Spin/Drain, Rinse, Mix, Wool/Handwash, Delicate/Silk Additional Home Connect app Programmes: Anti-Stain (Tea, Cosmetics, Blood, Butter/Oil VarioPerfect: time- or energy optimized programs with perfect wash performance | Allergy Plus, Iron Steam Assist, Mix, Drum clean (with reminder), Shirts/Blouses, Spin/Drain, Rinse, Duvet Wool, Delicates/Silk, Quick 15'/30' VarioPerfect: time-or energy optimized programs with perfect wash performance |
| Comfort and Safety | Max spin speed: 1400rpm Home Connect: Remote Monitoring & Control TouchControl buttons: Easy Iron, Soaking, Basic setting/ Child lock, Memory, Remote Start, Rinse plus +1+2+3, Rinse hold, Start/Pause with reload function, Temperature, SpeedPerfect, Prewash, Spin speed selection, 24 h end time delay, i-Dos 1: Liquid detergent, i-Dos 2: Fabric Softener Large touch-LED-display for programme status indication, temperature selection, max. spin speed, remaining time and 24h end time delay Active Water Plus VarioDrum: gentle and efficient washing DrumClean with reminder function: program for cleaning and maintaining the drum AntiVibration Design: more stability and quietness EcoSilence Drive: quiet motor with long lifetime Foam detection system to remove excessive foam AquaSensor for optimum rinse results Continuous automatic load adjustment system Multiple water protection Child proof lock (control panel) 32 cm porthole, 171° swing door | Max spin speed: 1400rpm TouchControl buttons: Easy Iron, AntiStain, SpeedPerfect, Pre-treatment selection: select from Handsoaking or Prewash options, Rinse plus +1+2+3, Start/ Pause with Reload function, Temperature, Spin speed selection/Rinse hold Large LED display for temperature, spin speed, remaining time and 24h end time delay, load recommendation Fully electronic control dial for all wash- and special programs 3D AquaSpar wash system with cascade for faster water penetration VarioDrum™: gentle or intensive washing DrumClean with reminder function: program for cleaning and maintaining the drum AntiVibration Design: more stability and quietness EcoSilence Drive: quiet motor with long lifetime Loading introduction Self cleaning detergent drawer Foam detection feature Continuous automatic load adjustment Overdosage indication Multiple water protection Buzzer Child proof lock control panel 32 cm porthole, 160° swing door |
| Product Specs | Capacity: 10kg / 70 litres drum EEC: A+++ Rating: 2300W Unit dimensions: (H x W X D): 84.8 x 59.8 x 59.0 cm | Capacity: 10kg / 70litres drum EEC: A+++ Rating: 2300W Unit dimensions: (H x W X D): 84.5 x 59.8 x 58.8 cm |
| Barcode | 4242005348756 | 4242005350506 |
| Price Excl. VAT* | R 13 825.00 | R 11 999.00 |
| Price Incl. VAT** | R 15 899.00 | R 13 799.00 |











| | WAT28S4SZA (WHILE STOCKS LAST) | WGA144XVZA (WHILE STOCKS LAST) |
|------------------------|--|---|
| | Spinory B Spinory B Spinory B Spinory Spi | Energy A*** Splaning B Splaning Splaning |
| Product Description | SERIE 6 9KG WASHING MACHINE I-DOS INOX EASYCLEAN | SERIE 4 9KG WASHING MACHINE ANTISTAIN SILVER INOX |
| Programmes | Special programmes: Standard cold - 60°C, single rinse, dark wash, quick/mixture, Drain / Spin, automatic, allergy plus, Quick 15'/30', Duvet, Drum Clean (with reminder), curtain, wool, delicates/silk VarioPerfect™: takes 65% less time or uses 50% less energy −with best washing performance i-DOS™: fully automatic precision dosing of liquid detergents for perfect wash results with a fingertip. | Special programmes: Allergy Plus, Drum Clean, Curtain, Easy Care Plus, Spin / Drain, Family Mix, Single Rinse, Duvet, Quick 15'/30' Options: PreSoaking: Works against stubborn stains AntiStain: Automatic removal of the most common stains VarioPerfect: takes 65% less time with best washing result |
| Comfort and Safety | Max spin speed: 1400rpm TouchControl buttons: Start time delay, Temperature, SpeedPerfect, Start/Pause with reload function, Water & Rinse Plus, Spin speed selection/Rinse hold Large LED-Display for programme status indication, temperature selection, max. spin speed, remaining time and 24 h end time delay, load recommendation and consumption indication ActiveWater™Plus VarioDrum: especially gentle and efficient washing DrumClean with reminder function AntiVibration Design: more stability and quietness EcoSilence Drive: quiet motor with long lifetime Loading introduction Foam detection system to remove excessive foam Unbalanced load detection Overdosage indication Multiple water protection Child proof lock 32 cm porthole, with 171° swing door | Max spin speed: 1400rpm TouchControl buttons: Easy Iron, end time delay, Start/ pause with Reload function, Stain Selection, SpeedPerfect, Pre-treatment, Temperature, Spin speed/Rinse hold Large touch LED display for programme status indication, temperature, spin speed, remaining time and 24h end time delay, load recommendation 3D AquaSpar wash system with cascade for faster water penetration VarioDrum: gentle or intensive washing AntiVibration Design: more stability and quietness EcoSilence Drive: quiet motor with long lifetime Loading introduction Self cleaning detergent drawer Foam detection feature Continuous automatic load adjustment Overdosage indication Multiple water protection Buzzer Child proof lock |
| Product Specs | Capacity: 9kg / 63 litres EEC: A+++ / Spin efficiency: B Rating: 2300W Unit dimensions: (H x W x D): 84.8 x 59.8 x 59.0 cm | Capacity: 9kg / 63 litres EEC: A+++ / Spin efficiency: B Rating: 2300W Unit dimensions: (H x W X D): 84.5 x 59.7 x 58.8 cm |
| Barcode | 4242005120062 | 4242005186648 |
| | NEW WGA244AXZA 4242005358861 (AVAILABLE 4TH QUARTER 2023) | NEW WGA1440XZA 4242005365616 (AVAILABLE 4TH QUARTER 2023) |
| Price Excl. VAT* | R 11 825.22 | R 10 433.91 |
| Price Incl. VAT** | R 13 599.00 | R 11 999.00 |







| | WAN282X1ZA | WAN28200ZA |
|------------------------|--|--|
| | Energy B Spinning Wavelbrain Labortroots Labortroots | Energy A*** B Spinning B Coopool Coopool |
| Product Description | SERIE 4 8KG WASHING MACHINE SILVER INOX | SERIE 4 8KG WASHING MACHINE WHITE |
| Programmes | Special programmes: Hygiene Plus, Shirts, Dark Laundry, Mix, Super Quick 15'/30', Sportswear, Duvet/Blanket, Easy Care, Delicates/Silk, Wool, Rinse, Spin/Drain, Drum Clean Options: SpeedPerfect | Special programmes: Hygiene Plus, Shirts, Dark Laundry, Mix, Super Quick 15'/30', Sportswear, Duvet/Blanket, Easy Care, Delicates/Silk, Wool, Rinse, Spin/Drain, Drum Clean Options: SpeedPerfect |
| Comfort and Safety | Max spin speed: 1400rpm TouchControl buttons: Easy Iron, end time delay, Start/ Pause with Reload function,Prewash, SpeedPerfect, Temperature, Spin speed/Rinse hold Large touch LED display for programme status indication, temperature, spin speed, remaining time and 24h end time delay, load recommendation 3D AquaSpar wash system with cascade for faster water penetration VarioDrum: gentle or intensive washing AntiVibration Design: more stability and quietness EcoSilence Drive: quiet motor with long lifetime Loading introduction Easy cleaning detergent drawer Foam detection feature Continuous automatic load adjustment Overdosage indication Multiple water protection Buzzer Child proof lock | Max spin speed: 1400rpm TouchControl buttons: Easy Iron, end time delay, Start/ Pause with Reload function,Prewash, SpeedPerfect, Temperature, Spin speed/Rinse hold Large touch LED display for programme status indication, temperature, spin speed, remaining time and 24h end time delay, load recommendation 3D AquaSpar wash system with cascade for faster water penetration VarioDrum: gentle or intensive washing AntiVibration Design: more stability and quietness EcoSilence Drive: quiet motor with long lifetime Loading introduction Easy cleaning detergent drawer Foam detection feature Continuous automatic load adjustment Overdosage indication Multiple water protection Buzzer Child proof lock |
| Product Specs | Capacity: 8kg / 63 litres EEC: A+++ / Spin efficiency: B Rating: 2300W Unit dimensions: (H x W X D): 84.8 x 59.8 x 59.0 cm | Capacity: 8kg / 63 litres EEC: A+++ / Spin efficiency: B Rating: 2300W Unit dimensions: (H x W X D): 84.8 x 59.8 x 59.0 cm |
| Barcode | 4242005381470 | 4242005381364 |
| Price Excl. VAT* | R 8 260.00 | R 7 825.22 |
| Price Incl. VAT** | R 9 499.00 | R 8 999.00 |











| | WAN24166ZA (AVAILABLE 3RD QUARTER 2023) | WNA254XSKE |
|------------------------|--|--|
| | Energy B Spinning C Sp | Corry A Corry A A Corry A A Corry Corry |
| Product Description | SERIE 4 7KG WASHING MACHINE SILVER INOX | SERIE 4 10/6KG WASHER DRYER SILVER INOX |
| Programmes | Special programmes: AllergyPlus, Shirts, Dark Laundry, Super Quick 15'/30', Night Wash, Sportswear, Drum Clean, Easy Care, Mix, Woll, Delicates/Silk,Rinse, Spin/Drain Options: SpeedPerfect | Cotton, Cotton Eco, Easy Care, Wool, Rinse, Spin/Drain. Quick/Mix, Delicate/Silk, Down, wool / hand wash, Quick 15' Antistain (oil, tea, blood, cosmetics) Drying programmes: Hygiene with hot air, Super60' wash and dry, Refresh Intensive dry, Time dry |
| Comfort and Safety | Max spin speed: 1200rpm TouchControl buttons: Temperature, Spin Speed/Rinse hold, end time delay, SpeedPerfect, Prewash, Start/Reload Large touch LED display for programme status indication, temperature, spin speed, remaining time and 24h end time delay, load recommendation 3D AquaSpar wash system with cascade for faster water penetration VarioDrum: gentle or intensive washing AntiVibration Design: more stability and quietness EcoSilence Drive: quiet motor with long lifetime Easy cleaning detergent drawer Foam detection feature Continuous automatic load adjustment Overdosage indication Multiple water protection Buzzer Child proof lock | Max spin speed: 1400rpm TouchControl buttons: Drying, Extra rinse, Stain selection, Pre-treatment, Temperature, SpeedPerfect, Start/Pause with reload function, Spin speed selection, Ready in Large LED display for all main programme settings, indication of selected programme options, programme status and warning symbols, remaining time, 24h end time delay, load recommendation ActiveWater™Plus WaveDrum: especially gentle and efficient washing AntiVibration Design: more stability and quietness EcoSilence Drive: quiet motor with long lifetime Foam detection system to remove excessive foam Unbalanced load detection Overdosage indication Interior drum light: LED Maintenance free condenser: automatic fluff removal Child proof lock Buzzer at the end of the programme AquaStop with guarantee against flooding 32 cm porthole, with 165° swing door |
| Product Specs | Capacity: 7kg / 55 litres EEC: A+++ / Spin efficiency: B Rating: 2300W Unit dimensions: (H x W X D): 84.8 x 59.8 x 55.0 cm | Capacity: 10 / 6kg Rating: 1900W Unit dimensions: (H x W x D): 84.8 x 59.8 x 59.0 cm |
| Barcode | 4242005393138 | 4242005321124 |
| Price Excl. VAT* | R 7 651.30 | R 16 781.74 |
| Price Incl. VAT** | R 8 799.00 | R 19 299.00 |











| | WTU87RH8ZA WPG1410XZA (AVAILABLE 3RD QUARTER 2023) | |
|------------------------|---|---|
| | Energy A+** Home Facilitation Facilitation | Spinning B Autority contact |
| Product Description | SERIE 6 10/6KG HEAT PUMP TUMBLE DRYER SILVER INOX | SERIE 6 8KG CONDENSER TUMBLE DRYER SILVER INOX |
| Programmes | Allergy plus, Cotton, Shirts/blouses, Down wear, Delicates, Towels, Mixed Load, Super Quick 40, Sportswear, Duvet, Easy Care, Wool drying in basket, Timed Program Cold, Timed Program Warm Options: Home Connect | Cotton, Cotton Eco, Delicates, Towels, Hygiene, Mixed Load, Shirts 15, Super Quick 40', Sportswear, Duvet, Synthetic, Wool Finish, Timed cold, Timed warm |
| Comfort and Safety | Fully electronic control dial for sensor drying programmes, timed and special programmes Large LED-Display for remaining time and 24 h end time delay Programme status indication, special functions Touch control buttons: Low Heat, Signal, end time delay, start/pause, drying aim, Power button, Fine-tuning of drying aim, Child lock 3 sec., Anti-crease 60 min., Anti-crease 120 min., myFavorite AutoDry technology: automatically dries to the exact degree of dryness you want Sensitive Drying System: Big Stainless steel drum with textile care structure, soft design paddles Wool drying basket selfCleaning Condenser anti-vibration Design: more stability and quietness Interior drum light: LED Buzzer to indicate the end of cycle Door right hinged Optional Accessories WMZ20600: Wool in basket - accessory WTZ2741X: Stacking kit (Prices on page 31) | Fully electronic control dial for sensor drying programmes, timed and special programmes Large LED-Display for remaining time and 24 h end time delay, programme status indication, special functions Touch control buttons: Iron dry, Cupboard dry, Cupboard dry+, End time delay, Half load, less ironing, Low Heat, Signal,Start / Reload / Pause, 24 h end time delay AutoDry technology: automatically dries to the exact degree of dryness you want Sensitive Drying System: Big Stainless steel drum with textile care structure, soft design paddles anti-vibration Design: more stability and quietness Interior drum light: LED Anti crease cycle at the end of programme: 60min Buzzer to indicate the end of cycle Door right hinged, Silver inox, black-grey Optional Accessories WTZ2041X - Stacking kit WTZ1110 - Condenser drainage kit (Prices on page 31) |
| Product Specs | Capacity: 9kg Rating: 1000W Unit dimensions: (H x W x D): 84.2 cm x 59.7 x 59.9 cm | Capacity: 8kg Rating: 2500W Unit dimensions: (H x W x D): 84.2 cm x 59.8 x 59.9 cm |
| Barcode | 4242005279012 | 42420052715757 |
| Price Excl. VAT* | R 13 825.22 | R 10 433.91 |
| Price Incl. VAT** | R 15 899.00 | R 11 999.00 |











| | WTG8640SZA (WHILE STOCKS LAST) | WTM8327SZA |
|------------------------|---|---|
| | Energy Semiliendring System Semiliendring System DooTronic | Energy B S B B B D DOTTORIC |
| Product Description | SERIE 6 9KG AVANTIXX CONDENSER TUMBLE DRYER SILVER INOX | SERIE 4 8KG CONDENSER TUMBLE DRYER SILVER INOX |
| Programmes | Special programmes: woollen finish, mix, time programme warm, time programme cold, allergy plus, sportswear, Down, shirts 15 Anti crease cycle 120 min at the end of the programme | Special programmes: woollen finish, mix, time programme warm, time programme cold, allergy plus, sportswear, Down, shirts 15, super quick 40 Anti crease cycle 120 min at the end of the programme |
| Comfort and Safety | Fully electronic control dial for sensor drying programmes, timed and special programmes LED-Display for remaining time and 24 h end time delay, programme status indication, special functions Touch control buttons: Low Heat, Signal, less ironing, end time delay, programme length, start/pause, fine-tuning of drying aim, 24h end time delay AllergyPlus: specially developed for the needs of allergy sufferers AutoDry: gently dries laundry to exactly the degree of dryness required Sensitive Drying System: Big Stainless steel drum with textile care structure, soft design paddles AntiVibration Design: more stability and quietness EasyClean filter Drum interior light: LED Childproof Buzzer to indicate the end of cycle Glass door with frame Silver-inox, black-grey (right-hinged) Optional accessories: WMZ20540G - Platform with pull out (Prices on page 31) | Fully electronic control dial for sensor drying programmes, timed and special programmes LED-Display for remaining time and 24 h end time delay, Programme status indication Touch control buttons: Low Heat, Signal, less ironing, end time delay, programme AutoDry: gently dries laundry to exactly the degree of dryness required Sensitive Drying System: Big Stainless steel drum with textile care structure, soft design paddles AntiVibration Design: more stability and quietness Childproof Buzzer to indicate the end of cycle (door right-hinged) Optional accessories: WMZ20540G - Platform with pull out WTZ1110 - Condensor drainage kit WMZ20600 - Wool in basket WTZ2041X - Stacking Kit (Prices on page 31) |
| Product Specs | Capacity: 9kg Rating: 2500W Unit dimensions: (H x W x D): 84.2 cm x 59.8 cm x 63.6 cm | Capacity: 8kg Rating: 2800W Unit dimensions: (H x W x D): 84.2 cm x 59.8 cm x 63.6 cm |
| Barcode | 4242005203536 | 4242005194933 NEW WTN85401ZA 4242005397112 |
| Price Excl. VAT* | R 10 433.91 | R 8 260.00 |
| Price Incl. VAT** | R 11 999.00 | R 9 499.00 |



| Accessories for Laundry | | | | | |
|-------------------------|---|--|------------------|-------------------|--|
| Model Number | | Description | Price Excl. VAT* | Price Incl. VAT** | |
| WMZ20540G | | Stacking Kit with Platform WTG8640SZA WTM8327SZA | R 694.78 | R 799.00 | |
| WTZ1110 | | Condensor drainage Kit WTM8327SZA WPG1410XZA | R 286.09 | R 329.00 | |
| WTZ2041X | | Stacking Kit WTM8327SZA WPG1410XZA | R 694.78 | R 799.00 | |
| WMZ20600 | | Wool in basket WTM8327SZA WTU87RHZA | R 851.30 | R 979.00 | |
| WTZ2741X | , in the state of | Stacking Kit WTU87RH8ZA | ТВА | ТВА | |



| Notes | |
|-------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| Notes | |
|-------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | _ |
| | _ |
| | _ |
| | _ |
| | _ |
| | |
| | _ |
| | |
| | |
| | _ |
| | |
| | |
| | _ |
| | _ |
| | _ |
| | _ |
| | _ |
| | _ |
| | |
| | _ |
| | _ |



| Notes | |
|-------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| Notes | |
|-------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | _ |
| | |
| | |
| | _ |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | _ |
| | |
| | |



Guarantee Conditions*

Including built-in coffee machine CTL636ES1/6.

Guarantee is not valid if appliance is used in an industrial application.

Total guarantee period: 3 yrs from date of purchase

Transport damages will only be accepted 7 days after delivery to end user or contractor working on behalf of end user (kitchen company, building contractor).

First yr full guarantee on parts and labour - excluding very fragile parts i.e. glass, plastic, light bulbs.

Second yr guarantee on all functional parts only: electronics, timers, switches, pumps, motors, compressors, locks, valves, thermostats, fan, plus labour to repair or replace.

Third yr guarantee on all functional parts only: electronics, timers, switches, pumps, motor, compressor, locks, valves, thermostats.

After guarantee expires, customer must pay a current call out fee towards labour costs.

Condition governing appliance service

- 1. A guarantee claim ceases once repair or work is undertaken by a person not entitled by BSH to do so or if the appliance is provided with spare parts, attachments or accessories that are not original, therefore causing damage.
- 2. The guarantee is given in such a manner that defective parts are repaired free of charge or and this is BSH choice replaced by perfect parts.
- 3. A claim under guarantee does not cause an extension of the guarantee period nor does it start a new guarantee period.
- 4. If BSH refuses repair or repair fails and the end user so requires, a replacement of equal value is supplied free of charge within the above guarantee period.
- 5. These conditions of guarantee are applicable to appliances purchased in South Africa. If appliances are taken abroad or across the border please check with the our Customer Service team for conditions of guarantee.

* Valid from September 2023