


The range
Volume 4







Perfection is not found, it is created.



Our Story	6
-----------	---

Ovens

The ovens 400 series	12
The ovens 200 series	20
The oven EB 333	24
The accessories	27

Cooktops

The cooktops 400 series	32
The Vario cooktops 400 series	36
The cooktops 200 series	42
The Vario cooktops 200 series	46
The accessories	49

Extractors

The ventilation 400 series	54
The ventilation 200 series	60

Refrigerators

The Vario cooling 400 series	70
The Vario cooling 200 series	78

Wine climate cabinets

The Vario wine climate cabinte 400 series	84
---	----

Dishwashers

The 400 series	88
The accessories	90

Home Connect	92
--------------	----

16 generations of heritage

1683, Ludwig Wilhelm von Baden, one of the most powerful aristocrats in Europe at the time, creates a hammer and nail forge in the Black Forest near the hamlet of Gaggenau. Every hammer blow from that original foundry guides our metalwork today. Our heritage enables the continual creation of the exceptional, in every single appliance we craft and experience we provide. the industrial revolution and the countless re-drawings of the map of Europe, we were loudly bending metal to our will.

Every hammer blow from that original foundry guides our metalwork today. Our heritage enables the continual creation of the exceptional, in every single appliance we craft and experience we provide.

1683

First nail emerges from the Black Forest

1880

The success of our enamel signs leads to ovens

1931

Launch of our electric ovens

1956

First built-in eye-level oven, separate cooktop & extractor

1972

Introduction of the Vario modular system

1976

First downdraft ventilation

1982

First flat kitchen hood



1986

Launch of our icon, the 90 cm wide EB 300 oven

1999

First combisteam oven for the private kitchen

2011

First full surface induction cooktop with intuitive interface

2015

First automatic cleaning system for the combisteam oven

2016

The EB 333. An icon, reborn

2020

Our Masterpiece, the refined combi-steam ovens

2021

Launch of the Vario refrigerators 200 series



Ovens

The epitome of culinary excellence,
the object of desire for the private
chef: the Gaggenau oven

400 series
200 series
EB 333





Ultimately, the ovens 400 series are the promise of culinary greatness.

Ovens

400 series

What the professional chef comes home to

The Gaggenau oven, combi-steam oven or combi-microwave oven is an aspiration for many, a promise to guests, a calling for the private chef and a statement to the designer. Inspired by the professional kitchen, it offers a considerable number of advantages, such as being hand crafted from the finest materials, ovens offering 300 °C capability and heated air catalysts to remove grease and odours. Every Gaggenau oven is made for the keen private chef while being designed for the private home.

The two design options are a stainless steel backed full glass or the darker Gaggenau Anthracite, both of which make a statement in any kitchen.





The ovens 400 series



Controls at the top

Right-hinged
BO 480 112
Stainless steel-backed full glass door
Width 76 cm

120 000.00

Left-hinged
BO 481 112
Stainless steel-backed full glass door
Width 76 cm

120 000.00

Included accessories
1 baking tray, enamelled pyrolysis safe
1 rotisserie spit
1 wire rack
1 grill tray with wire rack
1 plug-in core temperature probe

Oven 400 series BO 480/BO 481

- Handleless door/automatic door opening
- Pyrolytic system
- 17 heating methods, with core temperature probe, rotisserie spit and baking stone function
- Automatic programmes core temperature probe with estimation of cooking time
- TFT touch display
- Electronic temperature control from 30 °C to 300 °C
- 110 litres net volume
- Home Connect

Optional accessories
BA 018 105
Pull-out system
Fully extendable telescopic rails and enamelled cast iron frame.

8 800.00

BA 058 115
Heating element for baking stone and Gastronorm roaster

3 200.00

BA 058 133
Baking stone
Incl. baking stone support and pizza paddle. (heating element must be ordered separately)

4 700.00

GN 340 230
Gastronorm roaster in cast aluminium
GN 2/3, height 165 mm, non-stick. (heating element must be ordered separately)

6 800.00



Controls at the top

Right-hinged
BO 450 112
Stainless steel-backed full glass door
Width 60 cm

90 000.00

Left-hinged
BO 451 112
Stainless steel-backed full glass door
Width 60 cm

90 000.00

Included accessories
1 baking tray, enamelled pyrolysis safe
1 glass tray
1 wire rack
1 plug-in core temperature probe

Oven 400 series BO 450/BO 451

- Handleless door/automatic door opening
- Pyrolytic system
- 13 heating methods, with core temperature probe and baking stone function
- Automatic programmes core temperature probe with estimation of cooking time
- TFT touch display
- Electronic temperature control from 30 °C to 300 °C
- 76 litres net volume
- Energy efficiency class A
- Home Connect

Optional accessories
BA 016 105
Pull-out system
Fully extendable telescopic rails and enamelled cast iron frame.

6 300.00

BA 056 115
Heating element for baking stone and Gastronorm roaster.

3 100.00

BA 056 133
Baking stone
Incl. baking stone support and pizza paddle. (heating element must be ordered separately)

4 400.00

GN 340 230
Gastronorm roaster in cast aluminium
GN 2/3, height 165 mm, non-stick. (heating element must be ordered separately)

6 800.00



Controls at the top

Right-hinged
BO 420 102
Full glass door in Gaggenau Anthracite
Width 60 cm

90 000.00

Left-hinged
BO 421 102
Full glass door in Gaggenau Anthracite
Width 60 cm

90 000.00

Included accessories
1 baking tray, enamelled pyrolysis safe
1 glass tray
1 wire rack

Oven 400 series BO 420/BO 421

- Handleless door/automatic door opening
- Pyrolytic system
- 9 heating methods, with baking stone function
- TFT touch display
- Panel-free appliance with surface control module
- Electronic temperature control from 50 °C to 300 °C
- 76 litres net volume
- Energy efficiency class A
- Home Connect

Optional accessories
BA 016 105
Pull-out system
Fully extendable telescopic rails and enamelled cast iron frame.

6 300.00

BA 056 115
Heating element for baking stone and Gastronorm roaster.

3 100.00

BA 056 133
Baking stone
Incl. baking stone support and pizza paddle (heating element must be ordered separately).

4 400.00

GN 340 230
Gastronorm roaster in cast aluminium
GN 2/3, height 165 mm, non-stick. (heating element must be ordered separately)

6 800.00



Controls at the bottom

Right-hinged

BS 484 112

Stainless steel-backed full glass door

Width 76 cm

155 000.00

Left-hinged

BS 485 112

Stainless steel-backed full glass door

Width 76 cm

155 000.00

Included accessories

1 x Cooking container, stainless steel, perforated

1 x Cooking container, stainless steel, unperforated

1 x wire rack

1 x plug-in core temperature probe

1 x outlet hose (3m long)

4 x cleaning cartridge

Combi-steam oven 400 series

BS 484/BS 485

- Handleless door / automatic door opening
- Fixed inlet and outlet water connection
- Cleaning system, fully automatic
- Large cavity
- 2 LED light sources
- External steam generation
- Steaming without pressure
- Hot air 30 °C to 230 °C can be combined with chosen humidity level of 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill behind glass ceramic, combinable with circulated air up to 230 °C and steam
- Automatic programmes
- Core temperature probe with estimation of cooking time
- Hot air fan rotates in both directions for ideal heat distribution
- TFT touch display
- Panel-free appliance with surface control module
- Electronic temperature control from 30 °C to 230 °C
- Net volume 50 litres
- Home Connect

Accessories

GN 340 230

Gastronorm roaster in cast aluminium

GN 2/3, height 165 mm, non-stick

6 800.00

BA 010 301

Triple telescopic pull-out rack

7 800.00

GN 010 330

Adapter for gastronorm insert and roaster.

1 900.00



Controls at the bottom

Right-hinged

BM 484 110

Stainless steel-backed full glass door

Width 76 cm

90 000.00

Left-hinged

BM 485 110

Stainless steel-backed full glass door

Width 76 cm

90 000.00

Included accessories

1 combination wire rack

1 glass shelf

Combi-microwave oven 400 series

BM 484/BM 485

- Handleless door/automatic door opening
- Single operation and combination of microwave, grill and oven
- Sequential operation of up to 5 modes incl. programming of combined operation and rest time
- TFT touch display
- Electronic temperature control
- Interior volume 36 litres



DV 461 110

Stainless steel-backed glass front

Width 60 cm, Height 14 cm

DV 461 100

Glass front in Gaggenau Anthracite

Width 60 cm, Height 14 cm

70 000.00

Included accessories

1 Vacuuming bag, small (50 pcs.)

1 Vacuuming bag, big (50 pcs.)

1 Raised vacuuming platform

1 Adaptor for vacuuming outside the chamber

1 Vacuuming hose

1 Adaptor for bottle plugs

3 Plugs for vacuuming of bottles

Vacuuming drawer 400 series

DV 461

- Integrable in 14 cm high niche
- Hygienic stainless steel vacuuming chamber, applicable height up to 80 mm
- 3 vacuuming levels for vacuuming in the chamber, max. 99%
- 3 vacuuming levels for vacuuming outside the chamber, max. 90%
- Automatic connection recognition for vacuuming outside the chamber
- Handleless drawer
- Cushioned closing system

Optional accessories

BA 080 670

Vacuuming bags, small

180 x 280 mm, 100 pcs.

1 700.00

BA 080 680

Vacuuming bags, large

240 x 350 mm, 100 pcs.

1 900.00



Controls at the top

Right-hinged
BS 470 112
Stainless steel-backed full glass door
Width 60 cm
BS 470 102
Full glass door in Gaggenau Anthracite
Width 60 cm

135 000.00

Left-hinged
BS 471 112
Stainless steel-backed full glass door
Width 60 cm
BS 471 102
Full glass door in Gaggenau Anthracite
Width 60 cm

135 000.00

Controls at the bottom

Right-hinged
BS 474 112
Stainless steel-backed full glass door
Width 60 cm
BS 474 102
Full glass door in Gaggenau Anthracite
Width 60 cm

135 000.00

Left-hinged
BS 475 112
Stainless steel-backed full glass door
Width 60 cm
BS 475 102
Full glass door in Gaggenau Anthracite
Width 60 cm

135 000.00

Included accessories

1 x Cooking container, stainless steel, perforated
1 x Cooking container, stainless steel, unperforated
1 x wire rack
1 x plug-in core temperature probe
1 x outlet hose (3m long)
4 x cleaning cartridge

Combi-steam ovens 400 series BS 470/BS 471/BS 474/BS 475

- Handleless door / automatic door opening
- Fixed inlet and outlet water connection
- Cleaning system, fully automatic
- Large cavity
- 2 LED light sources
- External steam generation
- Steaming without pressure
- Hot air 30 °C to 230 °C can be combined with chosen humidity level of 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill behind glass ceramic, combinable with circulated air up to 230 °C and steam
- Automatic programmes
- Core temperature probe with estimation of cooking time
- Hot air fan rotates in both directions for ideal heat distribution
- TFT touch display
- Panel-free appliance with surface control module
- Electronic temperature control from 30 °C to 230 °C
- Net volume 50 litres
- Home Connect

Special accessories

GN 340 230
Gastronorm roaster in cast aluminium
GN 2/3, height 165 mm, non-stick

6 800.00

BA 010 301
Triple telescopic pull-out rack

7 800.00

GN 010 330
Adapter for gastronorm insert and roaster.

1 900.00



Controls at the top

Right-hinged
BS 450 111
Stainless steel-backed full glass door
Width 60 cm
BS 450 101
Full glass door in Gaggenau Anthracite
Width 60 cm

125 000.00

Left-hinged
BS 451 111
Stainless steel-backed full glass door
Width 60 cm
BS 451 101
Full glass door in Gaggenau Anthracite
Width 60 cm

125 000.00

Controls at the bottom

Right-hinged
BS 454 111
Stainless steel-backed full glass door
Width 60 cm
BS 454 101
Full glass door in Gaggenau Anthracite
Width 60 cm

125 000.00

Left-hinged
BS 455 111
Stainless steel-backed full glass door
Width 60 cm
BS 455 101
Full glass door in Gaggenau Anthracite
Width 60 cm

125 000.00

Included accessories

1 x Cooking container, stainless steel, perforated
1 x Cooking container, stainless steel, unperforated
1 x wire rack
1 x plug-in core temperature probe
4 x cleaning cartridge

Combi-steam ovens 400 series BS 450/BS 451/BS 454/BS 455

- Handleless door / automatic door opening
- Water tank for fresh and waste water
- Cleaning system, fully automatic
- Large cavity
- 2 LED light sources
- External steam generation
- Steaming without pressure
- Hot air 30 °C to 230 °C can be combined with chosen humidity level of 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill behind glass ceramic, combinable with circulated air up to 230 °C and steam
- Automatic programmes
- Core temperature probe with estimation of cooking time
- Hot air fan rotates in both directions for ideal heat distribution
- TFT touch display
- Panel-free appliance with surface control module
- Electronic temperature control from 30 °C to 230 °C
- Net volume 50 litres
- Home Connect

Special accessories

GN 340 230
Gastronorm roaster in cast aluminium
GN 2/3, height 165 mm, non-stick

6 800.00

BA 010 301
Triple telescopic pull-out rack

7 800.00

GN 010 330
Adapter for gastronorm insert and roaster.

1 900.00



Controls at the top
 Right-hinged
 BM 450 110
 Stainless steel-backed full glass door
 Width 60 cm
 BM 450 100
 Full glass door in Gaggenau Anthracite
 Width 60 cm
 80 000.00

Left-hinged
 BM 451 110
 Stainless steel-backed full glass door
 Width 60 cm
 BM 451 100
 Full glass door in Gaggenau Anthracite
 Width 60 cm
 80 000.00

Controls at the bottom
 Right-hinged
 BM 454 110
 Stainless steel-backed full glass door
 Width 60 cm
 BM 454 100
 Full glass door in Gaggenau Anthracite
 Width 60 cm
 80 000.00

Left-hinged
 BM 455 110
 Stainless steel-backed full glass door
 Width 60 cm
 BM 455 100
 Full glass door in Gaggenau Anthracite
 Width 60 cm
 80 000.00

Included accessories
 1 combination wire rack
 1 glass shelf



WS 482 110
 Stainless steel-backed glass frontage
 Width 76 cm, Height 21 cm
 40 000.00

Combi-microwave oven 400 series
 BM 450/BM 451/BM 454/BM 455

- Handleless door/automatic door opening
- Single operation and combination of microwave, grill and oven
- Sequential operation of up to 5 modes incl. programming of combined operation and rest time
- TFT touch display
- Panel-free appliance with surface control module
- Electronic temperature control
- Interior volume 36 litres



Controls at the top
 CM 450 112
 Stainless steel-backed glass frontage
 Width 60 cm
 CM 450 102
 Glass front in Gaggenau Anthracite
 Width 60 cm
 70 000.00

Included accessories
 1 assembly screws
 1 milk container
 1 test strip
 1 connection hose for milk frother

Fully automatic espresso machine 400 series
 CM 450

- Handleless door / automatic door opening
- Removable water tank 2,5 litres
- Continuous flow heater means no waiting time and constant brewing temperature
- Aroma brewing technology for full aroma
- Single portion cleaning
- TFT touch display
- One-touch operation
- Personalisation function
- Seven light settings
- Home Connect



Warmer drawer 400 series
 WS 462/461

WS 462 102
 Stainless steel-backed glass front
 Width 60 cm, Height 29 cm
 WS 462 100
 Glass front in Gaggenau Anthracite
 Width 60 cm, Height 29 cm
 33 000.00

WS 461 112
 Stainless steel-backed glass front
 Width 60 cm, Height 14 cm
 WS 461 102
 Glass front in Gaggenau Anthracite
 Width 60 cm, Height 14 cm
 30 000.00

Warmer drawer 400 series
 WS 462/461

- Handleless drawer
- Bright interior light
- Cushioned closing system
- Hygienic stainless steel interior with glass bottom
- 4 power levels in the temperature range 40 °C to 80 °C (glass surface)
- Also for preparing and cooking meals, and for keeping meals warm



A flush finish and choice of three colours ensures the oven 200 series fits into any kitchen concept.







Ovens 200 series

A matter of taste

A more subdued aesthetic defines the 200 series: it sits flush to the surface, its handles match those of your refrigerators 200 series, it does not dominate, yet it promises all the culinary prowess that the ambitious private chef could hope for. The ovens also utilise the distinctive solid stainless steel control knobs and TFT display. From here you control up to 13 heating methods, up to 300 °C and the baking stone ability, for baking as intense as a brick oven. Home Connect enables remote control and diagnosis and is available in most appliances.

Every oven 200 series, combi-steam and combimicrowave is available in three colours: Gaggenau Anthracite, Metallic and Silver.

The ovens 200 series



Controls at the top

Right-hinged
BOP 220 102
Full glass door in Gaggenau Anthracite
Width 60 cm
BOP 220 112
Full glass door in Gaggenau Metallic
Width 60 cm
BOP 220 132
Full glass door in Gaggenau Silver
Width 60 cm
65 000.00
Left-hinged
BOP 221 102
Full glass door in Gaggenau Anthracite
Width 60 cm
BOP 221 112
Full glass door in Gaggenau Metallic
Width 60 cm
BOP 221 132
Full glass door in Gaggenau Silver
Width 60 cm
65 000.00
Included accessories
1 baking tray, enamelled pyrolysis safe
1 glass tray
1 wire rack

Oven 200 series
BOP 220/BOP 221
– Flush installation
– Pyrolytic system
– 9 heating methods, with baking stone function
– TFT touch display
– Panel-free appliance with surface control module
– Electronic temperature control from 50 °C to 300 °C
– 76 litres net volume
– Energy efficiency class A
– Home Connect
Optional accessories
BA 016 105
Pull-out system
Fully extendable telescopic rails and enamelled cast iron frame
6 300.00
BA 056 115
Heating element for baking stone and Gastronorm roaster.
3 100.00
BA 056 133
Baking stone
Incl. baking stone support and pizza paddle (heating element must be ordered separately)
Not in combination with pull-out system
4 400.00
GN 340 230
Gastronorm roaster in cast aluminium
GN 2/3, height 165 mm, non-stick (heating element must be ordered separately)
6 800.00



Controls at the top

Right-hinged
BMP 250 100
Full glass door in Gaggenau Anthracite
Width 60 cm
BMP 250 110
Full glass door in Gaggenau Metallic
Width 60 cm
BMP 250 130
Full glass door in Gaggenau Silver
Width 60 cm
65 000.00
Left-hinged
BMP 251 100
Full glass door in Gaggenau Anthracite
Width 60 cm
BMP 251 110
Full glass door in Gaggenau Metallic
Width 60 cm
BMP 251 130
Full glass door in Gaggenau Silver
Width 60 cm
65 000.00

Combi-microwave oven 200 series
BMP 250/BMP 251
– Flush installation
– Single operation and combination of microwave, grill and oven
– Sequential operation of up to 5 modes incl. programming of combined operation and rest time
– TFT touch display
– Panel-free appliance with surface control module
– Electronic temperature control
– Interior volume 36 litres
Included accessories
1 combination wire rack
1 glass tub



Controls at the top

Right-hinged

BSP 250 101

Full glass door in Gaggenau Anthracite

Width 60 cm

BSP 250 111

Full glass door in Gaggenau Metallic

Width 60 cm

BSP 250 131

Full glass door in Gaggenau Silver

Width 60 cm

85 000.00

Left-hinged

BSP 251 101

Full glass door in Gaggenau Anthracite

Width 60 cm

BSP 251 111

Full glass door in Gaggenau Metallic

Width 60 cm

BSP 251 131

Full glass door in Gaggenau Silver

Width 60 cm

85 000.00

Included accessories

1 x Cooking container, stainless steel perforated

1 x Cooking container, stainless steel unperforated

1 x Wire rack

1 x plug-in core temperature probe



Controls at the top

CMP 250 102

Glass front in Gaggenau Anthracite

Width 60 cm

CMP 250 112

Glass front in Gaggenau Metallic

Width 60 cm

CMP 250 132

Glass front in Gaggenau Silver

Width 60 cm

65 000.00

Included accessories

1 water filter cartridge

1 measuring spoon

1 assembly screws

1 milk container

1 cleaning tablets

1 test strip

1 connection hose for milk frother

1 descaling container

Combi-steam oven 200 series

BSP 250/BSP 251

- Flush installation
- Water tank for fresh and waste water
- Large cavity
- External steam generation
- Steaming without pressure
- Hot air 30 °C to 230 °C can be combined with chosen humidity level of 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill combinable with circulated air up to 230 °C and steam
- Automatic programmes
- Core temperature probe with estimation of cooking time
- Hot air fan rotates in both directions for ideal heat distribution
- TFT touch display
- Panel-free appliance with surface control module
- Electronic temperature control from 30 °C to 230 °C
- Net volume 50 litres
- Home Connect

Special accessory

GN 340 230

Gastronorm roaster in cast aluminium

GN 2/3, height 165 mm, non-stick

6 800.00

BA 010 301

Triple telescopic pull-out rack

7 800.00

GN 010 330

Adapter for gastronorm insert and roaster.

1 900.00

Fully automatic espresso machine 200 series

CMP 250

- Flush installation
- Continuous flow heater means no waiting time and constant brewing temperature
- Aroma brewing technology for a full aroma
- Single portion cleaning
- TFT touch display
- One-touch operation
- Personalisation function
- Seven light settings
- Home Connect



WSP 221 102

Glass front in Gaggenau Anthracite

Width 60 cm, Height 14 cm

WSP 221 112

Glass front in Gaggenau Metallic

Width 60 cm, Height 14 cm

WSP 221 132

Glass front in Gaggenau Silver

Width 60 cm, Height 14 cm

27 000.00



WSP 222 102

Glass front in Gaggenau Anthracite

Width 60 cm, Height 29 cm

WSP 222 112

Glass front in Gaggenau Metallic

Width 60 cm, Height 29 cm

WSP 222 132

Glass front in Gaggenau Silver

Width 60 cm, Height 29 cm

30 000.00



DVP 221 100

Glass front in Gaggenau Anthracite

Width 60 cm, Height 14 cm

DVP 221 110

Glass front in Gaggenau Metallic

Width 60 cm, Height 14 cm

DVP 221 130

Glass front in Gaggenau Silver

Width 60 cm, Height 14 cm

65 000.00

Warming drawer 200 series

WSP 221

- Flush installation
- Handleless drawer
- Push-to-open system
- Hygienic stainless steel interior with glass bottom
- 4 power levels in the temperature range 40 °C to 80 °C (glass surface)
- Also for preparing and cooking meals, and for keeping meals warm

Warming drawer 200 series

WSP 222

- Flush installation
- Handleless drawer
- Push-to-open system
- Hygienic stainless steel interior with glass bottom
- 4 power levels in the temperature range 40 °C to 80 °C (glass surface)
- Also for preparing and cooking meals, and for keeping meals warm

Vacuuming drawer 200 series

DVP 221

- Integrable in 14 cm high niche
- Hygienic stainless steel vacuuming chamber, applicable height up to 80 mm
- 3 vacuuming levels for vacuuming in the chamber, max. 99%
- 3 vacuuming levels for vacuuming outside the chamber, max. 90%
- Automatic connection recognition for vacuuming outside the chamber
- Flush installation
- Handleless drawer
- Push-to-open system



GARDINIA



The Oven EB 333

Cook with an icon

This is a culinary icon, and has been for over 30 years. The entire front, all 90 cm of it, is the door, coming in at 20 kg thanks to five layers of glass keeping the outside cool while the inside is a raging 300 °C. Hand crafted from a single sheet of 3 mm thick stainless steel, the door is cleverly cantilevered to gently close and easily open while the glass is carefully formulated to insulate without distorting colours, allowing you to see exactly how the three chickens on the rotisserie spit are progressing.

The EB 333 is the professional chef's final aspiration, the level of craftsmanship required to make it is such that daily production rarely exceeds single figures, something you will appreciate as you enjoy it decade after decade.

The ovens 300 series



EB 333 111
Pyrolytic System
Stainless steel
Width 90 cm

165 000.00

Included accessories

1 x enamel baking tray, suit. pyrolytic clean
1 x rotary spit
1 x grill shelf
1 x grill tub with grid
1 x pluggable meat probe

Oven 300 series

EB 333

- One-piece front-hinged door with 3 mm precision crafted stainless steel front door panel
- Cushioned door opening and closing system
- Diagonally positioned light sources for optimal interior lighting Pyrolytic system
- 17 heating methods, with core temperature probe, rotisserie spit and baking stone function
- Automatic programmes Core temperature probe with estimation of cooking time
- Hot air fan rotates in both directions for ideal heat distribution
- TFT touch display
- Panel-free appliance with control module behind glass
- Electronic temperature control from 50 °C to 300 °C
- 83 litres net volume
- Energy efficiency class A
- Home Connect

Optional accessories

BA 018 105

Pull-out system

8 800.00

BA 058 115

Heating element for baking stone and
Gastronorm roaster

3 200.00

BA 058 133

Baking stone

4 700.00

GN 340 230

Gastronorm roaster in cast aluminium

6 800.00

BA090 100

Black rotary knobs for EB 333, set of 2

3 200.00

The accessories



BA 018 105
Pull-out system
Fully extendable telescopic rails
and enamelled cast iron frame

8 800.00



BA 016 105
Pull-out system
Fully extendable telescopic rails
and enamelled cast iron frame

6 300.00



BA 058 115
Heating element for baking stone
and Gastronorm roaster

3 200.00



BA 056 115
Heating element for baking stone
and Gastronorm roaster

3 100.00



BA 058 133
Baking stone
Incl. baking stone support and
pizza paddle (heating element
must be ordered separately)
Not in combination with pull-out
system

4 700.00



BA 056 133
Baking stone
Incl. baking stone support and
pizza paddle (heating element
must be ordered separately).
Not in combination with pull-out
system

4 400.00



BA 010 301
Triple telescopic pull-out rack

7 800.00



BA 090 100
Black rotary knobs for EB 333,
set of 2

3 200.00



GN 340 230
Gastronorm roaster in cast
aluminium GN 2/3, height
165 mm, non-stick

6 800.00



BA 080 670
Vacuuming bags, small
180 x 280 mm, 100 pcs

1 700.00



BA 080 680
Vacuuming bags, large
240 x 350 mm, 100 pcs

1 900.00



GN 010 330
Adapter for gastronorm insert and
roaster.

1 900.00



Cooktops

The Gaggenau cooktop does not just look the part, it is inspired by the professional kitchen.

400 series
Vario 400 series
200 series
Vario 200 series

The cooktops 400 series adhere to the Gaggenau principle of exceptional materials, designed with insight and assembled with skill by crafts people.





Cooktops

400 series

A surface made of luxury and need

The creative process of cooking demands heating methods that, at the very least, enable. Designed for the spacious kitchen, imposing in scale and impressive in performance, the 400 series cooktops ranges from 38 cm to one metre.

Our cooktops offer as much as 3200 cm² of full surface touch-controlled induction surface, flex induction with downdraft ventilation or a full meter of gas.

The modular Vario cooktops options can extend even further, with multiple cooktops connecting together as one, expansive, cohesive, bespoke workspace. Include specialist appliances and add Teppan Yaki or grilling to your repertoire.





The cooktops 400 series



CX 492 101
Frameless
Width 90cm
130 000.00

Full surface induction cooktop CX 492
<ul style="list-style-type: none">- One single big cooking surface- Free positioning of cookware- All sizes and formats of cookware can be used- TFT touch display for an intuitive control of all functions- Cooking sensor function for temperature control in pots- Professional cooking functions- Max. power output for big cookware of up to 5.5 KW- Frameless for flush mounting- Home Connect
Optional accessories
GN 232 110 Teppan Yaki made of multiply material, GN 1/1 For full surface induction hob
8 800.00
GN 232 230 Teppan Yaki made of multiply material, GN 2/3 For full surface induction hob
8 300.00



CX 492 111
Stainless steel frame
Width 90cm
125 000.00

Installation accessories
VA 420 010 Connection strip for combination with other Vario appliances of the 400 series for surface installation
2 200.00
VA 420 004 Connection strip for combination with other Vario appliances of the 400 series for flush mounting
2 200.00

Full surface induction cooktop CX 492
<ul style="list-style-type: none">- One single big cooking surface- Free positioning of cookware- All sizes and formats of cookware can be used- TFT touch display for an intuitive control of all functions- Cooking sensor function for temperature control in pots- Professional cooking functions- Max. power output for big cookware of up to 5.5 KW- Precision crafted 3 mm stainless steel- For surface mounting with a visible edge or for flush mounting- Can be combined perfectly with other Vario appliances of the 400 series- Home Connect
Optional accessories
GN 232 110 Teppan Yaki made of multiply material, GN 1/1 For full surface induction hob CX 480.
8 800.00
GN 232 230 Teppan Yaki made of multiply material, GN 2/3 For full surface induction hob CX 480.
8 300.00



CX 482 101
Frameless
Width 80 cm
115 000.00

Full surface induction cooktop CX 482
<ul style="list-style-type: none">- One single big cooking surface- Free positioning of cookware- All sizes and formats of cookware can be used- TFT touch display for intuitive control of all functions- Max. power output for big cookware of up to 5.5 kW- Frameless for flush installation- Home Connect
Optional accessories
GN 232 110 Teppan Yaki made of multiply material, GN 1/1 For full surface induction hob CX 480.
8 800.00
GN 232 230 Teppan Yaki made of multiply material, GN 2/3 For full surface induction hob CX 480.
8 300.00



CX 482 111
Stainless steel frame
Width 80 cm
110 000.00

Installation accessories
VA 420 010 Connection strip for combination with other Vario appliances of the 400 series for surface installation
2 200.00
VA 420 004 Connection strip for combination with other Vario appliances of the 400 series for flush mounting
2 200.00

Full surface induction cooktop CX 482
<ul style="list-style-type: none">- One single big cooking surface- Free positioning of cookware- All sizes and formats of cookware can be used- TFT touch display for an intuitive control of all functions- Max. power output for big cookware of up to 5.5 kW- Precision crafting of 3 mm stainless steel- For surface installation with a visible edge or for flush installation- Can be combined perfectly with other Vario appliances of the 400 series- Home Connect
Optional accessories
GN 232 110 Teppan Yaki made of multiply material, GN 1/1 For full surface induction hob CX 480.
8 800.00
GN 232 230 Teppan Yaki made of multiply material, GN 2/3 For full surface induction hob CX 480.
8 300.00



CV 492 105
Flex induction cooktop with intergrated ventilation system 400 series

100 000.00

Installation accessories
CA 082 011
Kit unducted recirculation

3 900.00

CA 084 010
Acoustic filter

3 300.00

CKI 440 000
Black knobs 400 series for VI 492

10 000.00

CKI 440 010
Stainless steel knobs 400 series for VI 492

10 000.00

CA 082 061
Kit ducted air recirculation for CV 492 / CV 282 (worktop depth ≥ 60 cm) consists of 4 activated charcoal filters with highly efficient odour reduction and allergen deactivation, extra short flat duct bend, flat duct, flat duct bend, flat duct connecting pieces and diffusor

4 000.00

Vario induction cooktop 400 series
CV 492

- Flex function for combining the rectangular cooking areas
- Free positioning of cookware inside combined cooking areas with automatic extension up to 30 cm width
- Highly efficient ventilation system integrated in the cooktop
- Fully automatic ventilation system functions
- Large-scale metal grease filter, easy to remove, dishwasher-safe
- Energy-saving, low-noise fan Air extraction or air recirculation system
- Integrated activated charcoal filter easily removeable from above for air recirculation system
- Solid stainless steel control knob with black coating
- Easy control of all functions with bicoloured display

Optional accessories
CA 051 300
Teppan Yaki plate made of multiply material

5 500.00

CA 052 300
Griddle plate in cast aluminium

4 400.00

CA 282 112
4 activated charcoal filters with high efficient odour reduction for air recirculation mode.

4 400.00



VI 492 115
Stainless steel frame
Controls integrated in furniture front
Width 90 cm

80 000.00

Installation accessories
VA 420 010
Connection strip for combination with other Vario appliances of the 400 series for surface installation

2 200.00

VA 420 004
Connection strip for combination with other Vario appliances of the 400 series for flush installation

2 200.00

CKI 450 000
Black knobs 400 series for VI 492

12 000.00

CKI 450 010
Stainless steel knobs 400 series for VI 492

12 000.00

Vario induction cooktop 400 series
VI 492

- Flex induction for combining the rectangular cooking areas
- Free positioning of cookware inside combined cooking areas
- Frying sensor function for temperture control in pans
- Large cooking zone for pots up to Ø 32 cm
- Ideal for the original wok pan with round bottom, with wok ring
- Easy control of all functions with bicoloured display
- Solid stainless steel control knob
- Precision crafting of 3 mm stainless steel
- For surface installation with a visible edge or for flush installation
- Can be combined perfectly with other Vario appliances of the 400 series
- Home Connect

Optional accessories
WP 400 001
Wok pan

3 200.00

WZ 400 000
Wok accessory ring

3 100.00



VI 462 115
Stainless steel frame
Controls integrated in furniture front
Width 60 cm

60 000.00

Installation accessories
VA 420 004
Connection strip for combination with other Vario appliances of the 400 series for flush installation

2 200.00

VA 420 010
Connection strip for combination with other Vario appliances of the 400 series for surface installation

2 200.00

CKI 440 000
Black knobs 400 series for VI 492

10 000.00

CKI 440 010
Stainless steel knobs 400 series for VI 492

10 000.00

Vario flex induction cooktop
VI 462

- Flex function for combining the rectangular cooking areas
- Free positioning of cookware inside combined cooking areas with automatic extension up to 30 cm width
- Frying sensor function for temperature control in pans
- Easy control of all functions with bicoloured display
- Solid stainless steel control knob
- Precision crafting of 3 mm stainless steel
- For surface mounting with a visible edge or for flush mounting
- Can be combined perfectly with other Vario appliances of the 400 series
- Home Connect



VG 491 115F
Stainless steel
Controls integrated in furniture front
Width 90 cm
Liquid gas 28 – 37 mbar

75 000.00

Installation accessories
VA 420 010
Connection strip for combination with other Vario appliances of the 400 series for surface installation

2 200.00

VA 420 004
Connection strip for combination with other Vario appliances of the 400 series for flush installation

2 200.00

CKG 450 000
Black knobs 400 series for VG 491

12 000.00

CKG 450 010
Stainless steel knobs 400 series for VG 491

12 000.00

Vario gas cooktop 400 series
VG 491

- Five multi-ring burners, up to 18 kW
- Full electronic power level regulation on 12 levels
- Precise and reproducible flame size
- Automatic fast ignition, electronic flame monitoring with automatic reignition
- Simmer function for cooking on a very low output level
- Solid smooth-surface cast pan supports
- Solid stainless steel control knob
- Precision crafting of 3 mm stainless steel
- For surface mounting with a visible edge or for flush mounting
- Can be combined perfectly with other Vario appliances of the 400 series

Optional accessories
WP 400 001
Wok pan made of multiple-layer material With round bottom and handle, ø 36 cm, 6 litres, height 10 cm.

3 200.00

Vario cooktops 400 series

Create your creative space

The modular Vario cooktop range inspires the private chef to create their bespoke workstation, one that suits their way of cooking and advances their ambitions. Professional solid stainless steel control knobs, and a 3 mm stainless steel frame ensure the array of appliances are a cohesive and aesthetic success.

The Vario flex induction cooktop options encompass a 38 cm single wok through to a 90 cm five cooking zones model offering a large triple ring for woks or larger pots and combinable heating areas.

The gas burners place up to 6,000 watts of raw power at your disposal. Fully precise electronic control over the flame enables the gentlest simmering and the fiercest of flames, which automatically re-ignite if ever they are blown out. The 38 cm single wok or paella burner is all consuming with several flame rings in one burner, alternatively you can extend to 90 cm and five brass burners.





The Vario cooktops 400 series



VP 414 115
Stainless steel
Width 38 cm

50 000.00

Included accessories
2 spatulas

Installation accessories

VA 420 010
Connection strip for combination with other Vario appliances of the 400 series for surface installation

2 200.00

VA 420 004
Connection strip for combination with other Vario appliances of the 400 series for flush mounting

2 200.00

VA 440 010
Stainless steel appliance cover with mounting strip

5 100.00

CKP 420 000
Black knobs 400 series for VP 414

5 500.00

CKP 420 010
Stainless steel knobs 400 series for VP 414

5 500.00

Vario Teppan Yaki 400 series

VP 414

- Cooking directly on the hardchromed metal surface, without any pots or pans
- Exact temperature control up to 240 °C
- Optimum heat distribution
- Solid stainless steel control knob
- Precision crafting of 3 mm stainless steel
- For surface installation with a visible edge or for flush installation
- Can be combined perfectly with other Vario appliances of the 400 series



VI 422 115
Stainless steel frame
Width 38 cm

50 000.00

Installation accessories

VA 420 010
Connection strip for combination with other Vario appliances of the 400 series for surface installation

2 200.00

VA 420 004
Connection strip for combination with other Vario appliances of the 400 series for flush mounting

2 200.00

CKI 420 000
Black knobs 400 series for VI 422

5 500.00

CKI 420 010
Stainless steel knobs 400 series for VI 422

5 500.00

Vario flex induction cooktop 400 series

VI 422

- Flex function for combining the rectangular cooking areas
- Free positioning of cookware inside combined cooking areas
- Frying sensor function for temperature control in pans
- Easy control of all functions with bicoloured display
- Solid stainless steel control knob
- Precision crafting of 3 mm stainless steel
- For surface mounting with a visible edge or for flush mounting
- Can be combined perfectly with other Vario appliances of the 400 series
- Home Connect



VR 414 115
Stainless steel
Width 38 cm

45 000.00

Included accessories

1 lava stone
1 cleaning brush
2 cast grills
1 grease collecting insert
1 Cast pan, half size

Installation accessories

VA 420 010
Connection strip for combination with other Vario appliances of the 400 series for surface installation

2 200.00

VA 420 004
Connection strip for combination with other Vario appliances of the 400 series for flush mounting

2 200.00

VA 440 010
Stainless steel appliance cover with mounting strip

5 100.00

CKR 420 000 (black)
Black knobs 400 series for VP 414

5 500.00

CKR 420 010
Stainless steel knobs 400 series for VP 414

5 500.00

Vario electric grill 400 series

VR 414

- 2 separately controlled zones
- Cast pan, half size, for simultaneous frying and grilling on two separate surfaces
- Open cast grill, lava stones
- Solid stainless steel control knob
- Precision crafting of 3 mm stainless steel
- For surface installation with a visible edge or for flush installation
- Can be combined perfectly with other Vario appliances of the 400 series

Optional accessories

LV 030 000
Lava stones for refilling

1 100.00



VG 425 115F	
Stainless steel	
Width 38 cm	
Liquid gas 28 – 37 mbar	
	40 000.00
Installation accessories	
VA 420 010	
Connection strip for combination with other Vario appliances of the 400 series for surface installation	
	2 200.00
VA 420 004	
Connection strip for combination with other Vario appliances of the 400 series for flush mounting	
	2 200.00
VA 440 010	
Stainless steel appliance cover with mounting strip	
	5 100.00
CKG 420 000	
Black knobs 400 series for VG 425	
	5 500.00
CKG 420 010	
Stainless steel knobs 400 series for VG 425	
	5 500.00

Vario gas cooktop 400 series

VG 425

- Multi-ring burner with up to 4 kW power
- Full electronic power level regulation on 12 levels
- Precise and reproducible flame size
- Automatic fast ignition, electronic flame monitoring with automatic reignition
- Simmer function for cooking on a very low output level
- Solid stainless steel control knob
- Precision crafting of 3 mm stainless steel
- For surface mounting with a visible edge or for flush mounting
- Can be combined perfectly with other
- Vario appliances of the 400 series



VG 415 115F	
Stainless steel	
Width 38 cm	
Liquid gas 28 – 37 mbar	
	40 000.00
Installation accessories	
VA 420 010	
Connection strip for combination with other Vario appliances of the 400 series for surface installation	
	2 200.00
VA 420 004	
Connection strip for combination with other Vario appliances of the 400 series for flush mounting	
	2 200.00
VA 440 010	
Stainless steel appliance cover with mounting strip	
	5 100.00
CKG 410 000	
Black knob 400 series for VG 415	
	3 000.00
CKG 410 010	
Stainless steel knob 400 series for VG 415	
	3 000.00

Vario gas cooktop 400 series

VG 415

- Multi-ring burner with 6 kW power
- Full electronic power level regulation on 12 levels
- Precise and reproducible flame size
- Automatic fast ignition, electronic flame monitoring with automatic reignition
- Simmer function for cooking on a very low output level
- Solid stainless steel control knob
- Precision crafting of 3 mm stainless steel
- For surface mounting with a visible edge or for flush mounting
- Can be combined perfectly with other
- Vario appliances of the 400 series

Optional accessories

WP 400 001	
Wok pan made of multiple-layer material With round bottom and handle, ø 36 cm, 6 litres, height 10 cm.	
	3 200.00





The cooktops 200 series:
create a cooking space
that enables, inspires
and complements your
kitchen.

Cooktops 200 series

Professional demands, private space

With controls conveniently situated on the appliance the cooktops 200 series offers the private chef a concentrated area to create the extraordinary.

The cooktops range from 28 cm to 90 cm, in flush- or surface-mounted, gas, flex induction or glass ceramic. Each one designed to perform exceptionally, to professional standards.

Tailor your cooktop to your ideal culinary scenario by seamlessly joining together our modular options from the Vario cooktops 200 series.





The cooktops 200 series



CE 291 111
Stainless steel frame
Width 90 cm

50 000.00

Included accessories
1 glass scraper

Glass ceramic cooktop

CE 291

- Sturdy stainless steel frame
- Frying sensor function
- Three-ring cooking zone up to 27 cm
- Large roasting zone
- Sensor control with direct selection of power level



CE 291 101
Frameless
Width 90 cm

53 000.00

Included accessories
1 glass scraper

Glass ceramic cooktop

CE 291

- Frameless for flush mounting
- Frying sensor function
- Three-ring cooking zone up to 27 cm
- Large roasting zone
- Sensor control with direct selection of power level



CI 292 112
Stainless steel frame
Width 90 cm

70 000.00

Special accessories
CA 051 300
Teppan Yaki made of multiply material
For flex induction cooktops.

5 500.00

CA 052 300
Griddle plate in cast aluminium
Non-stick.
For flex induction cooktop.

4 400.00

Flex induction cooktop

CI 292

- Sturdy stainless steel frame
- Flex function for combining the rectangular cooking areas
- Free positioning of cookware inside combined cooking areas
- Professional cooking function for splitting the cooktop into 3 predefined heat areas
- Cooking sensor function for temperature control in pots
- Frying sensor function for temperature control in pans
- Large cooking zone for pots up to ø 32 cm
- Twist-Pad control with removable magnetic knob
- Easy control of all functions with bicoloured display



CI 292 102
Frameless
Width 90 cm

75 000.00

Special accessories
CA 051 300
Teppan Yaki made of multiply material
For flex induction cooktops.

5 500.00

CA 052 300
Griddle plate in cast aluminium
Non-stick.
For flex induction cooktop.

4 400.00

Flex induction cooktop

CI 292

- Frameless for flush mounting
- Flex function for combining the rectangular cooking areas
- Free positioning of cookware inside combined cooking areas
- Professional cooking function for splitting the cooktop into 3 predefined heat areas
- Cooking sensor function for temperature control in pots
- Frying sensor function for temperature control in pans
- Large cooking zone for pots up to ø 32cm
- Twist-Pad control with removable magnetic knob
- Easy control of all functions with bicoloured display



VI 262 120
Stainless steel control panel
Width 60 cm

50 000.00

Installation accessories
VV 200 010
Stainless steel connection strip for combination with further Vario cooktops
VV 200 020
Black connection strip for combination with further Vario cooktops

2 800.00

Vario induction cooktop 200 series

VI 262

- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Generous control panel for comfortable and secure operation



CV 282 101
Frameless for flush mounting, Width 80 cm
Air extraction/Air recirculation
Delivery without ducting

90 000.00

Installation Accessories

CA 082 011
Kit unducted recirculation

3 900.00

CA 082 061
Kit ducted recirculation

4 000.00

CA 084 010
Acoustic filter

3 300.00

Special accessories

CA 051 300
Teppan Yaki made of multiply material
For flex induction cooktops.

5 500.00

CA 052 300
Griddle plate in cast aluminium
Non-stick.
For flex induction cooktop.

4 400.00

Flex induction cooktop with integrated ventilation system

CV 282

- Flex function for combining the rectangular cooking areas
- Free positioning of cookware inside combined cooking areas
- Highly efficient ventilation system integrated in the cooktop
- Fully automatic ventilation system functions
- Large-scale metal grease filter with high grease absorption
- Energy-saving, low-noise fan
- Air extraction or air recirculation system
- Air recirculation module with activated charcoal filters: space-saving ducting integrated in the lower cabinet as well as easy filter replacement
- Twist-Pad control with removable magnetic knob
- Easy control of all functions with bicoloured display

CA 282 112
4 activated charcoal filters with high efficient odour reduction for air recirculation mode..

4 400.00



CV 282 111
Stainless steel frame, Width 80 cm
Air extraction/Air recirculation
Delivery without ducting

85 000.00

Installation Accessories

CA 082 011
Kit unducted recirculation

3 900.00

CA 082 061
Kit ducted recirculation

4 000.00

CA 084 010
Acoustic filter

3 300.00

Special accessories

CA 051 300
Teppan Yaki made of multiply material
For flex induction cooktops.

5 500.00

CA 052 300
Griddle plate in cast aluminium
Non-stick.
For flex induction cooktop.

4 400.00

Flex induction cooktop with integrated ventilation system

CV 282

- Flex function for combining the rectangular cooking areas
- Free positioning of cookware inside combined cooking areas
- Highly efficient ventilation system integrated in the cooktop
- Fully automatic ventilation system functions
- Large-scale metal grease filter with high grease absorption
- Energy-saving, low-noise fan
- Air extraction or air recirculation system
- Air recirculation module with activated charcoal filters: space-saving ducting integrated in the lower cabinet as well as easy filter replacement
- Twist-Pad control with removable magnetic knob
- Easy control of all functions with bicoloured display

CA 282 112
4 activated charcoal filters with high efficient odour reduction for air recirculation mode..

4 400.00





Gas cooktops

Aspirations achieved

Gas cooktops, in 90 cm or 60 cm, utilise stainless steel control knobs, allowing you to choose from nine mechanically regulated power levels. Powering five or four burners, these are cooktops designed to be both easy to use and capable of creative, professional cooking.

The Vario cooktops 200 series



VG 232 120F
Black control panel
Width 28 cm
Liquid gas 28 – 37 mbar

30 000.00

Installation accessories

VV 200 010
Stainless steel connection strip for combination with further Vario cooktops
VV 200 020
Black connection strip for combination with further Vario cooktops

2 800.00



VP 230 120
Black control panel
Width 28 cm

40 000.00

Included accessories
2 spatula

Vario gas cooktop 200 series

VG 232

- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Generous control panel for comfortable and secure operation
- Solid smooth-surface cast pan supports for easy and safe positioning of cookware
- Mechanical power level regulation for 9 power levels

Optional accessories

VD 200 020
Black appliance cover

5 500.00



VG 231 120F
Black control panel
Width 28 cm
Liquid gas 28 – 37 mbar
Wok burner with 5.8 KW

30 000.00

Installation accessories

VV 200 010
Stainless steel connection strip for combination with further Vario cooktops
VV 200 020
Black connection strip for combination with further Vario cooktops

2 800.00

Vario gas wok 200 series

VG 231

- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Generous control panel for comfortable and secure operation
- Three-ring burner of solid, heat-resistant brass as used in professional kitchen
- Total output up to 6 kW
- Mechanical power level regulation for 9 power levels

Optional accessories

VD 200 020
Black appliance cover

5 500.00

WP 400 001

Wok pan made of multiple-layer material With round bottom and handle, ø 36 cm, 6 litres, height 10 cm.

3 200.00

Vario electric grill 200 series

VR 230

- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Generous control panel for comfortable and secure operation
- 2 zones, separately controlled
- Open cast grill, lava stones

Optional accessories

LV 030 000
Lava stones for refilling

1 100.00

VD 200 020
Black appliance cover

5 500.00



VR 230 120
Black control panel
Width 28 cm

35 000.00

Included accessories

1 lava stone
1 cleaning brush
1 cast grill
1 grease collecting insert
1 stainless steel appliance cover

Installation accessories

VV 200 010
Stainless steel connection strip for combination with further Vario cooktops
VV 200 020
Black connection strip for combination with further Vario cooktops

2 800.00



VI 232 121
Black control panel
Width 28 cm

33 000.00

Installation accessories

VV 200 010
Stainless steel connection strip for combination with further Vario cooktops
VV 200 020
Black connection strip for combination with further Vario cooktops

2 800.00

Vario induction cooktop 200 series

VI 232

- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Generous control panel for comfortable and secure operation

Optional accessories

VD 200 020
Black appliance cover

5 500.00



VI 242 120
Black control panel
Width 38 cm

39 000.00

Installation accessories

VV 200 010
Stainless steel connection strip for combination with further Vario cooktops
VV 200 020
Black connection strip for combination with further Vario cooktops

2 800.00

Vario flex induction cooktop 200 series

VI 242

- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Control panel for comfortable and secure operation

The cooktops 200 series



VG 295 150F
Stainless steel with stainless steel control panel
Width 90 cm
Liquid gas 28 – 37 mbar
Wok burner with 5 KW

60 000.00

200 series gas cooktop
VG 295

- Top appliance in the market, up to 18 kW on 5 burners
- Solid smooth-surface cast pan supports
- Automatic fast ignition, electronic flame monitoring

Optional accessories

WP 400 001
Wok pan made of multiple-layer material
With round bottom and handle, ø 36 cm, 6 litres, height 10 cm.

3 200.00



VG 264 120F
Stainless steel control panel
Width 60 cm
Liquid gas 28 – 37 mbar

37 000.00

Vario gas cooktop 200 series
VG 264

- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Generous control panel for comfortable and secure operation
- Solid smooth-surface cast pan supports for easy and safe positioning of cookware
- Mechanical power level regulation for 9 power levels
- 9.4 KW on 4 burners

Installation accessories

VV 200 010
Stainless steel connection strip for combination with further Vario cooktops
VV 200 020
Black connection strip for combination with further Vario cooktops

2 800.00

The accessories



WP 400 001
Wok pan made of multiple-layer material
With round bottom and handle, ø 36 cm, 6 litres, height 10 cm.

3 200.00



WZ 400 000
Wok attachment for wok pan (only for Vario induction wok).

3 100.00



GN 232 110
Teppan Yaki made of multi ply material, GN 1/1
For full surface induction hob CX 480.

8 800.00



GN 232 230
Teppan Yaki made of multi ply material, GN 2/3
For full surface induction hob CX 480.

8 300.00



GN 340 230
Gastronorm roaster in cast aluminium GN 2/3, height 165 mm, non-stick

6 800.00



CA 051 300
Teppan Yaki

5 500.00



CA 052 300
Griddle Plate

4 400.00



LV 030 000
Lava stones for refilling

1 100.00



CA 230 100
Black magnetic knob for induction cooktop 200 series.

2 700.00



VV 200 020
Black connection strip for combination with other Vario appliances of the 200 series

2 800.00



VV 200 010
Stainless steel connection strip for combination with other Vario appliances of the 200 series

2 800.00



VA 420 004
Connection strip for combination with other Vario appliances of the 400 series for flush mounting

2 200.00



VA 420 010
Connection strip for combination with other Vario appliances of the 400 series for surface installation

2 200.00



Extractors

Everything has been designed with discretion and airflow in mind, creating a system that performs exceptionally and quietly behind the scenes.

400 series
200 series



The extractors 400 series ranging from the near invisible to the more demonstrative statement pieces.



**Images are shown for illustrative purposes and may vary from the stock available in South Africa .*

Extractors

400 series

Cook, ventilate, entertain

As the kitchen becomes a place for both cooking and entertaining, ventilation becomes more vital.

Effortless, silent and clever, the 400 series extractors capture vapours and odours silently, thanks to the brushless motors, and even automatically, adjusting their power levels in reaction to the atmosphere.

Choose your perfect solution, from the rise and fall of the extendible table concept, the minimalist downdraft, the out of sight modular Vario ceiling option or the statement pieces that are the wallmounted and island hoods with dimmable neutral white lights and the same 3 mm stainless steel as your cooktops 400 series and EB 333.

Each extractor achieves power without bulk and extraction at a whisper.





The ventilation 400 series



VL 414 115
Vario downdraft ventilation 400 series
stainless steel
Width 15.5 cm
Air extraction / Air recirculation
Motorless
37 000.00

Required Installation accessories
CKV 410 000
Black knobs 400 series for VL 414
3 000.00
CKV 410 010
Stainless steel knobs 400 series for VL414
3 000.00

Necessary Installation accessories
AR 400 142
Remote fan unit
Metal housing
Max. air output 640 m³/h
Inside installation
Air extraction
25 000.00

AR 401 142
Remote fan unit
Stainless steel
Max. air output 650 m³/h
Outside wall mounting
Air extraction
25 000.00

AR 413 122
Remote fan unit
Metal housing
Max. air output 640 m³/h
Air recirculation
Plinth installation
25 000.00

AR 403 122
Remote fan unit
Metal housing
Max. air output 630 m³/h
Air extraction
Plinth installation
25 000.00

AR 410 110
Remote fan unit
Metal housing
Max. air output 560m³/h
Inside installation
Air recirculation.
25 000.00

Vario downdraft ventilation 400 series

VL 414

- Highly efficient, low noise ventilation system especially with remote fan unit AR 410 110
- Function for automatic, sensorcontrolled power adjustment depending on the build-up of cooking vapours
- Minimal planning and easy installation
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Precision crafted 3 mm stainless steel
- For surface mounting with a visible edge or for flush mounting
- Can be combined perfectly with other
- Vario appliances of the 400 series

Installation accessories
AD 410 040
Flexible connecting piece for VL 200 / VL 414
DN 150 flat
1 900.00

AD 851 041
Connecting piece VL 200 / VL 414 for extension with flat duct DN 150 for extra deep worktop
1 100.00

Optional accessories
AA 414 010
Air baffle for combination with gas cooktops
1 300.00

VA 420 010
Connection strip for combination with other Vario appliances of the 400 series for surface installation
2 200.00

VA 420 004
Connection strip for combination with other Vario appliances of the 400 series for flush installation
2 200.00



AC 402 181
Stainless steel
Filter module
Air extraction/recirculation
Motorless

35 000.00

Necessary installation accessories

AR 400 142
Remote fan unit
Metal housing
Max. air output 830 m³/h
Inside installation
Air extraction

25 000.00

AR 403 122
Remote fan unit
Metal housing
Max. air output 890 m³/h
Air extraction

25 000.00

Remote fan unit
Stainless steel
Max. air output 910 m³/h
Outside wall mounting
Air extraction

25 000.00



AC 482 181
Stainless steel
Control module with light

30 000.00



AC 472 181
Stainless steel
Light module
For completing control module with light

16 000.00

Vario ceiling ventilation

AC 402

- Discreet integration into the architecture of the kitchen
- Flexible by dimension, performance and ventilation mode
- Room ventilation
- Modular ceiling ventilation which can be configured individually by separate components such as filter module, control modules and light module
- Individual configuration of unobstructed airflow of remote fan unit from 950 – 2,800 m³/h
- Highly efficient patented rim extraction
- Planned and easy to clean underside with covered filters
- Appropriate fan motor to be selected

Special accessories

AA 010 811
Air recirculation module inclusive 1 activated charcoal filter
For air recirculation
Stainless Steel

15 500.00

AA 012 811
Air recirculation module inclusive 1 activated charcoal filter
For air recirculation
White

15 500.00

Installation accessories

AD 754 048
Air collector box DN 150 round pipe
Metal zinc
2 x DN 150 round duct air intake.
1 x DN 150 round duct air outlet.

3 200.00

AD 854 048
Air collector box DN 150 flat duct
Metal zinc plated with plastic.
2 x DN 150 flat duct air intake
1 x DN 150 flat duct air outlet

3 200.00

Vario ceiling ventilation

AC 482

- Control module of ceiling ventilation with light
- Individual configuration of unobstructed airflow of remote fan unit from 950 – 2,800 m³/h
- Individual integration of light elements into the configuration of the ceiling ventilation



AL 400 122
Stainless steel
Width 120 cm
Air extraction/recirculation
Motorless

105 000.00

AL 400 192
Stainless steel
Width 90 cm
Air extraction/recirculation
Motorless

95 000.00

Necessary installation accessories

AR 400 142
Remote fan unit
Metal housing
Max. air output 830 m³/h
Inside installation
Air extraction

25 000.00

AR 413 122
Remote fan unit
Metal housing
Max. air output 850 m³/h
Air recirculation
Plinth installation

25 000.00

AR 401 142
Remote fan unit
Stainless steel
Max. air output 910 m³/h
Outside wall mounting
Air extraction

25 000.00

AR 403 122
Remote fan unit
Metal housing
Max. air output 890 m³/h
Air recirculation
Installation in the cupboard

25 000.00

Table ventilation

AL 400

- Telescopic table ventilation for combination with all Gaggenau cooktops, completely retractable when not in use
- Dimmable LED light for illumination of the whole cooktop
- Precision crafting of 3 mm stainless steel
- For surface installation with a visible edge or for flush installation
- Can be combined perfectly with other Vario appliances of the 400 series
- Appropriate fan motor to be selected
- Please see planning notes in models and dimensions

Required Installation accessories

AD 754 049
Connecting piece for AL 400
Metal zinc coated
DN 150 round

2 200.00

AD 854 050
Connecting piece for AL 400
Metal zinc coated
DN 150 flat

1 800.00

AA 409 431
Furniture support for table ventilation
AL 400 120 cm

4 000.00

AD 704 050
Air collector box for AL 400
Metal zinc coated
DN 150 flat

3 300.00

AA 409 401
Furniture support for table ventilation
AL 400 90 cm

3 000.00

All you see is clarity.
The new table ventilation 200 series.





Extractors

200 series

Be free from the steam

The range of extractors 200 series offers a comprehensive solution to any kitchen, from the downdraft ventilation to wall-mounted and island hoods, ceiling ventilation, flat kitchen hoods tucked into kitchen units and the invisible canopy extractors. A wide selection of colours and materials such as: stainless steel, Gaggenau Black, Light Bronze, Anthracite and stainless steel with glass control panel in Gaggenau Anthracite ensure there is always an option that matches the rest of your Gaggenau kitchen.

The latest, improved downdraft ventilation, with its distinctive black control panel and automatic operation, quietly outperforms its small, 15 cm wide size.





The ventilation 200 series



AL 200 180
Gaggenau Black
Width 80 cm

75 000.00

Installation Accessories

AA 200 910

Installation kit for fan unit at a distance
(3m maximum) Combinable with the table
ventilation AL 200

5 300.00

VA 200 080

Installation kit for installation in a single
worktop cut-out Combinable with the table
ventilation AL 200 180

4 700.00

Table ventilation 200 series

AL 200 180

- Extendable table ventilation, when not in use can be completely lowered into the worktop
- Perfect in combination with frameless induction cooktops 80 cm wide for flush mounting– Energy-saving, low-noise fan
- Transparent ventilation screen for discreet integration in the kitchen space
- Ambient lighting thru the glass edges
- Guided Air technology ensures high vapour catch rate across the whole cooktop
- Home Connect
- *not suitable to be installed with gas appliance

Optional accessories

AA 200 100

Activated charcoal filters

3 000.00

AA 200 880

Air recirculation module including
activated charcoal filters

7 000.00

AA 200 900

Kit for surface mounted installation AL
200

2 200.00



AL 200 190
Gaggenau Black
Width 90 cm

80 000.00

Installation Accessories

AA 200 910

Installation kit for fan unit at a distance
(3m maximum) Combinable with the table
ventilation AL 200

5 300.00

VA 200 090

Installation kit for installation in a single
worktop cut-out Combinable with the table
ventilation AL 200 190

4 700.00

Table ventilation 200 series

AL 200 190

- Extendable table ventilation, when not in use can be completely lowered into the worktop
- Perfect in combination with frameless induction cooktops 90cm wide for flush mounting– Energy-saving, low-noise fan
- Transparent ventilation screen for discreet integration in the kitchen space
- Ambient lighting thru the glass edges
- Guided Air technology ensures high vapour catch rate across the whole cooktop
- Home Connect
- *not suitable to be installed with gas appliance

Optional accessories

AA 200 100

Activated charcoal filters

3 000.00

AA 200 890

Air recirculation module including
activated charcoal filters

7 600.00

AA 200 900

Kit for surface mounted installation AL
200

2 200.00



AC 270 101
Width 105cm
Air recirculation

120 000.00

Ceiling ventilation 200 series

AC 270 101

- Height adjustable ceiling ventilation, when not in use it can be completely lifted into the ceiling or integrated in the ceiling
- Precision crafted, solid aluminium design
- Energy-saving, low-noise fan
- Rim extraction
- Function for automatic, sensor controlled power adjustment depending on the build-up of cooking vapours
- Easy installation on the ceiling with provided ceiling mounting plate
- Easy maintenance of the filters
- Dimmable, neutral white LED light for ideal illumination of the whole cooktop
- Home Connect

Optional accessories

AA 200 122

3 activated charcoal filter

15 000.00



AC 200 181

Stainless steel and glass

Width 70 cm

Air extraction/Air recirculation

24 000.00

AC 200 191

Stainless steel and glass

Width 86 cm

Air extraction/Air recirculation

26 000.00

Canopy extractor 200 series

AC 200

- Can be integrated invisibly in upper cabinet
- Energy-saving, low-noise fan
- Rim extraction with flat and easy-to-clean glass cover
- Dimmable, neutral white LED light for ideal illumination of the whole cooktop
- Air extraction or air recirculation system
- Energy efficiency class A
- Installation accessories for air recirculation please consult models and dimensions
- 70cm width Air extraction 770m³/h
Air recirculation 740m³/h
- 86cm width Air extraction 820m³/h
Air recirculation 790m³/h

AA 200 510

Remote control for canopy extractor AC200

2 200.00

AA 211 812

Patented air recirculation module including 1 activated charcoal filter with high efficient odour reduction due to increased surface
For air recirculation.

6 100.00



AC 250 121
Gaggenau Light Bronze
Width 120 cm
Air extraction/Air recirculation

70 000.00

Included accessories

1 Remote control

Special accessories

AA 010 811

Air recirculation module inclusive 1 activated charcoal filter
For air recirculation
Stainless Steel

15 500.00

AA 012 811

Air recirculation module inclusive 1 activated charcoal filter
For air recirculation
White

15 500.00

Ceiling ventilation 200 series

AC 250

- Discreet integration into the architecture of the kitchen
- Energy-saving, low-noise fan
- Rim extraction
- Function for automatic, sensor controlled power adjustment depending on the build-up of cooking vapours
- Easy and time saving installation directly on the ceiling
- Easy maintenance of the filters
- Air extraction / Air recirculation
- Air extraction: 900m³/h
- Air recirculation 640m³/h



VL 200 120

Width 15cm

Air extraction / Air recirculation

Motorless

30 000.00

Installation accessories

AD 410 040

Flexibel connecting piece for VL200

DN 150 flat

1 900.00

AD 851 041

Connecting piece VL 200 for extension with flat duct DN 150 for extra deep worktop

1 100.00

VV 200 010

Stainless steel connection strip for combination with other Vario appliances of the 200 series

2 800.00

VV 200 020

Black connection strip for combination with other Vario appliances of the 200 series

2 800.00

Special accessories

LS 041 001

Ventilation moulding for VVL 200 next to gas appliance
Stainless steel

1 300.00

Vario downdraft ventilation 200 series

VL 200 120

- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Highly efficient ventilation system at the cooktop integrated in the worktop
- Function for automatic, sensor controlled power adjustment depending on the build-up of cooking vapours
- Low-noise system with the motor AR 410 110
- Air extraction or air recirculation system

Necessary installation accessories

AR 410 110

Remote fan unit

Metal housing

Max. air output 600 m³/h

Inside installation

Air recirculation

25 000.00

AR 413 122

Remote fan unit

Metal housing

Max. air output 670 m³/h

Plinth installation

Air recirculation

25 000.00

AR 403 122

Remote fan unit

Metal housing

Max. air output 750 m³/h

Plinth installation

Air extraction

25 000.00

Remote fan units for ventilation appliances 400 series



AR 401 142
Stainless steel
Max. air output 1100 m³/h
Outside wall mounting
Air extraction

25 000.00

Remote fan unit
AR 401

- AR 401 142 for maximum output for downdraft ventilation and motorless hoods
- Outside installation allows lower noise level in the kitchen
- To be combined with motorless hoods, downdrafts or ceiling ventilation
- External application
- Please consult models and dimensions for installation requirements



AR 400 142
Metal housing
Max. air output 830 m³/h
Inside installation
Air extraction

25 000.00

Remote fan unit
AR 400

- AR 400 142 for maximum output for downdraft ventilation and motorless hoods
- Installation in a separate room allows lower noise level in the kitchen
- To be combined with motorless hoods, downdrafts or ceiling ventilation
- Internal application
- Please consult models and dimensions for installation requirements



AR 403 122
Metal housing
Max. air output 890 m³/h
Air extraction
Plinth installation

25 000.00

Remote fan unit
AR 403

- Powerful remote fan unit to combine with motorless appliances 400 series
- Efficient BLDC technology
- Compact and space-saving installation in a 10 cm high plinth
- Please consult models and dimensions for installation requirements



AR 413 122
Metal housing
Max. air output 760 m³/h
Air recirculation
Plinth installation

25 000.00

Remote fan unit
AR 413

- Powerful remote fan unit to combine with motorless appliances 400 series
- Efficient BLDC technology
- Compact and space-saving installation in a 10 cm high plinth
- Please consult models and dimensions for installation requirements




AR 410 110
Metal housing
Max. air output 890 m³/h
Air extraction
Plinth installation

25 000.00

Remote fan unit
AR 410

- Powerful remote fan unit to combine with motorless appliances 400 series
- Efficient BLDC technology
- Compact and space-saving installation in a 10 cm high plinth
- Please consult models and dimensions for installation requirements

Special accessories for ventilation appliances



AD 750 054
Wall outlet with telescopic duct
Stainless steel/plastic
DN 150 round

5 500.00



AD 702 052
Telescopic wall-duct
DN 200 round
For use with wall outlet
AD 700 051 or AR 401

3 900.00



AD 854 040
Flat duct pipe connector
Metal
DN 150 flat

1 800.00



AD 854 030
Flat duct bend 90° vertical
Metal
DN 150 flat

1 800.00




AD 854 031
Flat duct bend 90° horizontal
Metal
DN 150 flat

1 800.00



AD 854 000
Flat duct bend connecting piece
Metal
DN 150 flat

2 200.00



AD 853 011
Flat duct system flex pipe
Plastic
DN 150 flat
Length 1000 mm

1 900.00




AD 854 032
Flat duct adapter round 90°
Metal
DN 150 flat / roundt

1 800.00



AD 854 041
Flat duct adapter round
Metal
DN 150 flat / round

1 800.00



AD 754 049
Connecting piece for AL 400
Metal zinc coated
DN 150 round

2 200.00



AD 854 050
Connecting piece for AL 400
Metal zinc coated
DN 150 flat

1 800.00




AD 410 040
Flexibel connecting piece for VL 200
DN 150 flat

1 900.00



AD 851 041
Connecting piece VL 200 for extension
with flat duct DN 150 for extra deep
worktop

1 100.00




AD 854 048
Air collector box DN 150 flat duct
For connecting two filter modules
AC 402, integrate a controle module
with or without light in between:
2 x DN 150 flat duct air intake.
1 x DN 150 flat duct air outlet.

3 200.00



AD 704 040
Pipe adapter DN 200/150 round
Metal zinc coated
DN 200 round
Reduce DN 200 connection to DN 150
connection.

2 800.00



AD 754 048
Air collector box DN 150 round pipe
For connecting two filter modules
AC 402, integrate a controle module
with or without light in between:
2 x DN 150 round duct air intake.
1 x DN 150 round duct air outlet.

3 200.00




AD 704 050
Air collector box for AL 400
Metal zinc coated
DN 150 fla

3 300.00




AA 200 900
Kit for surface mounted installation
AL 200

2 200.00



AA 200 910
Installation kit for fan unit at a distance
(3m maximum)
Combinable with the table ventilation
AL 200

5 300.00




VA 200 080 / 090
Installation kit for installation in a single
worktop cut-out
Combinable with the table ventilation
AL 200 180 / 190

4 700.00



LS 041 001
Ventilation moulding for VL 200 next to
gas appliance Stainless steel

1 300.00



AA 010 410
Air exhaust grille air recirculation

4 600.00



AA 414 010
Ventilation moulding for VL 414 next to
gas appliance.

1 300.00



AA 409 401
Furniture support for table ventilation
AL 400 90 cm

3 000.00



AA 409 431
Furniture support for table ventilation
AL 400 120 cm

4 000.00




GAGGENAU

Refrigerators

Extending the freshness of your ingredients and presenting all in its best light.

Vario 400 series
Vario 200 series

This is cooling that makes
an architectural statement.





Vario refrigerators 400 series

Modular, seamless, impressive

A fully integrated, built-in modular family: the Vario cooling 400 series refrigerators, freezers, fridge-freezers and wine climate cabinets can be partnered in a multitude of ways. You have the flexibility to create an impressive, stainless steel clad, elegant cooling wall, with or without handles. Alternatively, the handleless options are able to disappear discreetly behind your kitchen furniture.

The new Vario cooling 400 series is reduced to the essence of pure refrigeration and an impressive design interior. You gently push the enormous door and it effortlessly opens to a professional-grade stainless steel interior with modern, anthracite aluminium elements and almost imperceptible clear glass shelving. As you approach, the ice and water dispenser illuminates in anticipation.

The minimalist internal aesthetic is accentuated by warm white, glare-free spotlights that dramatically and flatteringly illuminate your all-important ingredients.





The cooling 400 series



RY 492 303
with fresh cooling close to 0 °C
fully integrated
Niche width 91.4 cm,
Niche height 213.4 cm
With two doors

250 000.00

Included accessories

1 egg holder with lid
1 ice cube scoop

Installation accessories

RA 460 000
Accessory for side-by-side installation.
Required if appliances are installed
handle to handle. Not required if
appliances are installed more than
160 mm apart from each other. Included in
delievry for RF and RW.

3 100.00

RA 460 013
Additional side heating element 230V.
Required if appliances are installed handle
to hinge or hinge to hinge. Not required if
appliances are installed more than 160 mm
apart from each other.

9 300.00

RA 421 912
Stainless steel door panels with handles
For RY 492, panel thickness 19 mm.

35 200.00

RA 428 912
Stainless steel door panels without handles.
For RY 492

35 200.00

RA 425 110
Handle bar, stainless steel, long
With 3 mounts, length 1131 mm, drilling
distance between each mount 554 mm.

3 500.00

RA 425 910
Handle bar, stainless steel, short
For RB/RY 492, with 2 mounts, length 810
mm, drilling distance between the mounts
787 mm.

3 200.00

RA 464 913
Ventilation grille stainless steel RY492

5 500.00

Vario fridge-freezer combination 400 series

RY 492

- Stainless steel interior with solid anthracite aluminium elements
- Warm white and glare-free LED light spots
- Opening assist for door with two options:
 1. Push-to-open function for integration into handleless furniture front
 2. Pull-to-open function to facilitate opening the door using a handle
- Flat stainless steel inner doors
- Almost invisible rail system for shelves and door racks for flexible positioning
- Solid anthracite aluminium door racks
- 1 fresh cooling drawer close to 0 °C with manually adjustable temperature and one fresh cooling drawer with manually adjustable humidity
- Integrated ice maker with fixed inlet water connection
- 1 asymmetricly split glass shelf, height adjustable
- Fully extendable freezer drawer with practical divider in anthracite
- TFT touch display
- Net volume 518 litres

Special accessories

RA 450 012
Activated charcoal filter for water filter system

2 200.00



RB 492 303
with fresh cooling close to 0 °C
fully integrated
Niche width 91.4 cm,
Niche height 213.4 cm
With one door

250 000.00

RB 472 303
with fresh cooling
fully integrated
Niche width 76.2 cm,
Niche height 213.4 cm
With one door

230 000.00

Included accessories

1 egg holder with lid
1 ice cube scoop

Installation accessories

RA 460 000
Accessory for side-by-side installation.
Required if appliances are installed handle
to handle. Not required if appliances are in-
stalled more than 160 mm apart from each
other. Included in delievry for RF and RW.

3 100.00

RA 460 013
Additional side heating element 230V.
For RB 492/472
Required if appliances are installed handle
to hinge or hinge to hinge. Not required if
appliances are installed more than 160 mm
apart from each other.

9 300.00

Installation accessories

RA 421 712
Stainless steel door panels with handles
For RB 472, panel thickness 19 mm.

30 000.00

RA 421 910
Stainless steel door panels with handles
For RB 492, panel thickness 19 mm.

35 200.00

RA 428 910
Stainless steel door panels without
handles. For RB 492

29 700.00

RA 428 712
Stainless steel door panels without
handles. For RB 472

29 700.00

Vario fridge-freezer combination 400 series

RB 492/RB 472

- Stainless steel interior with solid anthracite aluminium elements
- Warm white and glare-free LED light spots
- Opening assist for door with two options:
 1. Push-to-open function for integration into handleless furniture front
 2. Pull-to-open function to facilitate opening the door using a handle
- Flat stainless steel inner door, fulllength
- Almost invisible rail system for shelves and door racks for flexible positioning
- Solid anthracite aluminium door racks
- 1 fresh cooling drawer close to 0 °C with manually adjustable temperature and one fresh cooling drawer with manually adjustable humidity
- Integrated ice maker with fixed inlet water connection
- Fully extendable freezer drawer with practical divider in anthracite
- TFT touch display

RA 425 110
Handle bar, stainless steel, long
For RB 492 / 472

With 3 mounts, length 1131 mm, drilling
distance between each mount 554 mm.

3 500.00

RA 425 910
Handle bar, stainless steel, short
For RB/RY 492, with 2 mounts, length 810
mm, drilling distance between the mounts
787 mm.

3 200.00

RA 464 913
Ventilation grille stainless steel RB492

5 500.00

Special accessories

RA 464 713
Ventillation grille stainless steel RB472

4 900.00

RA 450 012
Activated charcoal filter for water filter system

2 200.00



RC 492 304 with fresh cooling close to 0 °C fully integrated Niche width 91.4 cm, Niche height 213.4 cm	220 000.00
RC 472 304 with fresh cooling close to 0 °C fully integrated Niche width 76.2 cm, Niche height 213.4 cm	200 000.00
RC 462 304 with fresh cooling close to 0 °C fully integrated Niche width 61 cm, Niche height 213.4 cm	175 000.00
Included accessories 1 egg holder with lid	
Installation accessories RA 460 000 Accessory for side-by-side installation. Required if appliances are installed handle to handle. Not required if appliances are in- stalled more than 160 mm apart from each other. Included in delivery for RF and RW.	3 100.00
RA 460 013 Additional side heating element 230V. Required if appliances are installed handle to hinge or hinge to hinge. Not required if appliances are installed more than 160 mm apart from each other.	9 300.00
RA 421 610 Stainless steel door panel with handle For RC 462, panel thickness 19 mm.	17 500.00
RA 421 710 Stainless steel door panel with handle For RC 472, panel thickness 19 mm.	25 000.00
RA 421 911 Stainless steel door panel with handle For RC 492, panel thickness 19 mm.	30 800.00

Vario refrigerator 400 series RC 492/RC 462	
– Stainless steel interior with solid anthracite aluminium elements – Warm white and glare-free LED light spots – Opening assist for door with two options: 1. Push-to-open function for integration into handleless furniture front 2. Pull-to-open function to facilitate opening the door using a handle – The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level – Flat stainless steel inner door, fulllength – Almost invisible rail system for shelves and door racks for flexible positioning – Solid anthracite aluminium door racks – 1 fresh cooling drawer 0 °C with temperature control from -1° C to +3 °C and one fresh cooling drawer with manually adjustable humidity – TFT touch display	
Installation accessories RA 428 710 Stainless steel door panel without handle For RC 472	25 000.00
RA 428 610 Stainless steel door panel without handle For RC 462	17 600.00
RA 428 911 Stainless steel door panel without handle For RC 492	28 600.00
RA 425 110 Handle bar, stainless steel, long With 3 mounts, length 1131 mm, drilling distance between each mount 554 mm.	3 500.00
RA 460 020 Connecting element for vertically split appliance fronts (for flush front)	3 100.00
RA 464 611 Ventilation grille stainless steel For 61 cm wide appliances.	4 900.00
RA 464 711 Ventilation grille stainless steel For 76.2 cm wide appliances.	4 900.00
RA 464 911 Ventilation grille stainless steel For 91.4 cm wide appliances.	5 500.00



RF 463 305 Fully integrated, with ice and water dispenser Niche width 61 cm Niche height 213.4 cm	200 000.00
Included accessories 1 x connection set	
Installation accessories RA 422 610 Stainless steel door panel with handle	17 100.00
RA 428 810 Stainless steel door panel, handleless	17 000.00
RA 464 618 Ventilation grille stainless steel	4 900.00
Optional accessories RA 450 012 Activated charcoal filter for water filter system	2 200.00

Vario freezer 400 series RF 463	
– Stainless steel interior with solid anthracite aluminium elements Warm white and glare-free LED light spots Opening assist for door with two options: 1. Push-to-open function for integration into handleless furniture front 2. Pull-to-open function to facilitate opening the door using a handle The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level Material and aesthetics of interior as for RC model – Glass shelves – Solid anthracite aluminium door racks – Almost invisible rail system for shelves and door racks for flexible positioning – Ice and water dispenser in the door – Integrated ice maker with fixed inlet water connection – Proximity sensor for ice and water dispenser – Illuminated dispenser for ice cubes, crushed ice and chilled water in the door – TFT touch display – Net volume 300 litres	



RF 471 304 fully integrated Niche width 76.2 cm, Niche height 213.4 cm	210 000.00
RF 461 304 fully integrated Niche width 61 cm, Niche height 213.4 cm	190 000.00
RF 411 304 fully integrated Niche width 45.7 cm, Niche height 213.4 cm	180 000.00
Included accessories 1 ice cube scoop	
Installation accessories RA 460 013 Additional side heating element 230V. Required if appliances are installed handle to hinge or hinge to hinge. Not required if appliances are installed more than 160 mm apart from each other.	9 300.00
RA 421 110 Stainless steel door panel with handle For RF 411, panel thickness 19 mm.	11 500.00
RA 421 610 Stainless steel door panel with handle For RF 461, panel thickness 19 mm.	17 500.00
RA 421 710 Stainless steel door panel with handle For RF 471, panel thickness 19 mm.	25 000.00
RA 428 110 Stainless steel door panel without handle For RF 411	11 500.00
RA 428 610 Stainless steel door panel without handle For RF 461	17 600.00
RA 428 710 Stainless steel door panel without handle For RF 471	25 000.00
RA 464 714 Ventilation grille stainless steel For RF 471	4500.00
RA 464 113 Ventilation grille stainless steel For RF 411	4500.00
RA464616 Ventilation grille stainless steel For RF 461	4500.00

Vario freezer 400 series RF 471/RF 461/RF 411	
<ul style="list-style-type: none">– Stainless steel interior with solid anthracite aluminium elementsWarm white and glare-free LED light spotsOpening assist for door with two options:<ol style="list-style-type: none">1. Push-to-open function for integration into handleless furniture front2. Pull-to-open function to facilitate opening the door using a handle <p>The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level</p> <p>Material and aesthetics of interior as for RC model</p> <ul style="list-style-type: none">– Glass shelves– Solid anthracite aluminium door racks <p>Flat stainless steel inner door, fulllength</p> <p>Almost invisible rail system for shelves and door racks for flexible positioning</p> <p>Integrated ice maker with fixed inlet water connection</p> <p>TFT touch display</p>	
Installation accessories	
RA 425 110	
<p>Handle bar, stainless steel, long</p> <p>With 3 mounts, length 1131 mm, drilling distance between each mount 554 mm.</p> <p>For RF 471/461/411</p>	
3 500.00	
Special accessories	
RA 450 012	
<p>Activated charcoal filter for water filter system</p>	
2 200.00	



Large or small, our minimalist, clean lines make our refrigerators 200 series a pivotal addition to any kitchen.







Vario refrigerators 200 series

Standard niche, exceptional cooling

Impressively efficient: the fridge-freezers, refrigerators and freezers of the Vario 200 series range, offer multiple combinations and fit perfectly into any standard integrated kitchen design, each fit the niche dimension of 56 cm wide and 178 cm high.

Models offer generous cooling zones or multiple climate zones and fresh cooling drawer close to 0 °C for delicate ingredients. Stepped shelving allows for that extra large item to fit in and Gastronorm inserts to slide smoothly under shelves, making the most of the space. Even the four bottle wine and champagne rack folds out of the way.

The cooling 200 series



RC 289 300 RU
With fresh cooling close to 0 C
Fully integrated
Niche width 56 cm
Niche height 177.5 cm
70 000.00
Optional accessories
RA 260 000
Heavy duty hinge support for a maximum door weight of 27 kg.
900.00

Vario refrigerator 200 series
RC 289
- Interior with precision-fitted, solid aluminium elements in Gaggenau Light Bronze
- Extendable shelves and drawers
- Intelligent lighting concept
- 3 climate zones incl. 3 fresh cooling drawers close to 0 C
- Height-adjustable, extendable safety glass shelves, set in solid aluminium profiles
- Combines with freezer RF 287 (sidebyside integration)
- Cushioned door closing system allowing a soft and controlled door closure
- Easy-glide, fully extendable telescopic pull-out racks and a cushioned closing system allowing soft and controlled door closure
- Solid maple bottle supports with magnetic connector
- Net volume 289 litres
Included accessories
3 egg tray
2 wooden bottle holder magnetic



RF 287 200 RU
Fully integrated
Niche width 56 cm
Niche height 177.5 cm
65 000.00
Optional accessories
RA 260 000
Heavy duty hinge support for a maximum door weight of 27 kg.
900.00

Vario refrigerator 200 series
RF 287
- Interior with precision-fitted, solid aluminium elements in Gaggenau Light Bronze
- Safety glass shelves, set in solid aluminium profiles
- Drawers with solid aluminium handles and signature drawer front with a gradual frosted surface
- Warm white interior lighting (3500 K) with integrated glare-free side lights
- Direct access through partitioning with open storage areas
- Combines with fridge RC 289 (sidebyside integration)
- Combines with wine climate cabinet RW 282 (side-by-side integration)
- Cushioned door closing system allowing a soft and controlled door closure
- Net volume 211 litres
Included accessories
2 cold accumulator.
1 ice cube tray.



RB 289 300 RU
With fresh cooling close to 0 C
Fully integrated
Niche width 56 cm
Niche height 177.5 cm
70 000.00

Vario refrigerator 200 series
RB 289
- Interior with precision-fitted, solid aluminium elements in Gaggenau Light Bronze
- Extendable shelves and drawers
- Warm white and glare-free LED light
- 4 climate zones incl. 2 fresh cooling drawers close to 0 C
- Height-adjustable, extendable safety glass shelves, set in solid aluminium profiles
- Cushioned door closing system allowing a soft and controlled door closure
- Easy-glide, fully extendable telescopic pull-out racks and a cushioned closing system allowing soft and controlled door closure
- Solid maple bottle supports with magnetic connector
- Net volume 223 litres
Included accessories
2 cold accumulator.
3 egg tray.
1 ice cube tray with lid.
2 wooden bottle holder magnetic.

GAGGENAU



Wine climate cabinets

Protect, present, prepare.

Vario 400 series



A wine climate cabinet needs to provide precise storage, showcase your collection and enhance the prestige of your kitchen.



Vario wine climate cabinets 400 series

Protect and serve

Your wine needs to be stored, protected, showcased and prepared for enjoyment. These are competing functions that your wine climate cabinet, equal to a wine cellar, achieves year after year with unflappable aplomb.

Behind its door frames of existing furniture material or stainless steel, with or without handles, lies a sanctuary free from disturbance. Up to three separate temperature zones can be set between 5 °C and 20 °C replicating a long-term cellar environment and the perfect drinking temperatures.

Meanwhile five pre-programmed light options, crafted oak bottle presenters and fully extendable trays exhibit your coveted collection with due reverence. Humidity is kept constant, sound is muffled, vibrations suppressed, aromas are filtered by activated charcoal while the treated glass doors cut UV rays. Yet all this security is powerless to stop you gently pushing the door and plundering.



The wine climate cabinets 400 series



RW 414 364

fully integrated, with glass door
Niche width 45.7 cm,
Niche height 213.4 cm

200 000.00

Included accessories

1 Accessory for side-by-side installation

Installation accessories

RA 420 010

Door lock for RW 414 and RW 464

3 200.00

RA 460 013

Additional side heating element 230V.
Required if appliances are installed
handle to hinge or hinge to hinge. Not
required if appliances are installed
more than 160 mm apart from each other.

9 300.00

RA 421 111

Stainless steel door panel frame with
handle. For 45.7 cm wide appliances,
left-hinged, panel thickness 19 mm.

13 100.00

RA 421 112

Stainless steel door panel frame with
handle. For 45.7 cm wide appliances,
right-hinged, panel thickness 19 mm.

13 100.00

RA 428 111

Stainless steel door panel, handleless.
For 45.7 cm wide appliances, panel
thickness 19 mm

31 100.00

RA 464 111

Ventilation grille stainless steel
For 45.7 cm wide appliances.

4 900.00



RW 404 261

under-counter, stainless steel-framed
glass door
Niche width 60 cm, Niche height 82 cm

80 000.00

Vario wine climate cabinet 400 series

RW 414 364

- 2 independently controllable climate zones
- Consistent temperatures with exact control from +5 °C to +20 °C
- Humidity control
- Stainless steel interior
- Fully extendable bottle trays in oak wood and solid aluminium in anthracite
- Bottle trays with hidden telescopic rails
- Warm white and glare-free LED light spots
- 5 preset lighting scenarios, selectable via TFT display
- Opening assist for door with two options:
 1. Push-to-open function for integration into handleless furniture front
 2. Pull-to-open function to facilitate opening the door using a handle
- Low-vibration operation
- TFT touch display
- Capacity 70 bottles

Special accessories

RA 430 000

Screw hole cover set 8 pieces

500.00

RA 492 160

Removable shelf with oak wood frame
Suitable for decanters and open bottles.
For 61 cm wide appliances

4 400.00

RA 493 060

Presenter in oak wood and aluminium in
anthracite for single bottle display 1 piece.

1 100.00



RW 466 364

fully integrated, with glass door
Niche width 61 cm,
Niche height 213.4 cm

240 000.00

Included accessories

1 Accessory for side-by-side installation

Installation accessories

RA 420 010

Door lock for RW 414 and RW 464

3 200.00

RA 460 013

Additional side heating element 230V.
Required if appliances are installed
handle to hinge or hinge to hinge. Not
required if appliances are installed
more than 160 mm apart from each other.

9 300.00

RA 421 611

Stainless steel door panel frame with
handle. For 61 cm wide appliances,
left-hinged, panel thickness 19 mm.

17 000.00

RA 421 612

Stainless steel door panel frame with han-
dle. For 61 cm wide appliances,
right-hinged, panel thickness 19 mm.

17 000.00

RA 428 611

Stainless steel door panel, handleless.
For 61 cm wide appliances, panel thickness
19 mm

17 600.00

RA 464 611

Ventilation grille stainless steel
For 61 cm wide appliances.

4 900.00

Vario wine climate cabinet 400 series

RW 466

- 3 independently controllable climate zones
- Consistent temperatures with exact control from +5 °C to +20 °C
- Humidity control
- Stainless steel interior
- Fully extendable bottle trays in oak wood and solid aluminium in anthracite
- Bottle trays with hidden telescopic rails
- Warm white and glare-free LED light spots
- 5 preset lighting scenarios,
- selectable via TFT display
- Opening assist for door with two options:
 1. Push-to-open function for integration into handleless furniture front
 2. Pull-to-open function to facilitate opening the door using a handle
- Low-vibration operation
- TFT touch display
- Capacity 99 bottles

Special accessories

RA 430 000

Screw hole cover set 8 pieces

500.00

RA 492 660

Removable shelf with oak wood frame
Suitable for decanters and open bottles.
For 61 cm wide appliances

4 400.00

RA 493 060

Presenter in oak wood and aluminium in
anthracite for single bottle display 1 piece.

1 100.00

Wine climate cabinet

RW 404

- Two independently controllable climate zones
- Consistent temperatures with exact control from +5 °C to +20 °C
- Humidity control.
- Extendable bottle trays in beech and aluminium
- Presentation light option
- Lockable door
- Capacity 34 bottles
- Cushioned door closing system
- Side-by-side installation possible with special accessory
- Energy efficiency class A

Optional accessories

RA 050 220

Replacement activated charcoal air filters,
set of two, for upper and lower temperature
zone. For RW 404.

1 500.00

RA 097 600

Accessory for side-by-side installation of two
under-counter wine cabinets

3 300.00



Dishwashers

Clean with care and intelligence,
before revealing it beautifully.

400 series

Dishwashers

400 series

Protects the precious

Our dishwasher 400 series sit seamlessly in a Gaggenau kitchen featuring all the little, and not so little, touches you have come to expect from us.

From clever loading options for large and precious items, such as a long-stemmed glass holder and a silvercare cartridge accessory to Zeolite technology for perfect drying, the dishwasher impresses inside and out. A push-to-open function enables handleless dishwashers and the stainless steel trim kit allows for the doors to be installed visually seamlessly, while the optional flexible hinge creates a more aesthetic integration into a tall unit and the use of almost any kitchen furniture.

Exceptionally quiet and utilising innovative, unique, back panels it perfectly illuminates your tableware, from deep within.





The dishwasher 400 series



DF 480 101 F
Fully integrated
Height 81.5 cm

55 000.00

Included accessories

1 x baking tray spray head.
1 x GN container insert.
1 x holder for long-stemmed glasses.
1 x stainless steel trim kit.

- Dishwasher
- DF 480
-
- Optimal protection for sensitive glassware by low temperature drying with zeolite, elaborated basket design and intelligent water softening
 - 8 programmes with aqua sensor and 4 options, such as Power for cleaning and drying dishes from 57 minutes and
 - Intensive Plus for adjusting cleaning areas in the lower basket
 - Flexible basket system with smooth running rails on all levels and cushioned closing of the upper and lower basket
 - Perfectly illuminated interior
 - Push-to-open function for perfect integration into handleless furniture fronts
 - Flexible hinge for reduced plinth height as of 50 mm and tall unit installation
 - Lateral Info-Light
 - Very quiet: 43 dB
 - Home Connect
- Optional accessories
-
- DA041160
- Cutlery drawer with smooth running rails
-
- 3 300.00

The accessories




DA 041 160
Vario drawer incl. pull-out rails.
14 place setting capacity.
**For DF270160F

3 300.00



DA 043 000
Holder for long-stemmed glasses

990.00





Register



Connected to your household
One app, full control, manage home appliances from Bosch
Sensors, Gadgets and other well-known brands - wherever
You are at home or on the go.

11:53 Wed 20 Mar

Home Connect, life enhanced

The kitchen, always at your fingertips.

Our lives and homes are becoming ever more connected. Our home appliances have always enabled our customers to create extraordinary cuisine, now digital services are a valuable add on to this principle as they integrate the kitchen into our modern, lifestyles.

Home Connect allows you to intuitively communicate with your appliance digitally, remotely and at will. For instance, while cooking, the busy private chef can simply ask Alexa to prepare a cup of coffee and turn on the ventilation. You are also able to pre-heat the oven, start the dishwasher, download digital user manuals and have a technician run a diagnostic check, all from your mobile device.

Home Connect, enhancing your time in, and away from, the kitchen. Explore more possibilities on our website.

Home Connect

The use of the Home Connect functionality depends on the Home Connect services, which are not available in every country. For further information please check: home-connect.com

[illegible]

Notes:

[illegible]

Gaggenau Home Appliances

Head Office

37 Commerce Crescent (First Floor)
Kramerville
Johannesburg
Tel: (011) 265-7800
Fax: (011) 265-7817

Brand Experience Centre Johannesburg

30 Archimedes Street
Kramerville
Johannesburg
2148
Tel: 064 452 7178

Brand Experience Centre Cape Town

17 Church Street
Bree Street Studios
Cape Town
8000
081 432 1087

www.gaggenau.com/za

GAGGENAU